

# Focus on Autism and Other Developmental Disabilities

<http://foa.sagepub.com/>

---

## Are the Majority of Children With Autism Mentally Retarded?: A Systematic Evaluation of the Data

Meredyth Goldberg Edelson  
*Focus Autism Other Dev Disabl* 2006 21: 66  
DOI: 10.1177/10883576060210020301

The online version of this article can be found at:  
<http://foa.sagepub.com/content/21/2/66>

---

Published by:  
Hammill Institute on Disabilities



and



<http://www.sagepublications.com>

Additional services and information for *Focus on Autism and Other Developmental Disabilities* can be found at:

**Email Alerts:** <http://foa.sagepub.com/cgi/alerts>

**Subscriptions:** <http://foa.sagepub.com/subscriptions>

**Reprints:** <http://www.sagepub.com/journalsReprints.nav>

**Permissions:** <http://www.sagepub.com/journalsPermissions.nav>

>> [Version of Record](#) - Jan 1, 2006

[What is This?](#)

# Are the Majority of Children With Autism Mentally Retarded? A Systematic Evaluation of the Data

Meredyth Goldberg Edelson

There are frequent claims in the literature that a majority of children with autism are mentally retarded (MR). The present study examined the evidence used as the basis for these claims, reviewing 215 articles published between 1937 and 2003. Results indicated 74% of the claims came from nonempirical sources, 53% of which never traced back to empirical data. Most empirical evidence for the claims was published 25 to 45 years ago and was often obtained utilizing developmental or adaptive scales rather than measures of intelligence. Furthermore, significantly higher prevalence rates of MR were reported when these measures were used. Overall, the findings indicate that more empirical evidence is needed before conclusions can be made about the percentages of children with autism who are mentally retarded.

---

To be diagnosed with autism in the United States, a child must meet criteria as defined in the *Diagnostic and Statistical Manual of Mental Disorders (DSM)*. The child's cognitive ability has never been part of the diagnostic criteria for autism in any of the versions of the *DSM* in which autism has appeared (American Psychiatric Association [APA], 1980, 1987, 1994, 2000). However, the authors of the current manual, *DSM-IV-TR*, note that "in most cases, there is an associated diagnosis of mental retardation, which can range from mild to profound" (APA, 2000, p. 71). In fact, in each version of the *DSM*, mental retardation (MR) has been considered an associated condition of autism, and in some versions of the manual, it is noted that 70% to 75% of children with autism are also mentally retarded (APA, 1980, 1994).

Autism was first described by Kanner (1943), who maintained that children with autism had normal intellectual functioning; he stated that "even though most of these children were at one time or another looked upon as feebleminded, they are all unquestionably endowed with good *cognitive potentialities*" (p. 247; Kanner's emphasis). Kanner never systematically nor empirically assessed the intelligence of individuals with autism; his statements were made based on ob-

servations of 11 children. There were, however, early studies that did obtain empirical evidence regarding the intelligence of children with autism; rates of MR in samples of children with autism were typically between 30% and 40% in these reports (Pollack, 1958), much lower than the rates cited today. Questions arise as to when the assumptions about the rates of MR in children with autism changed and, more importantly, upon what evidence they changed.

Creak (1961) was the first author to make a claim that children with autism were likely to have MR. As part of a working group for establishing diagnostic criteria for autism in Great Britain, Creak described nine criteria for schizophrenic syndrome of childhood, one of which was "a background of serious retardation in which islets of normal, near normal, or exceptional functioning or skill may appear" (Creak, 1961, p. 818). In a subsequent paper, Creak (1963) again claimed that the psychotic child "is the most ineducable of any" (p. 88). The empirical evidence at the time, while scant, did not support Creak's assertions that there was *generally* a "background of serious retardation," and Creak herself never cited any evidence for her claims. However, shortly after Creak's publications, researchers began finding much higher rates of MR in children with autism, and this seemed to follow other nonempirical claims that could be traced back to Creak (e.g., Lockyer & Rutter, 1970; Rutter, 1974). Since then, hundreds of additional claims have been made, and currently it is commonly reported that between 67% and 90% of children with autism also have MR.

To date, no systematic examination of the evidence for the claims regarding the rates of MR in children with autism has been conducted. In view of this, the purpose of the present study was to examine the origin of the statistics regarding the high prevalence rates of MR in children with autism to ascertain the nature of the support for these statistics. Before this examination can take place, it is important first to understand how a diagnosis of MR is made and how intelligence level is typically assessed. A diagnosis of MR is based on three criteria: cognitive impairments defined by IQ scores less than 70,

adaptive skills deficits, and age of onset prior to 18 years (APA, 2000). Children who have autism will meet the latter two criteria as part of meeting the diagnostic criteria for autism (APA, 2000). However, because intelligence level is independent of a diagnosis of autism, the focus of the present examination is specifically on intelligence determination in children with autism.

In children without autism, standard measures of intelligence, such as the *Wechsler Intelligence Scale for Children—Third edition* (WISC-III; Wechsler, 1991) or the *Stanford-Binet* (Thorndike, Hagen, & Sattler, 1986), are frequently used. Although these and other intelligence tests were frequently used with children with autism in the 1960s and 1970s, this practice has been largely discontinued because of the acknowledgment that there are often language difficulties (see Tager-Flusberg, 1989; Rutter, 1978), attention deficits (see Burack, Enns, Stauder, Mottron, & Randolph, 1997; Dawson & Lewy, 1989), and processing delays and dysfunction (see Burack et al., 1997) that may make customary measures of intelligence challenging to use and, in some cases, inappropriate for children with autism. Language deficits, for example, may be independent of intelligence (Lord & Paul, 1997; Rutter, 1978), which may make verbal measures particularly troublesome for this population. For these reasons, some researchers, even in the early days of autism research, relied on subtests of intelligence tests or used alternative methods to assess the intelligence of children with autism.

Historically, alternative methods used to assess intelligence in children with autism included developmental measures such as the *Bayley Scales* (Bayley, 1969) or adaptive skills measures such as the *Vineland Social Maturity Scale* (Doll, 1965) or the *AAMD Adaptive Behavior Scale* (Fogelman, 1975). Although the use of these measures avoided some of the difficulties highlighted above, it is important to note that these are not measures of intelligence and do not provide the same kind of information as do intelligence tests. Developmental scales provide developmental quotient (DQ) scores, a reflection of the attainment of developmental milestones relative to same-age peers. Adaptive and social maturity scales provide social quotient (SQ) scores, a measure of the acquisition of social and adaptive behaviors also relative to one's cohort.

Research has shown that low scores on developmental scales do not predict subsequent development in children with autism as well as they predict development in typical children (Rogers, 2001) and that adaptive scales can underestimate the intelligence of children with autism (Fombonne, Siddons, Achard, Frith, & Happé, 1994). Developmental and adaptive scales may be particularly problematic for higher functioning children with autism, who may have a large discrepancy between their intelligence and what adaptive or developmental measures would predict (Liss et al., 2001). Therefore, the alternative methods used by some researchers to assess the intelligence of children with autism may also be problematic and should be examined systematically.

When evaluating the evidence supporting the claims regarding the rates of MR in children with autism, one must ex-

amine the source of the claims, the time when the studies were published, and the specific methods by which intelligence level was determined. The fact that the diagnostic criteria for autism have evolved since Kanner first identified the disorder cannot be ignored in the evaluation of the existing evidence. Because of this, the nature of the children comprising the samples in research has shifted over the years, and thus it could be argued that comparing prevalence rates across time may not make sense. It might also be argued that children with autism used in earlier studies may have had more severe autism than those assessed more recently. These issues are important to acknowledge. However, prevalence rates reported in the current literature cite past articles, often transcending periods during which various definitions of autism as well as diverse samples of children were used. Because of the use of prior research to support claims regarding the rates of MR in individuals with autism at the present, it is important to examine literature published across time frames regardless of the definition of autism or the nature of the sample utilized.

In the examination of the prevalence rates of MR in children with autism, three issues are important: (a) Do the prevalence rates reported in the literature derive from empirical sources? (b) Can nonempirical sources of these statistics be traced historically to valid empirical studies? and (c) When empirical studies have been conducted, are the methods by which intelligence is assessed appropriate?

## Method

Attempts were made to obtain all articles written in English published through December 2003 that made claims or provided data in support of the claims concerning the rates of MR in children with autism. The initial step in the process of locating appropriate articles for review involved an online search of the literature from 1943 (when *autism* was first coined by Kanner) through December 2003 using the PsycINFO database. Because of the early use of the terms *childhood schizophrenia* and *early infantile autism* for what is now called "autism," the search included all three terms. A total of 6,876 articles were found as a result of the search for *autism*, *early infantile autism*, or *childhood schizophrenia*; 27,985 articles were found as a result of the search for *autism*, *early infantile autism*, or *childhood schizophrenia*; 27,985 articles were found as a result of the search for *mental retardation*. There were 842 articles that included the key terms *autism*, *early infantile autism*, or *childhood schizophrenia* and *mental retardation*. It should be noted that in the context of the present study, the term *article* refers to any published source, whether journal article, book, or chapter in an edited book.

Articles that (a) investigated levels of intelligence in children with autism; (b) discussed, in detail, the cognitive abilities of children with autism; or (c) cited a claim about the comorbidity between autism and MR served as the starting point for the present review. I examined the abstracts of the 842 articles to determine whether they met any of the criteria. If they did, they were considered for further review. Of the 842 reviewed, 145 met at least one of the three criteria.

Of these 145 articles, those that made specific claims about the prevalence of MR in children with autism or that provided data regarding the intelligence of children with autism that could be used to determine prevalence rates of MR were included in the present review. Also, a sample of recent child psychopathology, abnormal psychology, and general textbooks on autism was examined to determine if they made statements regarding the intelligence of children with autism. Any of these sources that made claims or provided data regarding the intelligence of children with autism were also included. Articles that provided support for any statistics or claims cited in articles already in the review were additionally examined and included if they met any of the three criteria outlined above. Finally, any additional articles of which the researcher was aware that made claims regarding the prevalence of MR in children with autism were included.

Once an article was chosen for inclusion in the present review, every reference cited by the authors of that article that was used to support the claim of MR was obtained and examined to determine the support for the original claim. These articles were then also included in the review if the reference also made specific statements concerning the prevalence of MR in children with autism or provided data in support of a claim. This practice of following a citation trail historically continued until the citation trail ended. Both peer-reviewed journal articles and non-peer-reviewed publications (e.g., chapters in edited books, claims in textbooks) were included in the sample, as both types of sources were frequently referenced by those making claims. It is recognized that, given the vast literature on autism, some articles making claims about the prevalence of MR in children with autism will have been missed, despite the measures taken to identify all such articles. However, given the size and scope of the sample of articles, it is believed that the sample is representative of the articles in the relevant literature.

After examination, only articles that either made specific claims concerning the occurrence of MR in children with autism or that reported data that could be used by others as support for claims were included in the final sample. Some articles screened for inclusion in the present review ultimately were not included. For example, some articles implied a relationship between intelligence level and autism. The title of one of these articles illustrates this occurrence: "Long-Term Follow-up of 100 'Atypical' Children of Normal Intelligence" (Brown, 1978). These articles were not included in the final sample because they made no explicit prevalence claims. Some articles reported prevalence rates of children with autism who scored above and below an IQ of 50 (e.g., Lewis, 2003; Sponheim & Skjeldal, 1998). These articles distinguished what the authors often termed "low-functioning" children with autism (those scoring in the severe and profound categories of MR) from "high-functioning" children with autism (those scoring in the moderate range of MR or above). Because it was not possible to tease apart the percentages of children scoring above and below the actual cutoff for MR, an IQ of 70, these

studies also were not included in the present review. Finally, articles including children with Asperger syndrome or other autism spectrum disorders (ASD) were specifically excluded from the review, as the purpose of the current research was to examine the evidence for MR claims specifically in individuals with autism.

The final sample consisted of 215 articles that were classified into two types: (a) those that provided data regarding the prevalence rates of children with autism who also had MR (labeled "empirical articles") and (b) those that made claims in the absence of empirical evidence (labeled "nonempirical articles"). Articles that both provided empirical data and made nonempirical claims were considered in both categories. Whether an article was classified as empirical or nonempirical was determined solely with regard to the claim made about the prevalence of children with autism who had MR, not whether the article reported the results of an empirical study. Of the 215 articles in the final sample, 58 made empirically based claims, and 165 made nonempirical claims; 8 of the 215 articles were considered in both the empirical and nonempirical article categories. Thus, 223 total claims were evaluated spanning 1937 to 2003. The one article published prior to Kanner's label of autism in 1943 (Piotrowski, 1937) was obtained when following the citation trail of another article (Pollack, 1958).

Separate examinations of the empirical and nonempirical articles were conducted. Specific findings will be discussed, and some of the articles reviewed will be used as illustrations of particular results. However, due to the amount of data collected for each article, it is not possible to discuss, in detail, each article included in the review. The interested reader is referred to the author's Web site, which offers detailed tables summarizing the information about each nonempirical and empirical article reviewed ([www.willamette.edu/~medelson/](http://www.willamette.edu/~medelson/)). An alphabetical reference list of all articles included in the review is included in the appendix.

## Results

Because the vast majority of the claims regarding the prevalence of MR in children with autism originated from nonempirical sources, these results will be presented first.

### Results From Nonempirical Articles

Seventy-four percent of the claims about the prevalence of MR in individuals with autism came from nonempirical articles; 26% derived from empirical studies. Of the nonempirical articles, 36% never provided a citation in support of the claim. Of the 106 nonempirical articles that did make citations, 8% of the citations failed to provide supporting evidence for the claim, and 21% reported higher prevalence rates than those reported in the articles that the authors cited. Finally, of the 165 nonempirical articles that made claims about the prevalence of

MR in individuals with autism, 88 (53%) of the citations never traced back to empirical data when the reference trail was followed historically.

Of the nonempirical articles, 104 cited specific percentages of individuals with autism who had MR. The remainder of the nonempirical articles made such statements as “a majority of children with autism are also mentally retarded” (e.g., Gillberg & Coleman, 2000, p. 10). For analysis purposes, if an article cited a percentage range, the highest end of the range was considered, as the current review determined that this was most likely the percentage to be cited by subsequent authors. The average prevalence rate reported in the 104 articles citing specific rates was 77.83%, the median prevalence rate reported was 75% MR, and the modal prevalence rate of MR in individuals with autism that was reported was also 75% (reported 45 times); the second most frequently reported prevalence rate was 80% (reported 23 times).

Prevalence rates reported in the nonempirical articles varied by decade of publication. The average rates reported in the nonempirical articles were 40% for the 1 article published prior to 1960; 75% for the 1 article published between 1960 and 1969; 79.39% for the 13 articles published between 1970 and 1979; 75.56% for the 27 articles published between 1980 and 1989; and 79.15% for the 62 articles published since 1990. A one-way analysis of variance (ANOVA) and subsequent Bonferroni post hoc analysis indicated that there was a significant difference between the prevalence rate reported in the 1 article published prior to 1960 and the average prevalence rates reported since then,  $F(4, 99) = 8.683, p < .001$ . However, this finding should be interpreted with caution as only 1 nonempirical article reported a specific prevalence rate of MR in children with autism prior to 1960.

When all of the nonempirical articles are considered together, not just those reporting specific prevalence rates, a consistent increase is evident over the years in the number of articles making claims that a majority of children with autism have MR. Of all 165 nonempirical articles reviewed, 1 article made this claim prior to 1960 (1% of the nonempirical articles); 4 articles made claims between 1960 and 1969 (2.5% of the articles); 32 articles made claims between 1970 and 1979 (19% of the articles); 47 articles made claims between 1980 and 1989 (28.5% of the articles); and 81 articles have made claims since 1990 (49% of the articles). A chi-square analysis indicated that the number of nonempirical articles claiming that children with autism have MR differed across decades,  $\chi^2(4) = 132.30, p < .001$ .


One hundred seventeen empirical citations were offered as direct evidence by the authors of the 106 nonempirical articles that made citations for their claims, and they were examined to determine when the empirical data used in support of the nonempirical claims were obtained. For this analysis, only the original empirical citations were considered; nonempirical citation trails were not followed historically as it would be expected that the more the citation trail is traced back, the less recent the studies would be.

None of the empirical citations were to studies published prior to 1960. Forty-four citations (38%) were to empirical articles published from 1960 to 1969; 32 citations (27%) were to empirical articles published from 1970 to 1979; 26 citations (22%) were to empirical articles published from 1980 to 1989; and 15 citations (13%) were to empirical articles published between 1990 and 2003. A chi-square analysis indicated that there were significant differences in the number of citations across decades,  $\chi^2(3) = 14.885, p < .01$ . Overall, nearly two thirds of the empirical citations were to articles published 25–45 years ago. Figure 1 presents a comparison of the dates of publication of the articles making nonempirical claims that a majority of children with autism are MR and the dates of publication of the empirical data used to support these claims.

### Results From Empirical Articles

Of the 58 empirical articles included in the current review, 53 had data for which prevalence rates of MR could be determined (the remaining 5 were included because they were cited by nonempirical articles as empirical support for their claims). The average prevalence rate for these 53 empirical articles was 75.28%, similar to the median and modal prevalence rates reported in the nonempirical articles.

Of these 53 empirical articles, 3 articles (6%) were published prior to 1950; 10 articles (19%) were published from 1960 to 1969; 9 articles (17%) were published from 1970 to 1979; 14 articles (26%) were published from 1980 to 1989; and 17 articles (32%) were published from 1990 to 2003. There was a significant difference in the numbers of empirical articles published across decades,  $\chi^2(4) = 4.0, p < .05$ . The results suggest a slight increase in data speaking to the prevalence rates of MR in children with autism over the years, which



**FIGURE 1.** Numbers of nonempirical claims and direct empirical citations in support of the claims by decade of publication.

is interesting given that the authors of most nonempirical articles cited less recent empirical studies as support for their claims.

The average prevalence rates were also calculated separately by the decade in which they were published, and a one-way ANOVA was conducted to determine whether the percentages differed across the decades. As can be seen in Figure 2, there was a significant difference in prevalence rates across the years,  $F(4, 48) = 7.231, p < .001$ . The average prevalence rates reported were 34.33% for the 3 studies conducted prior to 1960; 66.9% for the 10 studies conducted from 1960 to 1969; 86.78% for the 9 studies conducted from 1970 to 1979; 78.29% for the 14 studies conducted from 1980 to 1989; and 78.88% for the 17 studies conducted since 1990.

Bonferroni post hoc comparisons determined that the results were due to significant differences in prevalence rates reported between studies published prior to 1960 and studies published later. Thus, the empirical data show that the reported prevalence rates of individuals with autism determined to be MR increased from prior to 1960 to the 1970s, where peak prevalence rates were reported (averaging approximately 86%), and have remained fairly consistent since then.

Of the 53 empirical articles providing data regarding prevalence rates of MR, 51 could be evaluated with regard to the methodologies they used to determine intelligence (2 articles were reviews of epidemiological surveys previously conducted; see Fombonne, 1998; Wing, 1993). Thirty-five of these 51 articles described the specific methodologies by which the researchers determined intelligence in their samples of children with autism. Thus, of the 223 total claims evaluated, only 35 (15.7%) were both empirical and of such a design that they allowed for an examination of the specific methods used to determine the prevalence rates of MR in children with autism. Although there was not a statistically significant difference between rates of MR reported in articles that did and did not de-


scribe their methodology, the mean prevalence rate of MR in the studies that described their methodology was 71.89% compared with 82.88% for the studies that did not describe how intelligence was assessed,  $t(49) = 1.88, ns$ .

**Analyzing the Effects of Individual Methods Used to Determine Intelligence.** The types of methods described in the 35 articles varied, and most articles reported utilizing more than one type of measure. *T* tests were utilized to assess differences between empirical studies that did and did not rely on specific methodologies to determine intelligence. When the standard deviations of the two groups were similar, the *t* tests were based on pooled variances; otherwise, separate variances were used.

Two types of measures of intelligence were used: verbal measures or timed (performance) measures. There were no significant differences in prevalence rates depending on whether the study employed one of these methods or not, and the majority of studies that described their methodology employed both of these measures. Furthermore, most studies that used these measures of intelligence used subtests rather than the full scales. The average prevalence rate of the 8 studies not utilizing verbal measures was 77.25%, compared with a mean prevalence rate of 70.3% for the 27 studies that did use these measures,  $t(9.3) = .486, ns$ . The average prevalence rate of the 5 studies that did not use timed measures was 73.4%, compared with an average prevalence rate of 71.63% for the 30 studies that did use this method,  $t(4.4) = .121, ns$ .

Many studies used developmental scales, adaptive scales, or other alternative measures of intelligence. Developmental scales were used in 16 studies, and the average reported prevalence rate of MR in individuals with autism for these studies was 80.25%, compared with an average rate of 64.68% for the 19 studies not utilizing developmental scales,  $t(33) = 2.495, p < .05$ . A similar finding was obtained for the use of adaptive scales as measures of intelligence. For the 13 studies using adaptive scales as measures of intelligence, the average prevalence rate reported was 79.46%, compared with the mean prevalence rate of 67.27% for the 22 studies that did not use adaptive scales; this difference, however, was not statistically significant,  $t(33) = 1.824, ns$ . Finally, there was a nonsignificant difference in the prevalence rates of MR reported in studies that used estimates or observations of intelligence (average rate for the 7 studies was 77.71%) compared with those that did not (average rate for the 28 studies was 70.43%,  $t(11.7) = 1.013, ns$ ).

In the 1960s and 1970s, some researchers assumed that children who were "untestable" had MR. These researchers assigned untestable children to the severe or profound MR category and then reported prevalence rates incorporating the "data" from these children (e.g., Kolvin, Humphrey, & McNay, 1971; Rutter, 1966a; Rutter & Lockyer, 1967). Although not statistically significant, there were higher prevalence rates of MR reported for studies that equated untestability with MR. The average prevalence rate for the 8 studies utilizing this practice was 80.5%, compared with the average



**FIGURE 2.** Mean prevalence rates of MR reported for children with autism in empirical articles by decade of publication.

prevalence rate of 69.33% for the 27 studies that did not utilize this practice,  $t(23.4) = 1.971$ , *ns*.

**Analyzing the Effects of the Combined Use of Alternative Measures of Intelligence.** Most studies utilized at least one alternative measure of intelligence, and the majority of these used more than one such measure. Table 1 presents the findings for the combined use of methods other than true measures of intelligence. It should be noted that the total number of empirical studies included in these analyses exceeds 35 because if an article did not describe a specific method used to determine intelligence but made general statements that allowed for a classification regarding whether a general type of method was employed, the article was included.

As can be seen in Table 1, when studies used either developmental or adaptive measures of intelligence, higher average prevalence rates of MR were obtained; there was a mean prevalence rate of 79.85% for the 20 studies using at least one of these methods, compared with an average rate of 63.75% for the 16 studies that used neither method,  $t(34) = 2.576$ ,  $p < .05$ . The 28 studies that used developmental or adaptive scales or that relied on observations or estimates of intelligence reported an average prevalence rate of MR of 80.96%, compared with a rate of 57.17% for the 12 studies that did not utilize any of these methods,  $t(38) = 4.274$ ,  $p < .001$ . Finally, the 30 studies that used at least one of these three methods or that assigned untestable children to the MR category had an average prevalence rate of MR of 80.53%, compared with an average rate of 55.91% for the 11 studies that did not utilize any of these four methods,  $t(39) = 4.101$ ,  $p < .001$ .

**An Examination of DeMyer et al. (1974).** Only one study used an unstandardized measure of intelligence, a study conducted by DeMyer et al. (1974), who used the *Vineland Social Maturity Scale* or the *DeMyer Profile Test* as measures of performance IQ in children with autism. The *Vineland* is an

adaptive behavior scale, and a Social Quotient (SQ), not an IQ, is obtained. The *DeMyer Profile Test* is an unstandardized test created by the authors and for which there is no normative nor psychometric data. DeMyer et al. measured verbal IQ either by “estimating” verbal age through an interview with their 115 participants, 78 of whom had no speech or echolalic speech only, or by again using the *DeMyer Profile Test*. In most cases, general IQ was obtained by averaging the performance and verbal IQs. Thus, this study used an unstandardized measure of intelligence with no psychometric data speaking to its reliability or validity, a measure of adaptive skills, and an interview of predominantly nonverbal participants. DeMyer et al. reported that 94% of their sample had MR. Despite the poor methodology and the fact that the article is 30 years old, this study is still being cited as *direct* evidence that a majority of children with autism have MR in sources as recent as the late 1990s and the early 21st century (e.g., deBildt et al., 2003; Erickson, 1998; Prior & Ozonoff, 1998; Sigman, Dissanayake, Arbelle, & Ruskin, 1997; Zelazo, Burack, Boseovski, Jacques, & Frye, 2001). Furthermore, of the 77 nonempirical articles that traced to empirical data, 26 (34%) of these traced either directly or indirectly to this one study.

## Discussion

### An Examination of the Three Issues

The results from the analyses of nonempirical and empirical articles are considered together to address the three issues put forth at the beginning of the paper.

**Did the Prevalence Rates Reported Derive From Empirical Sources?** Seventy-four percent of the articles making claims about the prevalence of MR in children with autism came from nonempirical articles; only 26% derived from empirical studies. Of the 165 nonempirical claims made, 36%

**TABLE 1**  
Differences in the Reported Prevalence Rates of Mental Retardation in Children With Autism in Empirical Articles:  
A Combined Examination of the Use of Alternative Measures of Intelligence

Method	Mean prevalence rate				p value of difference (using t test)
	Studies using methods		Studies not using methods		
	%	n	%	n	
Developmental or adaptive skills measures	79.85	20	63.75	16	< .05
Developmental or adaptive skills measures or estimates of intelligence	80.96	28	57.17	12	< .001
Developmental or adaptive skills measures, estimates of intelligence, or assuming untestable children are mentally retarded	80.53	30	55.91	11	< .001

Note. The total number of studies for these analyses exceeds 35 because some empirical articles that did not describe specific methodologies did make general statements about the types of measures used. Therefore, if it could be determined whether a particular article did or did not use one of the general combined methods being analyzed, it was included in the analysis.

never gave a citation in support of the claim; an additional 8% gave a citation that did not provide evidence to support the claim; and a surprising number of nonempirical articles (21%) claimed that a higher percentage of children with autism had MR than was claimed in the citation used to support the percentage (e.g., Asarnow, Tanguay, Bott, & Freeman, 1987; Burack, 1992, 1994; Burack & Volkmar, 1992; DeMyer, 1979; Gillberg, 1993; Myers, 1989; Prior & Werry, 1986; Rutter, 1974; Rutter, Bartak, & Newman, 1971; Seligman, Walker, & Rosenhan, 2001; Volkmar & Cohen, 1988; Wing, 1974, 1976). This latter finding indicates a practice of inflating the prevalence rates, which in turn can result in these higher percentages being cited by subsequent authors.

**Could Nonempirical Sources of the Prevalence Rates of MR in Children With Autism Be Traced Historically to Valid Empirical Studies?** A total of 53% of the nonempirical articles making claims about the prevalence of MR in children with autism never traced back to an empirical source when the citation trail was followed historically. However, some authors making nonempirical claims made specific reference to data supporting their claims even though their claims never traced back to empirical evidence. For example, Schreibman (1988) stated that “the *data* acquired to date indicate that the majority of autistic children are mentally retarded” (p. 25, emphasis added). Yet, the citation Schreibman provided in support of this statement was a nonempirical article (Ritvo & Freeman, 1978). Although Ritvo and Freeman (1978) claimed that 80% of children with autism were MR, they did not provide a citation in support of their own claim. Thus, neither Schreibman’s citation nor the citation trail derived from it provided the “data” she asserted in her claim. The practice of using nonempirical citations to support nonempirical claims was fairly widespread, but most readers would not be cognizant of the fact that, over half the time, the citation trail ended before leading to empirical data.

**Were the Methods by Which Intelligence Was Assessed in the Empirical Studies Valid Given the Interference of Autism on the Process of Intellectual Assessment?** Empirical evidence for the high prevalence of MR in children with autism came from two sources: epidemiological studies and empirical investigations. A significant number of the recent empirical articles were epidemiological studies investigating the prevalence of autism in various communities (e.g., Arvidsson, Danielsson, Forsberg, Gillberg, Johansson, & Kjellgren, 1997; Fombonne & du Mazaubrun, 1992; Fombonne, du Mazaubrun, Cans, & Grandjean, 1997; Gillberg, Steffenburg, & Schaumann, 1991; Honda, Shimizu, Misumi, Niimi, & Ohashi, 1996; Magnússon & Sæmundsen, 2001; Wignyo-sumarto, Mukhlas, & Shirataki, 1992). These studies frequently reported prevalence rates of MR based on intelligence assessments that were obtained prior to the study by individuals other than the researchers. Because of this, there was little detail reported about the specific measures of intelligence and methods of administration used in these studies.

Only 8% of the empirical articles published prior to 1980 were epidemiological studies compared with 60% of the empirical articles published since 1980,  $\chi^2(1) = 6.96, p < .01$ .

The first empirical study of the intelligence of children with autism was conducted by Piotrowski (1937), who found that 30% of individuals with “childhood schizophrenia” had MR. Other early reports describe similar prevalence rates (see Pollack, 1958). The first reports that a majority of children with autism also had MR occurred in the mid to late 1960s (e.g., Gibson, 1968; Gillies, 1965; Gittelman & Birch, 1967; Lotter, 1966a, 1966b; Rutter, 1966a; Rutter & Lockyer, 1967; Wing, 1969). These studies reported prevalence rates of MR in children with autism ranging from 56% to 100%. High prevalence rates of MR in children with autism continued to be reported in the 1970s, where the average prevalence rates of MR in children with autism peaked at over 86%, and the prevalence rates reported since then seem to have stabilized at approximately 78%.

### ***Where the Empirical Support Originated and the Quality of the Data***

Most (65%) of the empirical citations provided for nonempirical claims came from studies conducted in the 1960s and 1970s, and 87% were prior to 1990. Of the sample of empirical articles reviewed, 55% of the empirical studies were conducted prior to 1980; 75% were conducted prior to 1990. Thus, most of the empirical data used in support of the prevalence claims are not recent.

In all likelihood, early empirical studies followed the established standards of practice for testing at the time. However, less was known about autism and the possible interfering effects of autism on the assessment of intelligence. Because of this, few if any modifications were made in determining the intelligence of children with autism; only a handful of authors acknowledged the possible interference of autistic symptomatology on the assessment process (e.g., Lotter, 1966a; Mittler, 1966; Viitamaki, 1964; Vorster, 1960). Moreover, there was little or no discussion of whether the examiners administering the measures of intelligence even had experience in working with children with autism.

Mittler (1966) was one of the first authors to acknowledge the possible adverse affects of autistic symptomatology on intelligence testing. He noted that intelligence scores of individuals with autism may be inaccurate, especially when refused items are counted as failures, as they are on most performance scales. Mittler also stated that verbal measures of intelligence may be inappropriate because of the language deficits often present in children with autism. Other early researchers agreed on this latter point, including Rutter (1966b), who stated that many commonly used measures of intelligence are “usually unsuitable” (p. 91) for children with autism given their reliance on verbal subtests. However, in another chapter *in the same book*, Rutter (1966a) reported that 71% of children with autism in his sample had MR, a statistic obtained in a study

that utilized the *Wechsler Intelligence Scale for Children*, a commonly used measure of intelligence with many verbal subtests (see Rutter & Lockyer, 1967, which is a report of the same study). Thus, despite the recognition that certain methods of intelligence determination were inappropriate for children with autism, they were still used; and data from these studies were then cited by subsequent authors.

The current standards of practice for testing suggest that modifications need to be made in the assessment of individuals with a disability; the standards state that (a) testers must select appropriate tests and make test accommodations when necessary given the disability; (b) testers must recognize the effects of the environment in which the person is assessed and the demands of the tests themselves on the performance of individuals with disabilities; and (c) testers must ensure that test scores are accurate indicators of the construct being measured rather than reflecting “construct-irrelevant characteristics associated with the disability” (Turner, DeMers, Roberts Fox, & Reed, 2001, p. 1104).

It is important to recognize that most of the empirical articles reporting rates of MR in children with autism made no mention of the experience of the examiner in working with individuals with autism or whether any modifications were made in the testing given the interference of autistic symptoms on the process of assessment. Freeman and Ritvo (1976) noted that the particular test used to assess intelligence and the skill of the examiner are important contributors to test outcome. Ironically, it was DeMyer (1979) who acknowledged that “few clinicians, even psychologists, are familiar with the techniques of reliably estimating the intelligence of an autistic child” (p. 133).

Because the early empirical research “establishing” the prevalence of MR in children with autism did not take into account these issues when using standard measures of intelligence with children with autism, the validity of the data obtained from these early studies is called into question. However, perhaps a greater concern is that researchers frequently utilized methods to determine intelligence level that were not actual measures of intelligence.

The most commonly used alternative methods of determining intelligence were developmental and adaptive scales. Developmental scale scores are not meant to reflect the intelligence of children but rather whether children have obtained skills normative for their chronological age (Goldman et al., 1983). Adaptive scale scores reflect the attainment of social milestones and adaptive behaviors. Both types of scores are based on observer reports of a child’s behavior and are not comparable to IQ scores, which require responses from the person being assessed (Goldman et al., 1983). Moreover, recent research has indicated that these measures may be particularly poor substitutes for measures of intelligence in samples of children with autism (Fombonne et al., 1994; Rogers, 2001).

The results from the analyses of the empirical articles demonstrated that significantly higher prevalence rates of MR

were found in children with autism when developmental or adaptive scales were used as measures of intelligence than when these scales were not utilized. In fact, there was a difference of nearly 25% in reported average prevalence rates of MR if studies used developmental measures, used adaptive skills measures, made estimates of intelligence, or assumed that untestable children had MR. Thus, much of the data supporting the high prevalence rates of MR in children with autism was obtained using measures that were not designed to assess intelligence and that were likely to inflate these percentages.

It is important to note that nearly all of the empirical studies utilized more than one method of determining intelligence. Therefore, even if some measures of intelligence were used that were appropriate given the symptoms of autism, it was not possible to determine which scores of intelligence were obtained on which measures. An example of this occurred in a study by Rutter and Lockyer (1967). Only 3 of the 63 children in their study were administered the *Leiter International Performance Scale* (Leiter), a nonverbal measure of intelligence. Research has indicated that the same children with autism have been shown to score significantly better on the Leiter than on the *Wechsler Intelligence Scale for Children—Revised* (WISC-R; see Shah & Holmes, 1985). In Rutter and Lockyer’s study, 10 of the children were deemed untestable and were arbitrarily assigned an IQ of 25, and the remainder were assessed using verbal measures of intelligence, adaptive scales, or projective measures of personality. The way in which Rutter and Lockyer (1967) reported their data does not allow the reader to know how rates of MR varied depending on the measure used, and this was true of virtually all empirical studies reviewed. Thus, the fact that nearly all studies employed at least some inappropriate measures may account for why the prevalence rates were generally high across all studies even when individual methods were considered separately.

### **Acceptance in the Field That a Majority of Children With Autism Have MR**

According to Rutter (1999), researchers in the field of autism research long ago determined that most children with autism were, in fact, mentally retarded. In a lecture on the evolution of research and clinical practice related to autism from the 1950s through 1998, Rutter (1999) discussed the focus of autism research across four time frames. He stated that in the 1950s and 1960s, there were many comparative studies focusing on the differentiation of autism from MR. By the 1970s, Rutter noted that it was already believed to be the case the most children with autism had MR. In the 1970s through mid-1980s, the cognition research shifted to understanding the particulars of reported cognitive deficits in individuals with autism. According to Rutter’s report, after the mid-1980s, few research studies focused on determining the intelligence level of children with autism; this might, in part, explain why a greater percentage of recent empirical articles were epidemio-

logical surveys of the prevalence of autism rather than empirical studies assessing the intelligence of children with autism.

Historically, our knowledge of autism, as reflected in what is cited in the literature, has transformed slowly. For example, Bettelheim (1967) asserted that autism was caused by psychogenic factors, specifically “refrigerator mothers” who coldly rejected their children. It took many years before authors stopped citing Bettelheim’s theory as fact, even in the absence of supporting data and even after there was ample evidence refuting his theory. The unfortunate consequences of this slow transition in the literature was that there was a continued practice of blaming mothers of children with autism long after it was clear that they were not the cause of their child’s condition.

Similarly, authors may continue to cite high prevalence rates of MR in these children long after it has been shown that the data are not present to support these claims. An unfortunate consequence of this may be the failure to provide the most effective interventions due to incorrect assumptions about the intelligence of these children. Yet, it is likely that most individuals reading the high prevalence claims in the literature are unaware of the state of the evidence used to support the claims. Most readers of the research likely accept the citations given for a claim without checking the strength of the evidence provided by the citation. Moreover, given the frequency with which claims of MR are made, it seems probable that readers of the literature assume that it is an established fact that children with autism have MR. This may also explain why many nonempirical claims about the prevalence of MR in individuals with autism do not have a supporting citation.

## Conclusions and Implications

In view of the present findings on these three issues, the conclusion that the majority of children with autism also have MR does not seem warranted. Most of the claims originate from nonempirical sources that (a) do not trace to empirical data, (b) cite empirical research that is 25 to 45 years old, (c) used inappropriate measures, or (d) typically failed to acknowledge the possible interference of autism on the assessment of intelligence. Furthermore, only 15.7% of all claims made actually traced to empirical data that were obtained from studies whose authors described specific methods used to assess intelligence. Thus, only a small percentage of studies reported methods that could be evaluated with regard to their validity.

Although recent data have shown that some children with autism do, in fact, have MR, the rates are much lower than the high prevalence rates cited in the past. Recent epidemiological surveys have shown that the prevalence rates of MR in children with autism is between 40% and 55% (e.g., Chakrabarti & Fombonne, 2001), much lower than the typical rates cited in the literature. Recent empirical studies indicate that when appropriate measures of intelligence are used—those that take into account the interference of autism—a significantly lower prevalence rate of MR is found relative to the rates typically re-

ported in the literature (see Edelson, Schubert, & Edelson, 1998; Koegel, Koegel, & Smith, 1997).

However, the practice of claiming that a majority of children with autism are mentally retarded continues largely unabated. These claims can be found in recent journal articles (e.g., Bodfish, Symons, Parker, & Lewis, 2000; Dennis, Lockyer, Lazenby, Donnelly, Wilkinson, & Schoonheydt, 1999; Happé, 1999; Ruble & Dalrymple, 2003); chapters on autism in edited books, many of which are still in books on MR (e.g., Kasari, Freeman, & Paparella, 2001; Minschew, Johnson, & Luna, 2001; Volkmar & Klin, 2001); chapters on autism from child psychopathology textbooks (e.g., Mash & Wolfe, 2002; Wicks-Nelson & Israel, 2000); chapters in abnormal psychology textbooks (e.g., Davison & Neale, 2003; Seligman, Walker, & Rosenhan, 2001); “ask the editor” columns in journals on autism (Volkmar, 2003); and in the most recent edition of the *Diagnostic and Statistical Manual of Mental Disorders* (American Psychiatric Association, 2000).

Given the present results, it seems prudent to obtain additional empirical evidence before making any definitive conclusions regarding the prevalence rates of MR in children with autism. Empirical studies need to be conducted in which measures of intelligence take into account the interfering symptoms of autism on the process of assessment, examiners are knowledgeable about and have experience in assessing children with autism, and modifications to the testing situation are made to minimize the “construct-irrelevant” error in test outcome. Until that time, researchers in the autism field should use caution when making assumptions or citing claims about the rates of MR in children with autism.

## ABOUT THE AUTHOR

*Meredyth Goldberg Edelson, PhD, is a professor of psychology at Willamette University in Salem, Oregon. Her teaching and research interests include the intellectual functioning of children with autism, legal outcomes and other variables related to the sexual abuse of children, and the effects of domestic violence on women and children. Address: Meredith Goldberg Edelson, Willamette University, Department of Psychology, 900 State Street, Salem, OR 97301; e-mail: medelson@willamette.edu*

## NOTES

1. The author would like to acknowledge the help of Steve Edelson and Jim Friedrich, who provided comments on an earlier version of this article.
2. This research was supported by a Faculty Study Time Leave and Atkinson Grant awarded to the author by Willamette University.
3. A portion of this research was presented at the Western Psychological Association Annual Conference, May 2003.

## REFERENCES

- American Psychiatric Association. (1980). *Diagnostic and statistical manual of mental disorders* (3rd ed.). Washington, DC: Author.

- American Psychiatric Association. (1987). *Diagnostic and statistical manual of mental disorders* (3rd ed., rev.). Washington, DC: Author.
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.). Washington, DC: Author.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text rev.). Washington, DC: Author.
- Arvidsson, T., Danielsson, B., Forsberg, P., Gillberg, C., Johansson, M., & Kjellgren, G. (1997). Autism in 3–6 year old children in a suburb of Göteborg, Sweden. *Autism, 1*, 163–173.
- Asarnow, R. F., Tanguay, P. E., Bott, L., & Freeman, B. J. (1987). Patterns of intellectual functioning in non-retarded autistic and schizophrenic children. *Journal of Child Psychology and Psychiatry, and Allied Disciplines, 28*, 273–280.
- Bayley, N. (1969). *Manual: Bayley Scales of Infant Development*. New York: Psychological Corp.
- Bettleheim, B. (1967). *The empty fortress: Infantile autism and the birth of the self*. New York: The Free Press.
- Bodfish, J. W., Symons, F. J., Parker, D. E., & Lewis, M. H. (2000). Varieties of repetitive behavior in autism: Comparison to mental retardation. *Journal of Autism and Developmental Disorders, 30*, 237–243.
- Brown, J. L. (1978). Long-term follow-up of 100 “atypical” children of normal intelligence. In M. Rutter & E. Schopler (Eds.), *Autism* (pp. 463–474). New York: Plenum Press.
- Burack, J. A. (1992). Debate and argument: Clarifying developmental issues in the study of autism. *Journal of Child Psychology and Psychiatry and Allied Disciplines, 33*, 617–621.
- Burack, J. A. (1994). Selective attention deficits in persons with autism: Preliminary evidence of an inefficient attentional lens. *Journal of Abnormal Psychology, 103*, 535–543.
- Burack, J. A., Enns, J. T., Stauder, J. E. A., Mottron, L., & Randolph, B. (1997). Attention and autism: Behavioral and electrophysiological evidence. In D. J. Cohen & F. R. Volkmar (Eds.), *Handbook of autism and pervasive developmental disorders* (2nd ed., pp. 226–247). New York: Wiley.
- Burack, J. A., & Volkmar, F. R. (1992). Development of low- and high-functioning autistic children. *Journal of Child Psychology and Psychiatry and Allied Disciplines, 33*, 607–616.
- Chakrabarti, S., & Fombonne, E. (2001). Pervasive developmental disorders in preschool children. *Journal of the American Medical Association, 285*, 3093–3099.
- Creak, M. (1961). Schizophrenic syndrome in childhood. *Lancet, 2*, 818.
- Creak, E. M. (1963). Childhood psychosis: A review of 100 cases. *The British Journal of Psychiatry, 109*, 84–89.
- Davison, G. C., & Neale, J. M. (2003). *Abnormal psychology* (8th ed.). New York: Wiley.
- Dawson, G., & Lewy, A. (1989). Arousal, attention, and the socio-emotional impairments of individuals with autism. In G. Dawson (Ed.), *Autism: Nature, diagnosis, and treatment* (pp. 49–74). New York: Guilford Press.
- deBildt, A., Sytema, S., Ketelaars, C., Kraijer, D., Volkmar, F., & Minderaa, R. (2003). Measuring pervasive developmental disorders in children and adolescents with mental retardation: A comparison of two screening instruments used in a study of the total mentally retarded population from a designated area. *Journal of Autism and Developmental Disorders, 33*, 595–605.
- DeMyer, M. K. (1979). *Parents and children in autism*. Washington, DC: V. H. Winston & Sons.
- DeMyer, M. K., Barton, S., Alpern, G. D., Kimberlin, C., Allen, J., & Steele, R. (1974). The measured intelligence of autistic children. *Journal of Autism and Childhood Schizophrenia, 4*, 42–60.
- Dennis, M., Lockyer, L., Lazenby, A. L., Donnelly, R. E., Wilkinson, M., & Schoonheydt, W. (1999). Intelligence patterns among children with high-functioning autism, phenylketonuria, and childhood head injury. *Journal of Autism and Developmental Disorders, 29*, 5–16.
- Doll, E. E. (1965). *Vineland Social Maturity Scale, condensed revised edition. Manual of direction*. Minneapolis, MN: American Guidance Service.
- Edelson, M. G., Schubert, D. T., & Edelson, S. M. (1998). Factors predicting intelligence scores on the TONI in individuals with autism. *Focus on Autism and Other Developmental Disabilities, 13*, 17–26.
- Erickson, M. T. (1998). *Behavior disorders of children and adolescents: Assessment, etiology and intervention*. Upper Saddle River, NJ: Prentice Hall.
- Fogelman, C. J. (1975). *American Association on Mental Deficiency (AAMD) Adaptive Behavior Scale, revision*. Washington, DC: AAMD.
- Fombonne, E., & du Mazaubrun, C. (1992). Prevalence of infantile autism in four French regions. *Social Psychiatry and Psychiatric Epidemiology, 27*, 203–210.
- Fombonne, E., du Mazaubrun, C., Cans, C., & Grandjean, H. (1997). Autism and associated medical disorders in a French epidemiological survey. *Journal of the American Academy of Child and Adolescent Psychiatry, 36*, 1561–1569.
- Fombonne, E., Siddons, F., Achard, S., Frith, U., & Happé, F. (1994). Adaptive behavior and theory of mind in autism. *European Child & Adolescent Psychiatry, 3*, 176–186.
- Freeman, B. J., & Ritvo, E. R. (1976). Cognitive assessment. In E. R. Ritvo, B. J. Freeman, E. M. Ornitz, & P. E. Tanguay (Eds.), *Autism: Diagnosis, current research, and management* (pp. 27–39). New York: Spectrum.
- Gibson, D. (1968). Early infantile autism: Symptom and syndrome. *Canadian Psychology, 9*, 36–39.
- Gillberg, C. (1993). Autism and related behaviours. *Journal of Intellectual Disability Research, 37*, 343–372.
- Gillberg, C., & Coleman, M. (2000). *The biology of the autistic syndromes*. London: Mac Keith Press.
- Gillberg, C., Steffenburg, S., & Schaumann, H. (1991). Is autism more common now than 10 years ago? *The British Journal of Psychiatry, 158*, 403–409.
- Gillies, S. (1965). Some abilities of psychotic children and subnormal controls. *Journal of Mental Deficiency Research, 9*, 89–101.
- Gittelman, M., & Birch, H. G. (1967). Childhood schizophrenia: Intellect, neurologic status, perinatal risk, prognosis, and family pathology. *Archives of General Psychiatry, 17*, 16–25.
- Goldman, J., L'Engle Stein, C., & Guerry, S. (1983). *Psychological methods of child assessment*. New York: Bruner/Mazel.
- Happé, F. (1999). Autism: Cognitive deficit or cognitive style? *Trends in Cognitive Sciences, 3*, 216–222.
- Honda, H., Shimizu, Y., Misumi, K., Niimi, M., & Ohashi, Y. (1996). Cumulative incidence and prevalence of childhood autism in children in Japan. *The British Journal of Psychiatry, 169*, 228–235.

- Kanner, L. (1943). Autistic disturbances of affective contact. *Nervous*, 2, 217–250.
- Kasari, C., Freeman, S. F. N., & Paparella, T. (2001). Early intervention in autism: Joint attention and symbolic play. In L. M. Glidden (Ed.), *International review of research in mental retardation: Vol. 23. Autism* (pp. 207–237). San Diego: Academic Press.
- Koegel, L. K., Koegel, R. L., & Smith, A. (1997). Variables related to differences in standardized test outcomes for children with autism. *Journal of Autism and Developmental Disorders*, 27, 233–244.
- Kolvin, I., Humphrey, M., & McNay, A. (1971). VI. Cognitive factors in childhood psychoses. *The British Journal of Psychiatry*, 118, 415–419.
- Lewis, V. (2003). Disorders of development. In A. Slater & G. Bremner (Eds.), *An introduction to developmental psychology* (pp. 456–475). Malden, MA: Blackwell.
- Liss, M., Harel, B., Fein, D., Allen, D., Dunn, M., Feinstein, C., et al. (2001). Predictors and correlates of adaptive functioning in children with developmental disorders. *Journal of Autism and Developmental Disorders*, 31, 219–230.
- Lockyer, L., & Rutter, M. (1970). A five- to fifteen-year follow-up study of infantile psychosis: IV. Patterns of cognitive ability. *The British Journal of Social and Clinical Psychology*, 9, 152–163.
- Lord, C., & Paul, R. (1997). Language and communication in autism. In D. J. Cohen & F. R. Volkmar (Eds.), *Handbook of autism and pervasive developmental disorders* (2nd ed., pp. 195–225). New York: Wiley.
- Lotter, V. (1966a). Epidemiology of autistic conditions in young children: I. Prevalence. *Social Psychiatry. Sozialpsychiatrie. Psychiatrie Sociale*, 1, 124–137.
- Lotter, V. (1966b). Services for a group of autistic children in Middlesex. In L. Wing (Ed.), *Early childhood autism: Clinical, educational and social aspects* (pp. 241–255). Oxford: Pergamon Press.
- Magnússon, P., & Sæmundsen, E. (2001). Prevalence of autism in Iceland. *Journal of Autism and Developmental Disorders*, 31, 153–163.
- Mash, E. J., & Wolfe, D. A. (2002). *Abnormal child psychology*. Belmont, CA: Wadsworth.
- Minshew, N. J., Johnson, C., & Luna, B. (2001). The cognitive and neural basis of autism: A disorder of complex information processing and dysfunction of neocortical systems. In L. M. Glidden (Ed.), *International review of research in mental retardation: Vol. 23. Autism* (pp. 111–138). San Diego: Academic Press.
- Mittler, P. (1966). The psychological assessment of autistic children. In L. Wing (Ed.), *Early childhood autism: Clinical, educational and social aspects* (pp. 145–158). Oxford: Pergamon Press.
- Myers, B. A. (1989). Misleading cues in the diagnosis of mental retardation and infantile autism in the preschool child. *Mental Retardation*, 27, 85–90.
- Piotrowski, Z. A. (1937). A comparison of congenitally defective children with schizophrenic children in regard to personality structure and intelligence type. *Proceedings of the American Association on Mental Deficiency*, 42, 78–90.
- Pollack, M. (1958). Brain damage, mental retardation, and childhood schizophrenia. *The American Journal of Psychiatry*, 115, 422–428.
- Prior, M., & Ozonoff, S. (1998). Psychological factors in autism. In F. R. Volkmar (Ed.), *Autism and pervasive developmental disorders* (pp. 64–108). Cambridge: Cambridge University Press.
- Prior, M., & Werry, J. S. (1986). Autism, schizophrenia, and allied disorders. In H. C. Quay & J. S. Werry (Eds.), *Psychopathological disorders of childhood* (pp. 156–210). New York: Wiley.
- Ritvo, E. R., & Freeman, B. J. (1978). Current research on the syndrome of autism. *Journal of the American Academy of Child Psychiatry*, 17, 565–575.
- Rogers, S. J. (2001). Diagnosis of autism before the age of 3. In L. M. Glidden (Ed.), *International review of research in mental retardation: Vol. 23. Autism* (pp. 1–31). San Diego: Academic Press.
- Ruble, L. A., & Dalrymple, N. J. (2003). Social/sexual awareness of persons with autism: A parental perspective. *Archives of Sexual Behavior*, 22, 229–240.
- Rutter, M. (1966a). Behavioural and cognitive characteristics of a series of psychotic children. In L. Wing (Ed.), *Early childhood autism: Clinical, educational and social aspects* (pp. 51–81). Oxford: Pergamon Press.
- Rutter, M. (1966b). Prognosis: Psychotic children in adolescence and early adult life. In L. Wing (Ed.), *Early childhood autism: Clinical, educational and social aspects* (pp. 83–99). Oxford: Pergamon Press.
- Rutter, M. (1978). Language disorder and infantile autism. In M. Rutter & E. Schopler (Eds.), *Autism* (pp. 85–104). New York: Plenum Press.
- Rutter, M. (1974). The development of infantile autism. *Psychological Medicine*, 4, 147–163.
- Rutter, M. (1999). The Emanuel Miller Memorial Lecture 1998: Autism: Two-way interplay between research and clinical work. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 40, 169–188.
- Rutter, M., Bartak, L., & Newman, S. (1971). Autism—A central disorder of cognition and language? In M. Rutter (Ed.), *Infantile autism: Concepts, characteristics, and treatment* (pp. 148–171). Edinburgh: Churchill Livingstone.
- Rutter, M., & Lockyer, L. (1967). A five- to fifteen-year follow-up study of infantile psychosis. I. Description of sample. *The British Journal of Psychiatry*, 113, 1169–1182.
- Schreibman, L. (1988). *Autism*. Newbury Park, CA: Sage.
- Seligman, M. E. P., Walker, E. F., & Rosenhan, D. L. (2001). *Abnormal psychology* (4th ed.). New York: Norton.
- Shah, A., & Holmes, N. (1985). Brief report: The use of the *Leiter International Performance Scale* with autistic children. *Journal of Autism and Developmental Disorders*, 15, 195–203.
- Sigman, M., Dissanayake, C., Arbelles, S., & Ruskin, E. (1997). Cognition and emotion in children and adolescents with autism. In D. J. Cohen & F. R. Volkmar (Eds.), *Handbook of autism and pervasive developmental disorders* (2nd ed., pp. 248–265). New York: Wiley.
- Sponheim, E., & Skjeldal, O. (1998). Autism and related disorders: Epidemiological findings in a Norwegian study using ICD-10 diagnostic criteria. *Journal of Autism and Developmental Disorders*, 28, 217–227.
- Tager-Flusberg, H. (1989). A psycholinguistic perspective on language development in the autistic child. In G. Dawson (Ed.), *Autism: Nature, diagnosis, and treatment* (pp. 92–115). New York: Guilford Press.
- Thorndike, R. L., Hagen, E. P., & Sattler, J. M. (1986). *Technical manual: Stanford-Binet Intelligence Scale: Fourth edition*. Chicago: Riverside.

- Turner, S. M., DeMers, S. T., Roberts Fox, H., & Reed, G. M. (2001). APA's guidelines for test user qualifications: An executive summary. *The American Psychologist*, *56*, 1099–1113.
- Viitamaki, R. O. (1964). II. Psychoses in childhood: A psychological follow-up study. *Acta Psychiatrica Scandinavica*, *40*(Suppl. 174), 35–73.
- Volkmar, F. R. (2003). Ask the editor. *Journal of Autism and Developmental Disorders*, *33*, 109–110.
- Volkmar, F. R., & Cohen, D. J. (1988). Classification and diagnosis of childhood autism. In E. Schopler & G. B. Mesibov (Eds.), *Diagnosis and assessment in autism* (pp. 71–89). New York: Plenum Press.
- Volkmar, F. R., & Klin, A. (2001). Asperger's disorder and higher functioning autism: Same or different? In L. M. Glidden (Ed.), *International review of research in mental retardation: Vol. 23. Autism* (pp. 83–110). San Diego: Academic Press.
- Vorster, D. (1960). An investigation into the part played by organic factors in childhood schizophrenia. *Journal of Mental Science*, *106*, 494–522.
- Wechsler, D. (1991). *Manual for the Wechsler Intelligence Scale for Children—Third edition*. New York: Psychological Corp.
- Wicks-Nelson, R., & Israel, A. C. (2000). *Behavior disorders of childhood*. Upper Saddle River, NJ: Prentice Hall.
- Wignjosumarto, S., Mukhlas, M., & Shirataki, S. (1992). Epidemiological and clinical study of autistic children in Yogyakarta, Indonesia. *The Kobe Journal of Medical Sciences*, *38*, 1–19.
- Wing, L. (1969). The handicaps of autistic children—A comparative study. *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, *10*, 1–40.
- Wing, L. (1974). Language development and autistic behavior in severely mentally retarded children. *Proceedings of the Royal Society of Medicine*, *67*, 1031–1032.
- Wing, L. (1976). Epidemiology and theories of aetiology. In L. Wing (Ed.), *Early childhood autism* (pp. 65–92). Oxford: Pergamon Press.
- Zelazo, P. D., Burack, J. A., Boscovski, J. J., Jacques, S., & Frye, D. (2001). A cognitive complexity and control framework for the study of autism. In J. A. Burack, T. Charman, N. Yirmiya, & P. R. Zelazo (Eds.), *The development of autism: Perspectives from theory and research* (pp. 195–217). Mahwah, NJ: Erlbaum.

## APPENDIX

Alphabetical list of the complete references for articles included in the present review (articles published 1937–2003)

- Accardo, P. (2000). Diagnostic issues in autism. In P. J. Accardo, C. Magnusen, & A. J. Capute (Eds.), *Autism: Clinical and research issues* (pp. 103–131). Baltimore: York.
- Ameli, R., Courchesne, E., Lincoln, A., Kaufman, A. S., & Grillon, C. (1988). Visual memory processes in high-functioning individuals with autism. *Journal of Autism and Developmental Disorders*, *18*, 601–615.
- American Psychiatric Association. (1980). *Diagnostic and statistical manual of mental disorders* (3rd ed.). Washington, DC: Author.
- American Psychiatric Association. (1987). *Diagnostic and statistical manual of mental disorders* (3rd ed., rev.). Washington, DC: Author.
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.). Washington, DC: Author.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text rev.). Washington, DC: Author.
- Ando, H., & Yoshimura, I. (1979). Effects of age on communication skill levels and prevalence of maladaptive behaviors in autistic and mentally retarded children. *Journal of Autism and Developmental Disorders*, *9*, 83–94.
- Arvidsson, T., Danielsson, B., Forsberg, P., Gillberg, C., Johansson, M., & Kjellgren, G. (1997). Autism in 3–6 year old children in a suburb of Göteborg, Sweden. *Autism*, *1*, 163–173.
- Asarnow, R. F., Tanguay, P. E., Bott, L., & Freeman, B. J. (1987). Patterns of intellectual functioning in non-retarded autistic and schizophrenic children. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, *28*, 273–280.
- Baker, L., Cantwell, D. P., Rutter, M., & Bartak, L. (1976). Language and autism. In E. R. Ritvo, B. J. Freeman, E. M. Ornitz, & P. E. Tanguay (Eds.), *Autism: Diagnosis, current research and management* (pp. 121–149). New York: Spectrum.
- Barry, R. J., & James, A. L. (1978). Handedness in autistics, retardates, and normals of a wide age range. *Journal of Autism and Childhood Schizophrenia*, *8*, 315–323.
- Bartak, L., & Rutter, M. (1976). Differences between mentally retarded and normal intelligence autistic children. *Journal of Autism and Childhood Schizophrenia*, *6*, 109–120.
- Bender, L., & Helme, W. H. (1953). A quantitative test of theory and diagnostic indicators of childhood schizophrenia. *A.M.A. Archives of Neurology and Psychiatry*, *70*, 413–427.
- Bhatara, V. (1980). Overlap of autism, mental retardation, and CNS dysfunction. *Psychiatric Annals*, *10*, 296–304.
- Bodfish, J. W., Symons, F. J., Parker, D. E., & Lewis, M. H. (2000). Varieties of repetitive behavior in autism: Comparison to mental retardation. *Journal of Autism and Developmental Disorders*, *30*, 237–243.
- Bohman, M., Bohman, I. L., Pjörck, P. O., & Sjöholm, E. (1983). Childhood psychosis in a northern Swedish county: Some preliminary findings from an epidemiological survey. In M. H. Schmidt & H. Remschmidt (Eds.), *Epidemiological approaches in child psychiatry II* (pp. 164–173). Stuttgart: Georg Thieme Verlag.

(Appendix continues)

(Appendix continued)

- Bölte, S., & Poustka, F. (2002). The relation between general cognitive level and adaptive behavior domains in individuals with autism with and without co-morbid mental retardation. *Child Psychiatry and Human Development*, 33, 165–172.
- Boutin, P., Maziade, M., Mérette, C., Mondor, M., Bédarol, C., & Thivierge, J. (1997). Family history of cognitive disabilities in first-degree relatives of autistic and mentally retarded children. *Journal of Autism and Developmental Disorders*, 27, 165–176.
- Bristol, M. M., Cohen, D. J., Costello, E. J., Denckla, M., Eckberg, T. J., Kallen, R., et al. (1996). State of the science in autism: Report to the National Institutes of Health. *Journal of Autism and Developmental Disorders*, 26, 121–154.
- Bryson, S. E. (1996). Brief report: Epidemiology of autism. *Journal of Autism and Developmental Disorders*, 26, 165–167.
- Bryson, S. E., Clark, B. S., & Smith, I. M. (1988). First report of a Canadian epidemiological study of autistic syndromes. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 29, 433–445.
- Burack, J. A. (1992). Debate and argument: Clarifying developmental issues in the study of autism. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 33, 617–621.
- Burack, J. A. (1994). Selective attention deficits in persons with autism: Preliminary evidence of an inefficient attentional lens. *Journal of Abnormal Psychology*, 103, 535–543.
- Burack, J. A., & Volkmar, F. R. (1992). Development of low- and high-functioning autistic children. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 33, 607–616.
- Cantwell, D. P., & Baker, L. (1988). Multiaxial diagnostic approaches. In E. Schopler & G. B. Mesibov (Eds.), *Diagnosis and assessment in autism* (pp. 111–122). New York: Plenum Press.
- Carpentieri, S., & Morgan, S. B. (1996). Adaptive and intellectual functioning in autistic and nonautistic retarded children. *Journal of Autism and Developmental Disorders*, 26, 611–620.
- Carr, J. (1976). The severely retarded autistic child. In L. Wing (Ed.), *Early childhood autism* (pp. 247–270). Oxford: Pergamon Press.
- Carson, R. C., Butcher, J. N., & Mineka, S. (1996). *Abnormal psychology and modern life* (10th ed.). New York: HarperCollins.
- Carson, R. C., Butcher, J. N., & Mineka, S. (2000). *Abnormal psychology and modern life* (11th ed.). Boston: Allyn & Bacon.
- Chakrabarti, S., & Fombonne, E. (2001). Pervasive developmental disorders in preschool children. *Journal of the American Medical Association*, 285, 3093–3099.
- Charman, T. (1994). Brief report: An analysis of subject characteristics in research reported in the Journal of Autism and Developmental Disorders 1982–1991. *Journal of Autism and Developmental Disorders*, 24, 209–213.
- Chess, S. (1971). Autism in children with congenital rubella. *Journal of Autism and Childhood Schizophrenia*, 1, 33–47.
- Chung, S. Y., Luk, S. L., & Lee, P. W. H. (1990). A follow-up study of infantile autism in Hong Kong. *Journal of Autism and Developmental Disorders*, 20, 221–232.
- Coleman, M., & Gillberg, C. (1985). *The biology of the autistic syndromes*. New York: Praeger.
- Creak, M. (1961). Schizophrenic syndrome in childhood. *Lancet*, 2, 818.
- Creak, E. M. (1963). Childhood psychosis: A review of 100 cases. *The British Journal of Psychiatry*, 109, 84–89.
- Davison, G. C., & Neale, J. M. (2003). *Abnormal psychology* (8th ed.). New York: Wiley.
- deBildt, A., Sytema, S., Ketelaars, C., Kraijer, D., Volkmar, F., & Minderaa, R. (2003). Measuring pervasive developmental disorders in children and adolescents with mental retardation: A comparison of two screening instruments used in a study of the total mentally retarded population from a designated area. *Journal of Autism and Developmental Disorders*, 33, 595–605.
- DeMyer, M. K. (1976). Motor, perceptual-motor, and intellectual disabilities of autistic children. In L. Wing (Ed.), *Early childhood autism* (pp. 169–193). Oxford: Pergamon Press.
- DeMyer, M. K. (1979). *Parents and children in autism*. Washington, DC: V. H. Winston & Sons.
- DeMyer, M. K., Barton, S., Alpern, G. D., Kimberlin, C., Allen, J., & Steele, R. (1974). The measured intelligence of autistic children. *Journal of Autism and Childhood Schizophrenia*, 4, 42–60.
- DeMyer, M. K., Barton, S., DeMyer, W. E., Norton, J. A., Allen, J., & Steele, R. (1973). Prognosis in autism: A follow-up study. *Journal of Autism and Childhood Schizophrenia*, 3, 199–246.
- DeMyer, M. K., Barton, S., & Norton, J. A. (1972). A comparison of adaptive, verbal, and motor profiles of psychotic and non-psychotic subnormal children. *Journal of Autism and Childhood Schizophrenia*, 2, 359–377.
- DeMyer, M. K., Hingtgen, J. N., & Jackson, R. K. (1981). Infantile autism reviewed: A decade of research. *Schizophrenia Bulletin*, 7, 388–451.
- DeMyer, M. K., Norton, J. A., & Barton, S. (1971). Social and adaptive behaviors of autistic children as measured in a structured psychiatric interview. In D. W. Churchill, G. D. Alpern, & M. K. DeMyer (Eds.), *Infantile autism: Proceedings of the Indiana University Colloquium (1968)* (pp. 29–70). Springfield, IL: Thomas.
- Dennis, M., Lockyer, L., Lazenby, A. L., Donnelly, R. E., Wilkinson, M., & Schoonheydt, W. (1999). Intelligence patterns among children with high-functioning autism, phenylketonuria, and childhood head injury. *Journal of Autism and Developmental Disorders*, 29, 5–16.
- Dykens, E., Volkmar, F., & Glick, M. (1991). Thought disorder in high functioning autistic adults. *Journal of Autism and Developmental Disorders*, 21, 291–301.
- Eaves, L. C., & Ho, H. H. (1996). Brief report: Stability and change in cognitive and behavioral characteristics of autism through childhood. *Journal of Autism and Developmental Disorders*, 26, 557–569.
- Edelson, M. G., Schubert, D. T., & Edelson, S. M. (1998). Factors predicting intelligence scores on the TONI in individuals with autism. *Focus on Autism and Other Developmental Disabilities*, 13, 17–26.
- Erickson, M. T. (1998). *Behavior disorders of children and adolescents: Assessment, etiology and intervention*. Upper Saddle River, NJ: Prentice Hall.
- Everard, P. (1987). An international perspective. In D. J. Cohen, A. M. Donnellan, & R. Paul (Eds.), *Handbook of autism and pervasive developmental disorders* (pp. 743–748). Silver Spring, MD: V. H. Winston & Sons.

(Appendix continues)

(Appendix continued)

- Farrant, A., Boucher, J., & Blades, M. (1999). Metamemory in children with autism. *Child Development, 70*, 107–131.
- Fish, B., & Shapiro, T. (1965). A typology of children's psychiatric disorders: I. Its application to a controlled evaluation of treatment. *Journal of the American Academy of Child Psychiatry, 4*, 32–52.
- Fisher, W., Burd, L., & Kerbeshian, J. (1987). Comparisons of DSM-III defined pervasive developmental disorders in North Dakota children. *Journal of the American Academy of Child and Adolescent Psychiatry, 26*, 704–710.
- Folstein, S. E., & Rutter, M. L. (1987). Autism: Familial aggregation and genetic implications. In E. Schopler & G. B. Mesibov (Eds.), *Neurobiological issues in autism* (pp. 83–105). New York: Plenum Press.
- Folstein, S. E., & Rutter, M. L. (1988). Autism: Familial aggregation and genetic implications. *Journal of Autism and Developmental Disorders, 18*, 3–30.
- Fombonne, E. (1998). Epidemiological surveys of autism. In F. R. Volkmar (Ed.), *Autism and pervasive developmental disorders* (pp. 32–63). Cambridge: Cambridge University Press.
- Fombonne, E. (1999). The epidemiology of autism: A review. *Psychological Medicine, 29*, 769–786.
- Fombonne, E., & du Mazaubrun, C. (1992). Prevalence of infantile autism in four French regions. *Social Psychiatry and Psychiatric Epidemiology, 27*, 203–210.
- Fombonne, E., du Mazaubrun, C., Cans, C., & Grandjean, H. (1997). Autism and associated medical disorders in a French epidemiological survey. *Journal of the American Academy of Child and Adolescent Psychiatry, 36*, 1561–1569.
- Freeman, B. J., Ritvo, E. R., Needleman, R., & Yokota, A. (1985). The stability of cognitive and linguistic parameters in autism: A five-year prospective study. *Journal of the American Academy of Child Psychiatry, 24*, 459–464.
- Frith, C. D., & Frith, U. (1991). Elective affinities in schizophrenia and childhood autism. In P. E. Bebbington (Ed.), *Social psychiatry: Theory, methodology, and practice* (pp. 65–88). New Brunswick, NJ: Transaction.
- Frith, U. (1988). Autism: Possible clues to the underlying pathology—3. Psychological facts. In L. Wing (Ed.), *Aspects of autism: Biological research* (pp. 19–30). London: Royal College of Psychiatrists.
- Frith, U. (1989). *Autism*. Oxford: Basil Blackwell.
- Gelfand, D. M., Jenson, W. R., & Drew, C. J. (1988). *Understanding child behavior disorders*. Fort Worth, TX: Holt, Rinehart and Winston.
- Gibson, D. (1968). Early infantile autism: Symptom and syndrome. *Canadian Psychology, 9*, 36–39.
- Gillberg, C. (1984). Infantile autism and other childhood psychoses in a Swedish urban region: Epidemiological aspects. *Journal of Child Psychology and Psychiatry and Allied Disciplines, 25*, 35–43.
- Gillberg, C. (1990). Autism and pervasive developmental disorders. *Journal of Child Psychology and Psychiatry and Allied Disciplines, 31*, 99–119.
- Gillberg, C. (1993). Autism and related behaviours. *Journal of Intellectual Disability Research, 37*, 343–372.
- Gillberg, C., & Coleman, M. (2000). *The biology of the autistic syndromes* (3rd. ed.). London: Mac Keith Press.
- Gillberg, C., Steffenburg, S., & Schaumann, H. (1991). Is autism more common now than 10 years ago? *The British Journal of Psychiatry, 158*, 403–409.
- Gillberg, C., Steffenburg, S., Wahlström, J., Gillberg, I. C., Sjöstedt, A., Martinsson, T., et al. (1991). Autism associated with marker chromosome. *Journal of the American Academy of Child and Adolescent Psychiatry, 30*, 489–494.
- Gillies, S. (1965). Some abilities of psychotic children and subnormal controls. *Journal of Mental Deficiency Research, 9*, 89–101.
- Gittelman, M., & Birch, H. G. (1967). Childhood schizophrenia: Intellect, neurologic status, perinatal risk, prognosis, and family pathology. *Archives of General Psychiatry, 17*, 16–25.
- Goldfarb, W., Goldfarb, N., & Pollack, R. C. (1969). Changes in IQ of schizophrenic children during residential treatment. *Archives of General Psychiatry, 21*, 673–690.
- Goodman, R. (1989). Infantile autism: A syndrome of multiple primary deficits? *Journal of Autism and Developmental Disorders, 19*, 409–424.
- Greenspan, S., & Love, P. F. (1997). Social intelligence and developmental disorder: Mental retardation, learning disabilities, and autism. In W. F. MacLean Jr. (Ed.), *Ellis' handbook of mental deficiency, psychological theory and research* (3rd ed., pp. 311–342). Mahwah, NJ: Erlbaum.
- Happé, F. G. (1995). The role of age and verbal ability in the theory of mind task performance of subjects with autism. *Child Development, 66*, 843–855.
- Happé, F. G. (1999). Autism: Cognitive deficit or cognitive style? *Trends in Cognitive Sciences, 3*, 216–222.
- Harris, S. L. (1995). Autism. In M. Hersen & R. T. Ammerman (Eds.), *Advanced abnormal child psychology* (pp. 305–317). Hillsdale, NJ: Erlbaum.
- Hecht, B. F. (1986). Language disorders in preschool children. *Advances in Special Education, 5*, 95–119.
- Hermelin, B., & O'Connor, N. (1970). *Psychological experiments with autistic children*. Oxford: Pergamon Press.
- Hingten, J. N., & Bryson, C. Q. (1972). Recent developments in the study of early childhood psychoses: Infantile autism, childhood schizophrenia, and related disorders. *Schizophrenia Bulletin, 5*, 8–54.
- Honda, H., Shimizu, Y., Misumi, K., Niimi, M., & Ohashi, Y. (1996). Cumulative incidence and prevalence of childhood autism in children in Japan. *The British Journal of Psychiatry, 169*, 228–235.
- Jacobson, J. W., & Ackerman, L. J. (1990). Differences in adaptive functioning among people with autism or mental retardation. *Journal of Autism and Developmental Disorders, 20*, 205–219.
- Jacobson, J. W., & Janicki, M. P. (1983). Observed prevalence of multiple developmental disabilities. *Mental Retardation, 21*, 87–94.
- Jakab, I. (1993). Pharmacological treatment. In V. B. Van Hasselt & M. Hersen (Eds.), *Handbook of behavior therapy and pharmacotherapy for children: A comparative analysis* (pp. 171–193). Boston: Allyn & Bacon.
- Janicki, M. P., Lubin, R. A., & Friedman, E. (1983). Variations in characteristics and service needs of persons with autism. *Journal of Autism and Developmental Disorders, 13*, 73–85.

(Appendix continues)

(Appendix continued)

- Kasari, C., Freeman, S. F. N., & Paparella, T. (2001). Early intervention in autism: Joint attention and symbolic play. In L. M. Glidden (Ed.), *International review of research in mental retardation: Vol. 23. Autism* (pp. 207–237). San Diego: Academic Press.
- Kessler, J. W. (1988). *Psychopathology of childhood*. Englewood Cliffs, NJ: Prentice Hall.
- Kilman, B., & Negri-Shoultz, N. (1987). Developing educational programs for working with students with Kanner's autism. In D. J. Cohen, A. M. Donnellan, & R. Paul (Eds.), *Handbook of autism and pervasive developmental disorders* (pp. 440–451). Silver Spring, MD: V. H. Winston & Sons.
- Klin, A., Carter, A., & Sparrow, S. S. (1997). Psychological assessment. In D. J. Cohen & F. R. Volkmar (Eds.), *Handbook of autism and pervasive developmental disorders* (pp. 418–427). New York: Wiley.
- Klinger, L. G., & Dawson, G. (1996). Autistic disorder. In E. J. Mash & R. A. Barkley (Eds.), *Child psychopathology* (pp. 311–339). New York: Guilford Press.
- Kobayashi, R., Murata, T., & Yoshinaga, K. (1992). A follow-up study of 201 children with autism in Kyushu and Yamaguchi areas, Japan. *Journal of Autism and Developmental Disorders*, 22, 395–411.
- Kolvin, I. (1971). Psychoses in childhood—A comparative study. In M. Rutter (Ed.), *Infantile autism: Concepts, characteristics, and treatment* (pp. 7–26). Edinburgh: Churchill Livingstone.
- Kolvin, I., Humphrey, M., & McNay, A. (1971). VI. Cognitive factors in childhood psychoses. *The British Journal of Psychiatry*, 118, 415–419.
- Konstantareas, M. M. (1986). Early developmental backgrounds of autistic and mentally retarded children. *Psychiatric Perspectives on Mental Retardation*, 9, 671–688.
- LeCouteur, A., Rutter, M., Lord, C., Rios, P., Robertson, S., Holdgrafer, M., et al. (1989). Autism Diagnostic Interview: A standardized investigator-based instrument. *Journal of Autism and Developmental Disorders*, 19, 363–387.
- Lerea, L. E. (1987). The behavioral assessment of autistic children. In D. J. Cohen, A. M. Donnellan, & R. Paul (Eds.), *Handbook of autism and pervasive developmental disorders* (pp. 273–288). Silver Spring, MD: V. H. Winston & Sons.
- Lincoln, A. J., Courchesne, E., Kilman, B. A., Elmasian, R., & Allen, M. (1988). A study of intellectual abilities in high-functioning people with autism. *Journal of Autism and Developmental Disorders*, 18, 505–524.
- Lockyer, L., & Rutter, M. (1970). A five- to fifteen-year follow-up study of infantile psychosis: IV. Patterns of cognitive ability. *The British Journal of Social and Clinical Psychology*, 9, 152–163.
- Lord, C., Malloy, C., Wendelboe, M., & Schopler, E. (1991). Pre- and perinatal factors in high-functioning females and males with autism. *Journal of Autism and Developmental Disorders*, 21, 197–209.
- Lord, C., & Rutter, M. (1994). Autism and pervasive developmental disorders. In M. Rutter, E. Taylor, & L. Hersov (Eds.), *Child and adolescent psychiatry: Modern approaches* (pp. 569–593). Oxford: Blackwell Science.
- Lord, C., & Schopler, E. (1988). Intellectual and developmental assessment of autistic children from preschool to schoolage: Clinical implications of two follow-up studies. In E. Schopler & G. B. Mesibov (Eds.), *Diagnosis and assessment in autism* (pp. 167–181). New York: Plenum Press.
- Lord, C., Schopler, E., & Revicki, D. (1982). Sex differences in autism. *Journal of Autism and Developmental Disorders*, 12, 317–330.
- Lotter, V. (1966a). Epidemiology of autistic conditions in young children: I. Prevalence. *Social Psychiatry. Sozialpsychiatrie. Psychiatrie Sociale*, 1, 124–137.
- Lotter, V. (1966b). Services for a group of autistic children in Middlesex. In L. Wing (Ed.), *Early childhood autism: Clinical, educational and social aspects* (pp. 241–255). Oxford: Pergamon Press.
- Magnússon, P., & Sæmundsen, E. (2001). Prevalence of autism in Iceland. *Journal of Autism and Developmental Disorders*, 31, 153–163.
- Marcus, L. M., & Schopler, E. (1993). Pervasive developmental disorders. In T. H. Ollendick & M. Hersen (Eds.), *Handbook of child and adolescent assessment* (pp. 346–363). Boston: Allyn & Bacon.
- Mash, E. J., & Wolfe, D. A. (1999). *Abnormal child psychology*. Belmont, CA: Wadsworth.
- Menyuk, P. (1978). Language: What's wrong and why? In M. Rutter & E. Schopler (Eds.), *Autism* (pp. 105–116). New York: Plenum Press.
- Mesibov, G. B., Adams, L. W., & Klinger, L. G. (1997). *Autism: Understanding the disorder*. New York: Plenum Press.
- Minschew, N. J., Johnson, C., & Luna, B. (2001). The cognitive and neural basis of autism: A disorder of complex information processing and dysfunction of neocortical systems. In L. M. Glidden (Ed.), *International review of research in mental retardation: Vol. 23. Autism* (pp. 111–138). San Diego: Academic Press.
- Mittler, P., Gillies, S., & Jukes, E. (1966). Prognosis in psychotic children: Report of a follow-up study. *Journal of Mental Deficiency Research*, 10, 73–83.
- Morgan, S. B. (1986). Autism and Piaget's theory: Are the two compatible? *Journal of Autism and Developmental Disorders*, 16, 441–457.
- Myers, B. A. (1989). Misleading cues in the diagnosis of mental retardation and infantile autism in the preschool child. *Mental Retardation*, 27, 85–90.
- Narita, T., & Koga, Y. (1987). Neuropsychological assessment of childhood autism. *Advances in Biological Psychiatry*, 16, 156–170.
- National Academy of Sciences Committee on Educational Interventions for Children With Autism. (2001a). Cognitive Development. In C. Lord & J. P. McGee (Eds.), *Educating children with autism* (pp. 82–92). Washington, DC: National Academy Press.
- National Academy of Sciences Committee on Educational Interventions for Children With Autism. (2001b). Diagnosis, assessment, and prevalence. In C. Lord & J. P. McGee (Eds.), *Educating children with autism* (pp. 23–31). Washington, DC: National Academy Press.
- Newsom, C. (1998). Autistic disorder. In E. J. Mash & R. A. Barkley (Eds.), *Treatment of childhood disorders* (pp. 416–467). New York: Guilford Press.

(Appendix continues)

(Appendix continued)

- Newson, J., & Newson, E. (1979). The handicapped child: What is an autistic child? *Nursing Times*, 75, 4–5.
- Ornitz, E. M. (1978). Biological homogeneity or heterogeneity? In M. Rutter & E. Schopler (Eds.), *Autism* (pp. 243–250). New York: Plenum Press.
- Ornitz, E. M., & Ritvo, E. R. (1976). Medical assessment. In E. R. Ritvo, B. J. Freeman, E. M. Ornitz, & P. E. Tanguay (Eds.), *Autism: Diagnosis, current research, and management* (pp. 7–23). New York: Spectrum.
- Oxman, J., Webster, C. D., & Konstantareas, M. M. (1980). The perception and processing of information by severely dysfunctional nonverbal children: A rationale for the use of gestural communication. In C. D. Webster, M. M. Konstantareas, J. Oxman, & J. E. Mack (Eds.), *Autism: New directions in research and education* (pp. 221–234). New York: Pergamon Press.
- Paul, R. (1987). Natural History. In D. J. Cohen, A. M. Donnellan, & R. Paul (Eds.), *Handbook of autism and pervasive developmental disorders* (pp. 121–130). Silver Spring, MD: V. H. Winston & Sons.
- Pennington, B. F., & Bennetto, L. (1998). Toward a neuropsychology of mental retardation. In J. A. Burack, R. M. Hodapp, & E. Zigler (Eds.), *Handbook of mental retardation and development* (pp. 80–114). New York: Cambridge University Press.
- Perry, A., & Factor, D. C. (1989). Psychometric validity and clinical usefulness of the *Vineland Adaptive Behavior Scales* and the *AAMD Adaptive Behavior Scale* for an autistic sample. *Journal of Autism and Developmental Disorders*, 19, 41–55.
- Phelps, L. Brown, R. T., & Power, T. J. (2002). *Pediatric psychopharmacology*. Washington, DC: American Psychological Association.
- Piotrowski, Z. A. (1937). A comparison of congenitally defective children with schizophrenic children in regard to personality structure and intelligence type. *Proceedings of the American Association on Mental Deficiency*, 42, 78–90.
- Pollack, M. (1958). Brain damage, mental retardation, and childhood schizophrenia. *The American Journal of Psychiatry*, 115, 422–428.
- Pollack, M., & Goldfarb, W. (1957). The face-hand test in schizophrenic children. *A.M.A. Archives of Neurology and Psychiatry*, 77, 635–642.
- Prior, M. R. (1979). Cognitive abilities and disabilities in infantile autism: A review. *Journal of Abnormal Child Psychology*, 7, 357–380.
- Prior, M., & Ozonoff, S. (1998). Psychological factors in autism. In F. R. Volkmar (Ed.), *Autism and pervasive developmental disorders* (pp. 64–108). Cambridge, UK: Cambridge University Press.
- Prior, M., & Werry, J. S. (1986). Autism, schizophrenia, and allied disorders. In H. C. Quay & J. S. Werry (Eds.), *Psychopathological disorders of childhood* (pp. 156–210). New York: Wiley.
- Reed, T. (1994). Performance of autistic and control subjects on three cognitive perspective-taking tasks. *Journal of Autism and Developmental Disorders*, 24, 53–66.
- Richer, J. (1978). The partial noncommunication of culture to autistic children—An application of human ethology. In M. Rutter & E. Schopler (Eds.), *Autism* (pp. 47–61). New York: Plenum Press.
- Ricks, D. M., & Wing, L. (1976). Language, communication, and the use of symbols. In L. Wing (Ed.), *Early childhood autism* (pp. 93–134). Oxford: Pergamon Press.
- Ricks, D. M., & Wing, L. (1975). Language, communication, and the use of symbols in normal and autistic children. *Journal of Autism and Childhood Schizophrenia*, 5, 191–221.
- Ritvo, E. R., & Freeman, B. J. (1977). National Society for Autistic Children definition of the syndrome of autism. *Journal of Pediatric Psychology*, 2, 146–148.
- Ritvo, E. R., & Freeman, B. J. (1978). Current research on the syndrome of autism. *Journal of the American Academy of Child Psychiatry*, 17, 565–575.
- Ritvo, E. R., Freeman, B. J., Pingree, C., Mason-Brother, A., Jorde, L., Jenson, W. R., et al. (1989). The UCLA-University of Utah epidemiologic survey of autism: Prevalence. *The American Journal of Psychiatry*, 146, 194–199.
- Romanczyk, R. G., Lockshin, S., & Harrison, K. (1993). Schizophrenia and autism. In J. L. Matson & R. P. Barrett (Eds.), *Psychopathology in the mentally retarded* (2nd ed., pp. 149–178). Boston: Allyn & Bacon.
- Ruble, L. A., & Dalrymple, N. J. (1993). Social/sexual awareness of persons with autism: A parental perspective. *Archives of Sexual Behavior*, 22, 229–240.
- Rutter, M. (1966a). Behavioural and cognitive characteristics of a series of psychotic children. In L. Wing (Ed.), *Early childhood autism: Clinical, educational and social aspects* (pp. 51–81). Oxford: Pergamon Press.
- Rutter, M. (1966b). Prognosis: Psychotic children in adolescence and early adult life. In L. Wing (Ed.), *Early childhood autism: Clinical, educational and social aspects* (pp. 83–99). Oxford: Pergamon Press.
- Rutter, M. (1968). Concepts of autism: A review of research. *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, 9, 1–25.
- Rutter, M. (1970). Autistic children: Infancy to adulthood. *Seminars in Psychiatry*, 2, 435–450.
- Rutter, M. (1974). The development of infantile autism. *Psychological Medicine*, 4, 147–163.
- Rutter, M. (1978a). Diagnosis and definition. In M. Rutter & E. Schopler (Eds.), *Autism* (pp. 1–25). New York: Plenum Press.
- Rutter, M. (1978b). Diagnosis and definition of childhood autism. *Journal of Autism and Developmental Disorders*, 6, 139–161.
- Rutter, M. (1978c). Language disorder and infantile autism. In M. Rutter & E. Schopler (Eds.), *Autism* (pp. 85–104). New York: Plenum Press.
- Rutter, M. (1983). Cognitive deficits in the pathogenesis of autism. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 24, 513–531.
- Rutter, M. (1985). Infantile autism and other pervasive developmental disorders. In M. Rutter & L. Hersov (Eds.), *Child and adolescent psychiatry: Modern approaches* (2nd ed., pp. 545–566). Oxford: Blackwell Scientific.

(Appendix continues)

(Appendix continued)

- Rutter, M. (1996). Autism research: Prospects and priorities. *Journal of Autism and Developmental Disorders*, 26, 257–275.
- Rutter, M., Bartak, L., & Newman, S. (1971). Autism—A central disorder of cognition and language? In M. Rutter (Ed.), *Infantile autism: Concepts, characteristics, and treatment* (pp. 148–171). Edinburgh: Churchill Livingstone.
- Rutter, M., & Lockyer, L. (1967). A five- to fifteen-year follow-up study of infantile psychosis. I. Description of sample. *The British Journal of Psychiatry*, 113, 1169–1182.
- Rutter, M., & Schopler, E. (1987). Autism and pervasive developmental disorders: Concepts and diagnostic issues. *Journal of Autism and Developmental Disorders*, 17, 159–186.
- Rutter, M., & Schopler, E. (1988). Autism and pervasive developmental disorders: Concepts and diagnostic issues. In E. Schopler & G. B. Mesibov (Eds.), *Diagnosis and assessment in autism* (pp. 15–36). New York: Plenum Press.
- Rutter, M., & Schopler, E. (1992). Classification of pervasive developmental disorders: Some concepts and practical considerations. *Journal of Autism and Developmental Disorders*, 22, 459–482.
- Schopler, E. (1983). New developments in the definition and diagnosis of autism. In B. B. Lahey & A. E. Kazdin (Eds.), *Advances in clinical child psychology* (Vol. 6, pp. 93–127). New York: Plenum Press.
- Schopler, E., Andrews, C. F., & Strupp, K. (1979). Do autistic children come from upper- middle-class parents? *Journal of Autism and Developmental Disorders*, 9, 139–152.
- Schopler, E., Reichler, R. J., DeVellis, R. F., & Daly, K. (1980). Toward objective classification of childhood autism: Childhood Autism Rating Scale (CARS). *Journal of Autism and Developmental Disorders*, 10, 91–103.
- Schreibman, L. (1988). *Autism*. Newbury Park, CA: Sage
- Seligman, M. E. P., Walker, E. F., & Rosenhan, D. L. (2001). *Abnormal psychology* (4th ed.). New York: Norton.
- Shah, A., & Holmes, N. (1985). Brief report: The use of the *Leiter International Performance Scale* with autistic children. *Journal of Autism and Developmental Disorders*, 15, 195–203.
- Shulman, C., Yirmiya, N., & Greenbaum, C. W. (1995). From categorization to classification: A comparison among individuals with autism, mental retardation, and normal development. *Journal of Abnormal Psychology*, 104, 601–609.
- Siegel, D. J., Minshew, N. J., & Goldstein, G. (1996). Wechsler IQ profiles in diagnosis of high-functioning autism. *Journal of Autism and Developmental Disorders*, 26, 389–406.
- Sigman, M. (1998). The Emanuel Miller Memorial Lecture 1997: Change and continuity in the development of children with autism. *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, 39, 817–827.
- Sigman, M., & Capps, L. (1997). *Children with autism: A developmental perspective*. Cambridge, MA: Harvard University Press.
- Sigman, M., Dissanayake, C., Arbell, S., & Ruskin, E. (1997). Cognition and emotion in children and adolescents with autism. In D. J. Cohen & F. R. Volkmar (Eds.), *Handbook of autism and pervasive developmental disorders* (2nd ed., pp. 248–265). New York: Wiley.
- Sigman, M., & Ungerer, J. A. (1984). Cognitive and language skills in autistic, mentally retarded, and normal children. *Developmental Psychology*, 20, 293–302.
- Sigman, M., Ungerer, J., Mundy, P., & Sherman, T. (1987). Cognition in autistic children. In D. J. Cohen, A. M. Donnellan, & R. Paul (Eds.), *Handbook of autism and pervasive developmental disorders* (pp. 103–120). Silver Spring, MD: V. H. Winston & Sons.
- Smalley, S. L., Asarnow, R. F., & Spence, M. A. (1988). Autism and genetics: A decade of research. *Archives of General Psychiatry*, 45, 953–961.
- Spivack, G., & Levine, M. (1964). The *Devereux Child Behavior Rating Scales*: A study of symptom behaviors in latency age atypical children. *American Journal of Mental Deficiency*, 68, 700–717.
- Steffenburg, S., & Gillberg, C. (1986). Autism and autistic-like conditions in Swedish rural and urban areas: A population study. *The British Journal of Psychiatry*, 149, 81–87.
- Steinhausen, H.-C., Göbel, D., Breinlinger, M., & Wohlleben, B. (1986). A community survey of infantile autism. *Journal of the American Academy of Child Psychiatry*, 25, 186–189.
- Stone, W. L., MacLean, W. E., Jr., & Hogan, K. L. (1995). Autism and mental retardation. In M. C. Roberts (Ed.), *Handbook of pediatric psychology* (2nd ed., pp. 655–675). New York: Guilford Press.
- Tassé, M. J., Aman, M. G., Rojahn, J., & Kern, R. A. (1998). Developmental disabilities. In R. T. Ammerman & J. V. Campo (Eds.), *Handbook of pediatric psychology and psychiatry: Vol. 1. Psychological and psychiatric issues in the pediatric setting* (pp. 199–226). Boston: Allyn & Bacon.
- Ungerer, J. A. (1989). The early development of autistic children: Implications for defining primary deficits. In G. Dawson (Ed.), *Autism: Nature, diagnosis, and treatment* (pp. 75–91). New York: Guilford Press.
- van Krevelen, D. A. (1973). Problems of differential diagnosis between mental retardation and autismus infantum. *Acta Paedopsychiatrica*, 39, 199–203.
- Vig, S., & Jedrysek, E. (1999). Autistic features in young children with significant cognitive impairment: Autism or mental retardation? *Journal of Autism and Developmental Disorders*, 29, 235–248.
- Viitamaki, R. O. (1964). II. Psychoses in childhood: A psychological follow-up study. *Acta Psychiatrica Scandinavica*, 40(Suppl. 174), 35–73.
- Volkmar, F. R. (2003). Ask the editor. *Journal of Autism and Developmental Disorders*, 33, 109–110.
- Volkmar, F. R., & Cohen, D. J. (1986). Current concepts: Infantile autism and the pervasive developmental disorders. *Developmental and Behavioral Pediatrics*, 7, 324–329.
- Volkmar, F. R., & Cohen, D. J. (1988). Classification and diagnosis of childhood autism. In E. Schopler & G. B. Mesibov (Eds.), *Diagnosis and assessment in autism* (pp. 71–89). New York: Plenum Press.
- Volkmar, F. R., & Klin, A. (2001). Asperger's disorder and higher functioning autism: Same or different? In L. M. Glidden (Ed.), *International review of research in mental retardation: Vol. 23. Autism* (pp. 83–110). San Diego: Academic Press.

(Appendix continues)

(Appendix continued)

- Volkmar, F. R., Klin, A., & Cohen, D. J. (1997). Diagnosis and classification of autism and related conditions: Consensus and issues. In D. J. Cohen & F. R. Volkmar (Eds.), *Handbook of autism and pervasive developmental disorders* (2nd ed., pp. 5–40). New York: Wiley.
- Volkmar, F. R., & Lord, C. (1998). Diagnosis and definition of autism and other pervasive developmental disorders. In F. R. Volkmar (Ed.), *Autism and pervasive developmental disorders* (pp. 1–25). Cambridge: Cambridge University Press.
- Volkmar, F. R., Szatmari, P., & Sparrow, S. S. (1993). Sex differences in pervasive developmental disorders. *Journal of Autism and Developmental Disorders*, 23, 579–591.
- Waterhouse, L., Morris, R., Allen, D., Dunn, M., Fein, D., Feinstein, C., et al. (1996). Diagnosis and classification in autism. *Journal of Autism and Developmental Disorders*, 26, 59–86.
- Waterhouse, L., Wing, L., & Fein, D. (1989). Re-evaluating the syndrome of autism in the light of empirical research. In G. Dawson (Ed.), *Autism: Nature, diagnosis, and treatment* (pp. 263–281). New York: Guilford Press.
- Watson, G. S., & Gross, A. M. (1997). Mental retardation and developmental disorders. In R. T. Ammerman & M. Hersen (Eds.), *Handbook of prevention and treatment with children and adolescents: Intervention in the real world context* (pp. 495–520). New York: Wiley.
- Watson, L. R., & Marcus, L. M. (1988). Diagnosis and assessment of preschool children. In E. Schopler & G. B. Mesibov (Eds.), *Diagnosis and assessment in autism* (pp. 271–301). New York: Plenum Press.
- Wenar, C. (1994). *Developmental psychopathology*. New York: McGraw-Hill.
- Wenar, C., Rutenber, B. A., Dratman, M. L., & Wolf, E. G. (1967). Changing autistic behavior: The effectiveness of three milieus. *Archives of General Psychiatry*, 17, 26–35.
- Wicks-Nelson, R., & Israel, A. C. (1997, 2000). *Behavior disorders of childhood*. Upper Saddle River, NJ: Prentice Hall.
- Wignyosumarto, S., Mukhlas, M., & Shirataki, S. (1992). Epidemiological and clinical study of autistic children in Yogyakarta, Indonesia. *The Kobe Journal of Medical Sciences*, 38, 1–19.
- Wing, L. (1966). Diagnosis, epidemiology, aetiology. In L. Wing (Ed.), *Early childhood autism: Clinical, educational and social aspects* (pp. 3–49). Oxford: Pergamon Press.
- Wing, L. (1972). *Autistic children*. Secaucus, NJ: The Citadel Press.
- Wing, L. (1974). Language development and autistic behavior in severely mentally retarded children. *Proceedings of the Royal Society of Medicine*, 67, 1031–1032.
- Wing, L. (1976a). *Children apart*. London: Mind.
- Wing, L. (1976b). Diagnosis, clinical description, and prognosis. In L. Wing (Ed.), *Early childhood autism* (pp. 15–52). Oxford: Pergamon Press.
- Wing, L. (1976c). Epidemiology and theories of aetiology. In L. Wing (Ed.), *Early childhood autism* (pp. 65–92). Oxford: Pergamon Press.
- Wing, L. (1981). Language, social, and cognitive impairments in autism and severe mental retardation. *Journal of Autism and Developmental Disorders*, 11, 31–44.
- Wing, L. (1988a). Autism: possible clues to the underlying pathology—1. Clinical facts. In L. Wing (Ed.), *Aspects of autism: Biological research* (pp. 1–10). London: Royal College of Psychiatrists.
- Wing, L. (1988b). The continuum of autistic characteristics. In E. Schopler & G. B. Mesibov (Eds.), *Diagnosis and assessment in autism* (pp. 91–110). New York: Plenum Press.
- Wing, L. (1991). Mental retardation and the autistic continuum. In P. E. Bebbington (Ed.), *Social psychiatry: Theory, methodology, and practice* (pp. 113–138). New Brunswick, NJ: Transaction.
- Wing, L. (1993). The definition and prevalence of autism. *European Child & Adolescent Psychiatry*, 2, 61–74.
- Wing, L. (1994). The autistic continuum. In N. Bouras (Ed.), *Mental health in mental retardation: Recent advances and practices* (pp. 108–125). New York: Cambridge University Press.
- Wing, L., & Gould, J. (1979). Severe impairments of social interaction and associated abnormalities in children: Epidemiology and classification. *Journal of Autism and Developmental Disorders*, 9, 11–29.
- Wing, L., Yeates, S. R., Brierley, L. M., & Gould, J. (1976). The prevalence of early childhood autism: Comparison of administrative and epidemiological studies. *Psychological Medicine*, 6, 89–100.
- Zelazo, P. R. (2001). A developmental perspective on early autism: Affective, behavioral, and cognitive factors. In J. A. Burack, T. Charman, N. Yirmiya, & P. R. Zelazo (Eds.), *The development of autism: Perspectives from theory and research* (pp. 39–60). Mahwah, NJ: Erlbaum.
- Zelazo, P. D., Burack, J. A., Boseovski, J. J., Jacques, S., & Frye, D. (2001). A cognitive complexity and control framework for the study of autism. In J. A. Burack, T. Charman, N. Yirmiya, & P. R. Zelazo (Eds.), *The development of autism: Perspectives from theory and research* (pp. 195–217). Mahwah, NJ: Erlbaum.