































- [13] Google official blog, A new approach to China. online: <http://googleblog.blogspot.com/2010/01/new-approach-to-china.html>. January 12, 2010.
- [14] V. Goyal, O. Pandey, A. Sahai, B. Waters. Attribute-based encryption for fine-grained access control of encrypted data. In Proc. ACM CCS, 2006.
- [15] M. Hay, G. Miklau, D. Jensen, D. Towsley, P. Weis. Resisting structural re-identification in anonymized social networks. In Proc. VLDB, 2008.
- [16] M. Hay, G. Miklau, D. Jensen, P. Weis, S. Srivastava. Anonymizing Social Networks. *Technical Report*, 2007.
- [17] B. Kaliski. RFC 2315. online: <http://tools.ietf.org/html/rfc2315>, 1998.
- [18] K. Liu, E. Terzi. Towards identity anonymization on graphs. In Proc. ACM SIGMOD, 2008.
- [19] W. Luo, Q. Xie, U. Hengartner. FaceCloak: An architecture for user privacy on social networking sites. In Proc. ICCSE, 2009.
- [20] M. Naor, B. Pinkas. Oblivious transfer and polynomial evaluation. In Proc. ACM STOC, 1999.
- [21] S. Narayan, M. Gagné, R. Safavi-Naini. Privacy preserving EHR system using attribute-based infrastructure. In Proc. ACM CCSW, 2010.
- [22] National Institute of Standards and Technology. Announcing the Advanced Encryption Standard (AES). online: <http://csrc.nist.gov/publications/fips/fips197/fips-197.pdf>, 2001.
- [23] R. Needham, M. Schroeder. Using encryption for authenticating in large networks of computers. *Communication of the ACM* 21, 1978
- [24] A. Tootoonchian, S. Saroiu, Y. Ganjali, A. Wolman. Lockr: better privacy for social networks. In Proc. ACM CoNEXT, 2009.
- [25] J. E. Vascellaro. Google discloses Privacy Glitch. online: <http://blogs.wsj.com/digits/2009/03/08/1214/>.
- [26] J. Zhang, Z. Zhang, A. Ge. Ciphertext policy attribute-based encryption from lattices. In Proc. ACM ASIACCS, 2012.