



Armaments and ornaments: an evolutionary explanation of traits of dual utility

ANDERS BERGLUND

Department of Zoology, Uppsala University, Villav. 9, S-752 36 Uppsala, Sweden

ANGELO BISAZZA

Dipartimento di Psicologia Generale, Piazza Capitaniato 3, 35139 Padova, Italy

AND

ANDREA PILASTRO

Dipartimento di Biologia, via Trieste 75, 35131 Padova, Italy

Received 10 April 1995, accepted for publication 4 September 1995

Secondary sexual characters in many species function both in male-male competition and as cues for female choice. Based on a literature compilation of existing knowledge of traits with this dual function, we propose that they commonly arise through intrasexual selection processes and serve as honest signals to other males regarding fighting ability or dominance. Faking these traits, here called armaments, (i.e. weapons and status badges) is difficult, as they are constantly put to trial in male-male contests. Females that subsequently utilize them as indicators of male phenotypic quality when selecting a partner will benefit by acquiring males of higher quality to father their offspring. Thus, evolution of armaments through male-male competition is seen as a usually initiating process, whereas female choice later may assume a role as an additional selective factor. The reverse, that males use information from traits evolved through female choice, is, however, also possible. The traditional view of independently evolved and temporarily unordered intra- and intersexual selection processes fails to explain dual trait functions. Moreover, our model may more satisfyingly than traditional ones explain how trait honesty and trait genetic variance are maintained: theoretical and empirical evidence suggests that such honesty and variation are more easily maintained under male-male competition than under female choice.

©1996 The Linnean Society of London

ADDITIONAL KEY WORDS: — sexual selection – mate choice – mating competition – weapon – badge.

CONTENTS

Introduction	386
Secondary sexual characters of dual function	386
Female preference for males signalling high status	388

Correspondence to: Anders Berglund; e-mail: anders.berglund@zoologi.uu.se

The armament-ornament model	389
A survey of armaments and ornaments	390
Discussion	392
Acknowledgements	394
References	394

INTRODUCTION

The evolution of secondary sexual traits traditionally is pictured as occurring through two processes: male-male competition, producing weapons, and female choice, producing ornaments (Darwin, 1871). However, the evolution of ornaments has spurred much more controversy than has the evolution of weapons: the function of weapons was readily understood. While wide consensus exists that many male ornaments are used as cues by mate-choosing females, the exact mechanism through which these traits can evolve is still a matter of discussion. In this field, two main bodies of theories exist: (1) the Fisher run-away models (e.g. Fisher, 1930; O'Donald, 1977; Arnold, 1983), all of which are less than adequate if mate choice is costly (e.g. Pomiankowski, 1988; Iwasa, Pomiankowski & Nee, 1991), and (2) indicator theories where ornaments are reliable signals of quality (e.g. Fisher, 1915; Williams, 1966; Zahavi, 1975; Hamilton & Zuk, 1982). If the quality in question is genetic (good genes models), the need to maintain genetic variance for the trait as well as trait reliability have been noted as potential problems. To overcome their respective problems, both the run-away and the good genes models have become increasingly complex.

After Darwin, biologists have discovered that ornamental traits, such as long tails, colourful plumage or beautiful songs, are often used in aggressive displays in competition for mates or for other resources. Many of these ornaments have been shown to convey information about the fighting ability of their bearer. Moreover, some traits classically thought to be weapons, such as the antlers of ungulates or the chelae of the fiddler crabs, may also function as signals revealing the fighting ability of the male and thus serve to settle contests without real fighting (Hyatt & Salmon, 1978; Barrette & Vandal, 1990).

In this paper we define ornaments as traits preferred by females, and armaments as weapons and signals used in male-male competition (i.e. status badges). The existence of both ornaments and armaments is abundantly documented (for a review, see Andersson, 1994), but attention has mostly been focused on the ornament function and how to explain its evolution. We here attempt to redress this imbalance, and we will briefly examine the empirical support and the current theoretical understanding of inter- and intrasexual selection, and present a novel extension of the indicator model that combines these two mechanisms.

SECONDARY SEXUAL CHARACTERS OF DUAL FUNCTION

Biologists have recognized for a long time that exaggerated secondary sexual characters may function both in male-male combat and in female choice: indeed, much early-century biology was devoted to this duality of function (Hingston, 1933;

Noble & Bradley, 1933; Noble, 1938). The idea that many conspicuous secondary sexual traits arise through intrasexual selection was renewed by several authors in the seventies (Smith, 1972; Peek, 1972; Borgia, 1979). Around the same period others stressed that in many cases ornaments may function as status signals in the context of competition for resources other than mates, for example, to regulate access to food in bird flocks (Rohwer, 1975; West-Eberhart, 1979).

Most contemporary studies have dealt primarily with female choice mechanisms (as reviewed by Andersson, 1994), and only recently did it become evident that traits traditionally viewed as ornaments are used in aggressive displays at least as often as in courtship: examples are bright coloration in mammals (Wickler, 1967), birds (Studd & Robertson, 1985; Foster, 1987; Butcher & Rohwer, 1989; Stutchbury, 1991), reptiles (Noble & Bradley, 1933; Werner, 1978; Cooper & Vitt, 1988) and fishes (Stacey & Chiszar, 1978; Fernald, 1980); tail elongation in birds (Petrie, Halliday & Sanders, 1991; Savalli, 1994); and sexual calls in mammals (Sekulik, 1982; Mitani, 1985; Bowyer & Kitchen, 1987; Berger & Cunningham, 1991), birds (d'Agincourt & Falls, 1983; Kramer, Lemon & Morris, 1985; Searcy & Andersson, 1986), anurans (Searcy & Andersson, 1986; Schwartz, 1987; Brenowitz, 1989), fishes (Torricelli, Lugli & Gandolfi, 1986; Ladich, 1990; Ladich, Brittinger & Kratochvil, 1992) and insects (Searcy & Andersson, 1986; Wilcox & Spence, 1986).

There is good empirical evidence that ornaments are used as status badges, and that they are honest (Boake & Capranica, 1982; Järvi & Bakken, 1984; Studd & Robertson, 1985; Møller, 1987b; Jones, 1990): males with experimentally exaggerated armaments often fare ill in real contests, as in red grouse (Watson & Parr, 1981), house sparrow (Møller, 1987a, 1988) and Harris' sparrow (Rohwer, 1977; Rohwer & Rohwer, 1978), or suffer other costs, like exclusion from flocks as in white-crowned sparrows (Parsons & Babbitt, 1980), or from feeding opportunities as in Harris' sparrows (Rohwer & Ewald, 1981). Status signals can also raise metabolic costs (Røskaft *et al.*, 1986; Hogstad, 1987), increase predation risk (Fugle & Rothstein, 1987; Butcher & Rohwer, 1989; Jones, 1990), or increase disease susceptibility by reducing immunocompetence as a consequence of elevated testosterone levels (Zuk *et al.*, 1990a; Owens & Hartley, 1991). In some cases, however, experimentally faked status signals have been shown to elevate dominance (Rohwer & Rohwer, 1978; Rohwer, 1985; Fugle & Rothstein, 1987), although this did not necessarily lead to increased reproductive success (Veiga, 1993). Moreover, being dominant may entail costs on its own (Røskaft *et al.*, 1986; Hogstad, 1987).

The honesty of armaments is also theoretically supported. All recent models indicate that honest status-signalling is evolutionarily stable only if signals have a cost apart from the context of signalling, and if individuals vary in their ability to sustain this cost, i.e. the signal is condition-dependent (Grafen, 1990; Owens & Hartley, 1991; Johnstone & Norris, 1993). These models have many similarities with those developed to explain honest advertisement to females. However, one aspect, namely the social control of deception, is unique to signalling in the context of aggressive interactions. In several birds, including dark-eyed junco (Balph, Balph & Romesburg, 1979), house sparrow (Møller, 1987a), great tit, greenfinch and corn bunting (Maynard Smith & Harper, 1988), fights occur most frequently between individuals of similar badge size. Similarly, in caribou, 'fidgeting' occurs only between males with similar antler size (Barrette & Vandal, 1990). Therefore, individuals bearing dishonestly large status badges will be exposed to escalated fights with opponents of higher status. Maynard Smith & Harper (1988) modelled this situation and

concluded that honest communication is evolutionarily stable even if the badge is cheap, provided that a dishonest signaller pays the full cost of a contest. A dishonest mutant can invade the population only if he can escape from contests with a more aggressive opponent without fighting (but see Johnstone & Norris, 1993).

An ornamental trait may arise through male-male competition (Rohwer, 1982; Rohwer & Røskoft, 1989; Butcher & Rohwer, 1989): badges that indicate strength may initially evolve in territorial or group living species if they make good fighters recognizable and memorable to other individuals (the arbitrary identity badge mechanism). Badges are then expected to spread in the population since poor fighters benefit from mimicking good fighters. However, exceptionally good fighters are selected to diverge from the appearance of the mimics, and ultimately an honest-signalling badge system could become established given that one of the criteria for equilibrium (condition-dependent cost of signal or social control of deception) is met.

Regarding the maintenance of genetic variance for armaments, mechanisms proposed to maintain variability under mate choice, such as mutation or spatial and temporal heterogeneity (Hamilton & Zuk, 1982; Kondrashov, 1988), may work just as well to maintain armament variation. For instance, Howard & Minchella (1990) suggested that coevolutionary cycles between hosts and parasites are more important in male-male competition than in mate choice. There is also empirical evidence to suggest that this variation is substantial: in *Drosophila* success in male-male competition for territories showed a considerable genetic variation (Hoffmann, 1988), in female honeybee workers dominance had a high heritability (Moritz & Hillesheim, 1985), in three-spined stickleback aggressiveness and dominance were both variable and heritable in wild populations (Bakker, 1986), and in the cockroach *Naupeta cinerea* social dominance showed moderate to high levels of additive genetic variance (Moore, 1990a).

FEMALE PREFERENCE FOR MALES SIGNALLING HIGH STATUS

The assumption common to all indicator models of the evolution of female mating preferences is that ornamental traits honestly reflect differences in quality among males. Some conspicuous sexual traits may allow females a direct assessment of male quality. For example, some characteristics of calls, such as pitch, may correlate directly with other phenotypic traits, such as size or age (Davies & Halliday, 1978); call duration may reflect the energy reserves of the male and thus indicate his ability to acquire food (Halliday, 1987); the ability of a male to find food may be revealed through dietary pigments (Endler, 1983); ornaments such as bright plumage or skin coloration may help the female to recognize the degree of parasite infection (Borgia & Collins, 1989).

A second possibility is suggested by a theoretical development of the original Zahavi's handicap principle (Zahavi, 1975, 1977); a trait may provide the female with reliable information if it is costly to produce and if the cost is related to male quality (Grafen, 1990; Michod & Hasson, 1990; Iwasa *et al.*, 1991). Several possible costs for producing and maintaining ornaments have been suggested (Folstad & Karter, 1992; Andersson, 1994).

A third possibility is that signals directed to females are honest because they are also used to communicate in another context, where they cannot be faked. Several

authors have suggested that conspicuous traits used by females are also used by males to indicate fighting ability or dominance in contests over mates and other resources such as food. Fisher (1915, 1930) was probably the first to recognize that the same ornamental trait may often be used to both threat males and attract females. Zahavi (1975) also noted that some signals were used in more than one context. He suggested that because showiness reveals superior quality of males (such as ability to escape predators), males should use their ornaments both to attract females and to intimidate their opponents. Borgia (1979) proposed the "war propaganda model": in species with leks, and to some extent in species with territorial males, females should favour male displays that were conspicuous to other males. This would ensure that a courting male is the real owner and not a short-term intruder. Because males willing to advertise their presence have won previous combats, the function of many extravagant characters may be to signal dominance both to males and to females. A similar idea has also been proposed by Kodric-Brown & Brown (1984; see also Kodric-Brown, 1990).

Yet, none of the above authors provided a satisfactory model of how this mechanism could evolve and be maintained. Empirical evidence accumulated in the last decade, showing that ornamental traits used in male-male contests are honest, and the recent theoretical development of status-signalling, now allow us to present a more detailed model of the evolution of ornaments with a dual function.

THE ARMAMENT-ORNAMENT MODEL

We propose that secondary sexual characters usually do not evolve primarily through female choice, but originate through male-male competition. The underlying assumptions are that male ornaments evolve to signal fighting ability to conspecifics at least as often as to signal male quality to females. In species where males contribute only sperm to the progeny, traits with the former function are more likely to be maintained through time, because armaments do not require genetic variance to be maintained in a population (e.g. Andersson, 1994). Signals used in contests are honest because they are more costly to produce for low quality males and because they are constantly tested in combat with other males. Females benefit by subsequently using the information about male quality contained in these male-male signals to select high-quality males.

Our model makes several assumptions that must be justified:

(1) *Females benefit from mating with high status males.* There is a general consensus that, other things being equal, females should choose high status individuals as mates. As pointed out by Borgia (1979), male success in fights summarizes lifetime success in collecting food, resisting disease, and avoiding predators and injury. In addition, if the trait is heritable, females selecting mates for their fighting ability will have progeny that on average reproduces more successfully (Alexander, 1975). Indeed, in many species females are known to choose winners in contests (as in pronghorn: Byers, Moodie & Hall, 1994, cock of the rock: Trail, 1985, domestic fowl: Graves, Hable & Jenkins, 1985, the fish *Gambusia holbrooki*: Bisazza & Marin, 1991, and the fly *Physiphora demandata*: Alcock & Pyle, 1979), or even incite such contests (as in elephant seals: Cox & LeBoeuf, 1977, jungle fowl: Thornhill, 1988, the fish species *Poecilia latipinna*: Farr & Travis, 1986; *Padogobius martensi*: Bisazza, Marconato &

Marin, 1989a and *Gambusia holbrooki*. Bisazza, Marconato & Marin, 1989b, the fly *Scatophaga stercoraria*. Borgia, 1981, and the spider *Linyphia litigiosa*. Watson, 1990). However, in most species a direct assessment of male fighting ability should prove time-consuming or even risky for the female, and therefore we expect that this way of assessing male quality is rare.

(2) *Ornaments frequently evolve primarily as status signals.* Evidence that ornamental traits often function to settle contests for both food and breeding opportunities is provided in the survey below. Unfortunately it is unknown how frequent the aggressive function is relative to the mate choice function. However, the high proportion of an armament function relative to an ornament function among cases with a single function (see below) suggests that signalling in an aggressive context may be a more frequent reason for the evolution of secondary sexual traits than female choice of mates.

(3) *Ornaments with a dual function do not lose their utility due to exhaustion of variance in male quality.* As already stated the genetic variance of an armament is not easily lost, and is also unnecessary for the stability of honest status-signalling. Several models also suggest that the genetic variance in male quality can be maintained under selection generated by female choice (see Andersson, 1994). However, what happens to genetic variance under the combined effects of male-male competition and female choice is a task for future modelling.

(4) *Traits used in contests may be more honest than traits purely used for choice.* The rationale for this is that males should be better able to recognize cheaters than should females since they can instantly test the rival's quality in combat. In addition, it should be more costly to fake the trait in male-male contests (i.e. by losing a fight) than in courtship (i.e. if discovered, by a loss of a mating opportunity). At the present, experimental research using artificially increased signals supports this in one species: male brown-headed cowbirds, experimentally induced to emit a potent song, attracted more females but also received more attacks from other males, and were sometimes even killed (West & King, 1980, West, King & Eastzer, 1981).

(5) *The stability of the honest status-signalling is maintained if the status badge acquires a functional role outside the context of fighting assessment.* In an ESS model Johnstone & Norris (1993) analysed the maintenance of honest signalling of aggressiveness. Provided that the aggressive individuals suffer a contest-independent cost (for instance, a reduction in immunocompetence due to a raise in androgens), and that this cost differs from one individual to another, selection can maintain both variation for aggressiveness and honesty. In a further analysis, they showed that the predictions of the model are qualitatively unchanged even if there is a benefit to badge size outside the context of fighting, i.e. if badge size serves as an advertisement cue to females.

A SURVEY OF ARMAMENTS AND ORNAMENTS

We have compiled studies that have examined the function of visual, acoustic, chemical and electric signals in both intra- and intersexual communication (Table 1), excluding body size as this particular trait may be under confounding intense natural selection. If sexually selected traits can evolve through either of the two processes, contest or choice, we would not expect that a particular trait commonly functions in both male-male competition and female choice. A dual function would be either sheer coincidence or a deliberate economic use of trait numbers by the males, and

TABLE 1. Signals that visually, acoustically, chemically, or otherwise serve a dual function in both intra-sexual (armament) or inter-sexual (ornament) sexual selection. Ambiguous cases as when dynamic signals are used differently in the two contexts are omitted, as are cases when different parts of the signals are used by males and females

Species	Signal	Support armament	Support ornament
A. Visual signals			
Mountain sheep, <i>Ovis canadensis</i>	horns	Y*1	Y*1
Red deer, <i>Cervus elaphus</i>	antlers	Y*2	N2
Puku antelope, <i>Kobus vardonii</i>	neck patch	Y*3	Y*4
Great tit, <i>Parus major</i>	breast stripe	Y*, H ⁵	Y*6
Peacock, <i>Pavo cristatus</i>	train	Y*7	Y*7
Long-tailed widowbird, <i>Euplectes progne</i>	tail	N8	Y*8
Yellow-shouldered widowbird, <i>Euplectes macrourus</i>	head coloration	Y*, H ⁹	N9
Purple martin, <i>Progne subis</i>	blue plumage	Y*10	N10
Swallow-tailed manakin, <i>Chiroxiphia linearis</i>	definitive plumage	Y*11	N11
Yellow-headed blackbird, <i>Xanthocephalus xanthocephalus</i>	head coloration	Y*12	N13
Red-winged blackbird, <i>Agelaius phoeniceus</i>	epaulettes	Y*14,15	Y16
House sparrow, <i>Passer domesticus</i>	badge	Y*, H ¹⁷	Y*18
Grey partridge, <i>Perdix perdix</i>	brown breast patch	Y*19	Y*19
Red jungle fowl, <i>Gallus gallus</i>	comb	Y*20,21	Y*20,22
Great snipe, <i>Gallinago media</i>	white tail	N23	Y*23
Pheasant, <i>Phasianus colchicus</i>	spurs	Y24,25	Y*24,25
Rock ptarmigan, <i>Lagopus mutus</i>	comb	Y*26	Y*26
The lizard <i>Anolis carolinensis</i>	dewlap	Y27	Y*28
Pecos pupfish, <i>Cyprinodon pecosensis</i>	blue coloration	Y*29,30	Y*29,30
Three-spined stickleback, <i>Gasterosteus aculeatus</i>	red belly	Y*31,32	Y*33
The damselfish <i>Chrysiptera cyanea</i>	orange caudal fin	Y*34	Y*34
Green swordtail, <i>Xiphophorus helleri</i>	sword in caudal fin	Y35,36	Y*37
Sailfin molly, <i>Poecilia velifera</i>	dorsal fin	Y38	Y39
Guppy, <i>Poecilia reticulata</i>	colour spots	Y*, H ⁴⁰	Y*40,41
The pipefish <i>Nerophis ophidion</i>	skin fold, colour	Y42	Y*42,43
Common earwig <i>Forficula auricularia</i>	forceps	Y*44	N44
The dragonfly <i>Libellula luctuosa</i>	white wing patches	Y*45	Y*45
Stalk-eyed fly, <i>Cyrtodiopsis whitei</i>	eye span	Y46	Y*47
Fiddler crab, <i>Uca pugilator</i>	major chela	Y*48	Y49
B. Acoustic signals			
Gibbon, <i>Hylobates agilis</i>	song	Y*50	N50
Bison, <i>Bison bison</i>	bellow	Y*51	N51
Red deer, <i>Cervus elaphus</i>	roar	Y*, H ⁵²	Y*53
Red-winged blackbird, <i>Agelaius phoeniceus</i>	song	Y*, H ^{54,55}	Y*55
Brown-headed cowbird, <i>Molothrus ater</i>	song	Y56,57	Y*56,57
Great reed warbler, <i>Acrocephalus arundinaceus</i>	long song	Y*58	Y*58
Bobolink, <i>Dolichonyx oryzivorus</i>	α nd β songs	Y*59	Y*59
Scott's seaside sparrow, <i>Ammodramus maritimus</i>	song	Y*60	Y*60
Great tit, <i>Parus major</i>	song	Y*61	Y*62
The Australian frog <i>Uperoleia rugosa</i>	advertisement call	Y*, H ⁶³	Y*64
Natterjack toad, <i>Bufo calamita</i>	advertisement call	Y*, H ⁶⁵	Y*65
Croaking gurami, <i>Trichopsis vittatus</i>	vocalisations	Y*66	N66
The gregarious cricket <i>Ampiacusta maya</i>	audible "chirps"	Y*, H ⁶⁷	Y*67
Whistling moth, <i>Hecatesia thyridion</i>	song	Y*68	Y68
The wandering spider <i>Cupiennius getazi</i>	vibration	Y*69	Y*69
The social spider <i>Acheareana wau</i>	A-wing (vibration)	Y70	Y70

TABLE 1. (Continued)

Species	Signal	Support armament	Support ornament
C. Chemical signals			
House mouse, <i>Mus musculus</i>	urinary pheromone	Y* ⁷¹	Y* ⁷¹
Cockroach, <i>Nauphoeta cinerea</i>	pheromone	Y*, H ^{72,73}	Y* ^{73,74}
D. Electric signals			
Electric knife fish, <i>Eigenmannia virescens</i>	electric discharge	Y* ⁷⁵	Y* ⁷⁵

Y: function supported, N: function not supported, H: armament honest with $P < 0.05$.

*function statistically supported at $P < 0.05$.

References: 1, Geist, 1971; 2, Clutton-Brock, Guinness & Albon, 1982; 3, Rosser, 1990; 4, Balmford, Rosser & Albon, 1992; 5, Järvi & Bakken, 1984; 6, Norris, 1990; 7, Petrie *et al.*, 1991; 8, Andersson, 1982; 9, Savalli, 1994; 10, Stutchbury, 1991; 11, Foster, 1987; 12, Rohwer & Røskoft, 1989; 13, Lightbody & Weatherhead, 1987; 14, Peek, 1972; 15, Hansen & Rohwer, 1986; 16, Smith, 1972; 17, Møller, 1987b; 18, Møller, 1988; 19, Beani & Dessì-Fulgheri, 1995; 20, Graves *et al.*, 1985; 21, Ligon *et al.*, 1990; 22, Zuk *et al.*, 1990b; 23, Hölund, Eriksson & Lindell, 1990; 24, von Schantz *et al.*, 1989; 25, von Schantz, Grahm & Göransson, 1994; 26, Holder & Montgomerie, 1993; 27, Noble & Bradley, 1933; 28, Crews, 1975; 29, Kodric-Brown, 1977; 30, Kodric-Brown, 1983; 31, Pelwijk & Tinbergen, 1937; 32, Rowland, 1982; 33, Milinski & Bakker, 1990; 34, Gronell, 1989; 35, Hemens, 1966; 36, Frank & Hendricks, 1973; 37, Basolo, 1990; 38, Bildsoe, 1988; 39, Parzefall, 1969; 40, Kodric-Brown, 1993; 41, Kodric-Brown, 1985; 42, Rosenqvist, 1990; 43, Berglund, Rosenqvist & Svensson, 1986; 44, Radesäter & Halldórsdóttir, 1993; 45, Moore, 1990b; 46, Burkhardt & De la Motte, 1987; 47, Burkhardt & De la Motte, 1988; 48, Hyatt & Salmon, 1978; 49, Salmon *et al.*, 1978; 50, Mitani, 1988; 51, Berger & Cunningham, 1991; 52, Clutton-Brock & Albon, 1979; 53, McComb, 1991; 54, Yasukawa, 1981; 55, Searcy, 1988; 56, West & King, 1980; 57, West *et al.*, 1981; 58, Catchpole *et al.*, 1986; 59, Capp & Searcy, 1991; 60, McDonald, 1989; 61, Falls, Krebs & McGregor, 1982; 62, Krebs, Avery & Cowie, 1981; 63, Robertson, 1986b; 64, Robertson, 1986a; 65, Arak, 1983; 66, Ladich *et al.*, 1992; 67, Boake & Capranica, 1982; 68, Alcock, Gwynne & Dadour, 1989; 69, Schmitt, Schuster & Barth, 1992; 70, Lubin, 1986; 71, Jones & Nowell, 1974; 72, Smith & Breed, 1982; 73, Moore, 1988; 74, Breed, Smith & Gall, 1980; 75, Hopkins, 1974.

both explanations are difficult to imagine. Table 1 shows that in the majority of cases traits serve a dual function as both armament and ornament. Thirty-seven out of 48 (77%, $\chi^2 = 14.1$ $P < 0.001$) secondary sex traits studied have a dual function. The proportion of duality is very similar if we consider only studies with good statistical evidence (26/37; 70%, $\chi^2 = 6.08$, $P = 0.014$). Although these data may be biased (duality frequency is probably underestimated as most studies focus on only one or the other of the two processes), it is evident that, in spite of a research effort heavily biased towards female choice mechanisms, the traits serving a dual function are frequent enough to call for an explanation.

The frequency of a single function is skewed in favour of the armament function. Of these, nine are used only as armaments and two only as ornaments (one-tailed Binomial $P = 0.033$). We should be very cautious with these data, however: the finding that a signal is not used in a given context may simply be because the wrong experiment was performed, or because one function was easier to demonstrate than the other.

DISCUSSION

General consensus regarding intra- and intersexual selection seems to be that “the

two processes are not exclusive, that they can affect traits either in the same or in different directions, and that their magnitudes may vary quite independently" (cited from Bradbury & Davies, 1987). In contrast, we propose that the two processes most often are dependent, and that intrasexual selection typically is ancestral to intersexual selection, although the latter may further promote the evolution of the trait. Given that males already possess conspicuous, honest, quality-signalling traits used in male-male competition, what would prevent females from exploiting this existing source of information, rather than selecting arbitrary or other traits? Parsimonious females that directly utilize a reliable source of information are bound to benefit compared to females that use other or no cues in their choice process: they will obtain geno- or phenotypically superior males, thereby securing good genes or direct benefits for their offspring. Such females will therefore be at a selective advantage, and the armament in question may evolve further through female choice. Moreover, signals used in male-male competition are bound to be conspicuous to males, and therefore presumably also to females. Note that this is a reversal of the sensory exploitation hypothesis (Ryan & Ryan, 1990; Ryan & Keddy-Hector, 1992): in our view, it is not the males that exploit pre-existing female sensory biases, but females who exploit pre-existing male-male signals. These signals of course must accommodate existing sensory capacities in the species or genus in question, explaining Ryan and Ryan's (1990) results. In other words, if females are preferring traits that males use in combat, and if these traits have any signal value for males, then the female preference may be 'pre-existing' (*sensu* Ryan) simply because the ability to perceive them is expressed in both sexes. A simple genetic correlation between the sexes ensures this.

An armament may eventually lose its function if, for example, the intensity of male-male competition is reduced. If it cannot be faked, because it is truly costly and cannot be produced by inferior males, females may still continue to use it as a cue to identify valuable mates, and the trait may therefore continue to be under sexual selection.

The evidence provided here suggests that the armament — ornament process really operates and that the future research should focus on demonstrating that armaments usually anticipate ornaments in the course of evolution. This can probably be tested by phylogenetic tree-building in some suitable taxon. Admittedly, a process that is the reversal of the one pictured here may also explain dual functions in a trait: males may parasitize the information content about rival quality contained in traits evolved through female choice. Because the evolution of traits used in contest seems easier to understand than the evolution of traits purely used for choice, our original model may apply more often than the reverse process.

Three specific predictions can be made from our model:

(1) Because the expression of a secondary sexual character is a compromise between attracting females and being 'punished' by other males, a male may try to display more of the signal when other males are absent, and reduce signal conspicuousness in the presence of other males. This has been described, for instance, in the red-winged blackbird *Agelaius phoeniceus* (epaulettes: Hansen & Rohwer, 1986, singing: Searcy & Yasukawa, 1990), and in the singing of the great reed warbler *Acrocephalus arundinaceus* (Catchpole, Leisler & Dittami, 1986), bobolink *Dolichonyx oryzivorus* (Capp & Searcy, 1991), and grasshopper sparrow *Ammodramus svannarum* (Smith, 1959).

(2) In order to avoid males with faked ornaments, females should evolve the habit of exerting their choice in aggregations of males, where the trait is likely to be put to trial in real male-male contests. This may explain the evolution of at least some of the lek systems (Trail, 1990; Wiley, 1991).

(3) Traits actually used as weapons cannot be elaborated via female choice so as to become inadequate as weapons (Moore, 1990b).

Throughout this paper we have discussed male traits, male-male competition, and female choice. In sex-role reversed species (e.g. Vincent *et al.*, 1992), such as the pipefish *Nerophis ophidion* (Table 1), this of course translates into female traits, female-female competition, and male choice.

In conclusion, our model offers the most parsimonious explanation of the evolution of secondary sexual traits with a dual function, and perhaps also to the evolution of sexual ornaments in general. That so much effort has been devoted to study female choice, at the expense of the interplay between contest and choice, is probably a result of anthropomorphism: we cannot easily escape perceiving many secondary sexual traits as ornamental, and therefore interpret them as primarily subjected to choice, simply because they do not look like weapons to us. However, beauty lies in the eye of the beholder, and the arguments put forth here provide a simple explanation to why females find weapons 'beautiful'. We suggest modelling and direct tests of the armament explanation of the evolution of ornaments to be an extraordinarily important research challenge.

ACKNOWLEDGEMENTS

We appreciate discussions with Laura Beani, Francesco Dessì-Fulgheri and Bill Hamilton. We thank Malte Andersson, Tim Clutton-Brock, Sue Fitzpatrick, Anders Pape Møller, Allen Moore and Staffan Ulfstrand for valuable comments on the manuscript. The study was sponsored by the Swedish Natural Science Research Council (grant to Berglund) and by Ministero dell Università e della Ricerca Scientifica e Tecnologica (grant to Bisazza).

REFERENCES

- Alcock J, Gwynne DT, Dadour IR. 1989.** Acoustic signalling, territoriality and mating in whistling moth, *Hecatesia thyridion* (Agaristidae). *Journal of Insect Behavior* **2**: 27–37.
- Alcock J, Pyle DW. 1979.** The complex courtship behaviour of *Physiofona demandata* (F.) (Diptera: Otitidae). *Zeitschrift für Tierpsychologie* **49**: 352–362.
- Alexander RD. 1975.** Natural selection and specialized chorusing behavior in acoustical insects. In: Pimentel D, ed. *Insects, science and society*. New York: Academic Press.
- Andersson M. 1994.** *Sexual selection*. Princeton: Princeton University Press.
- Andersson M. 1982.** Sexual selection, natural selection and quality advertisement. *Biological Journal of the Linnean Society* **17**: 375–393.
- Arak A. 1983.** Sexual selection by male-male competition in the natterjack toad choruses. *Nature* **306**: 261–262.
- Arnold SJ. 1983.** Sexual selection: the interface between theory and empiricism. In: Bateson PP, ed. *Mate choice*. Cambridge: Cambridge University Press, 67–107.
- Bakker TCM. 1986.** Aggressiveness in sticklebacks (*Gasterosteus aculeatus* L.): a behaviour-genetic study. *Behaviour* **98**: 1–144.
- Balmford A, Rosser AM, Albon SD. 1992.** Correlates of female choice in resource-defending antelope. *Behavioral Ecology and Sociobiology* **31**: 107–114.
- Balph MH, Balph DF, Romesburg HC. 1979.** Social status signalling in winter flocking bird: an examination of current hypothesis. *Auk* **96**: 78–93.

- Barrette C, Vandal D. 1990.** Sparring, relative antler size, and assessment in male caribou. *Behavioral Ecology and Sociobiology* **26**: 383–387.
- Basolo AL. 1990.** Female preference predates the evolution of the sword in swordtail fish. *Science* **250**: 808–810.
- Beani L, Dessi-Fulgheri F. 1995.** Mate choice in the grey partridge, *Perdix perdix*: role of male physical and behavioural traits. *Animal Behaviour* **49**: 347–356.
- Berger J, Cunningham C. 1991.** Bellows, copulations, and sexual selection in bison (*Bison bison*). *Behavioral Ecology* **2**: 1–6.
- Berglund A, Rosenqvist G, Svensson I. 1986.** Mate choice, fecundity and sexual dimorphism in two pipefish species (Syngnathidae). *Behavioral Ecology and Sociobiology* **19**: 301–307.
- Bildsoe M. 1988.** Aggressive, sexual, and foraging behaviour in *Poecilia velifera* (Pisces: Poeciliidae) during captivity. *Ethology* **79**: 1–12.
- Bisazza A, Marconato A, Marin G. 1989a.** Male competition and female choice in *Padogobius martensi* (Pisces, Gobiidae). *Animal Behaviour* **38**: 406–413.
- Bisazza A, Marconato A, Marin G. 1989b.** Male mate preference in the mosquitofish *Gambusia holbrooki*. *Ethology* **83**: 335–343.
- Bisazza A, Marin G. 1991.** Male size and female mate choice in the eastern mosquitofish (*Gambusia holbrooki*, Poeciliidae). *Copeia* **1991**(3): 730–735.
- Boake CRB, Capranica RR. 1982.** Aggressive signal in “Courtship” chirp of a gregarious cricket. *Science* **218**: 580–582.
- Borgia G. 1979.** Sexual selection and the evolution of mating systems. In: Blum MS, Blum NA, eds. *Sexual selection and reproductive competition in insects*. New York: Academic Press, 19–80.
- Borgia G. 1981.** Mate selection in the fly *Scatofaga stercoraria*: Female choice in a male controlled system. *Animal Behaviour* **29**: 71–80.
- Borgia G, Collins K. 1989.** Female choice for parasite free male satin bowerbirds and the evolution of bright male plumage. *Behavioral Ecology and Sociobiology* **25**: 445–454.
- Bowyer RT, Kitchen DW. 1987.** Sex and age-class differences in vocalization of Roosevelt elk during root. *American Midland Naturalist* **118**: 225–235.
- Bradbury JW, Davies NB. 1987.** Relative roles of intra- and intersexual selection. In: Bradbury JW, Andersson MB, eds. *Sexual selection: testing the alternatives*. Chichester: John Wiley, 143–163.
- Breed MD, Smith SK, Gall BG. 1980.** Systems of mate selection in a cockroach species with male dominance hierarchies. *Animal Behaviour* **28**: 130–134.
- Brenowitz EA. 1989.** Neighbor call amplitude influences aggressive behaviour and intermale spacing in choruses of the Pacific treefrog (*Hyla regilla*). *Ethology* **83**: 69–79.
- Burkhardt D, De la Motte I. 1987.** Physiological, behavioural and morphometric evidence for the evolutive significance of stalk-eyes in Diopsidae (Diptera). *Entomologia Generalis* **12**: 221–223.
- Burkhardt D, De la Motte I. 1988.** Big ‘antlers’ are favoured: female choice in stalk-eyed flies (Diptera, Insecta), field collected harems and laboratory experiments. *Journal of Comparative Physiology A, Sensory, Neural, and Behavioral Physiology* **162**: 649–652.
- Butcher GS, Rohwer S. 1989.** The evolution of conspicuous and distinctive coloration for communication in birds. *Current Ornithology* **6**: 51–108.
- Byers JA, Moodie JD, Hall N. 1994.** Pronghorn females choose vigorous mates. *Animal Behaviour* **47**: 33–43.
- Capp MS, Searcy WA. 1991.** An experimental study of the song type function in the bobolink (*Dolichonyx oryzivorus*). *Behavioral Ecology and Sociobiology* **28**: 179–186.
- Catchpole C, Leisler B, Dittami J. 1986.** Sexual differences in the responses of captive great reed warbler (*Acrocephalus arundinaceus*) to variation in song structure and repertoire size. *Ethology* **73**: 69–77.
- Clutton-Brock TH, Albon SD. 1979.** The roaring of red deer and the evolution of honest advertisement. *Behaviour* **69**: 145–160.
- Clutton-Brock TH, Guinness FE, Albon SD. 1982.** *Red deer: behavior and ecology of two sexes*. Chicago: The University of Chicago Press.
- Cooper WEJ, Vitt LJ. 1988.** Orange head coloration of the male broad-headed shink (*Eumeces laticeps*), a sexually selected social cue. *Copeia* **1988**(1): 1–6.
- Cox CR, LeBoeuf BJ. 1977.** Female incitation of male competition: A mechanism in sexual selection. *American Naturalist* **111**: 317–335.
- Crews DC. 1975.** Effects of different components of male courtship behaviour on environmentally induced ovaria recrudescence and mating preference in the lizard, *Anolis carolinensis*. *Animal Behaviour* **23**: 349–356.
- d’Agincourt LG, Falls JB. 1983.** Variation of repertoire use in the eastern meadowlark, *Sturnella magna*. *Canadian Journal of Zoology* **61**: 1086–1093.
- Darwin C. 1871.** *The descent of man and selection in relation to sex*. London: Murray.
- Davies NB, Halliday TR. 1978.** Deep croaks and fighting assessment in toads *Bufo bufo*. *Nature* **274**: 683–685.
- Endler JA. 1983.** Natural and sexual selection on color patterns in poeciliid fishes. *Environmental Biology of Fishes* **9**: 173–190.
- Falls JB, Krebs JR, McGregor PK. 1982.** Song matching in the great tit (*Parus major*): the effect of similarity and familiarity. *Animal Behaviour* **30**: 997–1009.

- Farr JA, Travis J. 1986.** Fertility advertisement by female sailfin mollies, *Poecilia latipinna* (Pisces: Poeciliidae). *Copeia* **1986**: 467–472.
- Fernald RD. 1980.** Response of male cichlid fish *Haplochromis burtoni* reared in isolation toward models of conspecifics. *Zeitschrift für Tierpsychologie* **54**: 85–93.
- Fisher RA. 1915.** The evolution of sexual preference. *Eugenics Review* **7**: 184–192.
- Fisher RA. 1930.** *The genetical theory of natural selection*. Oxford: Clarendon Press.
- Folstad I, Karter AJ. 1992.** Parasites, bright males, and the immunocompetence handicap. *American Naturalist* **139**: 603–622.
- Foster MS. 1987.** Delayed maturation, neoteny, and social system differences in two manakins of the genus *Chiroxiphia*. *Evolution* **41**: 547–558.
- Frank D, Hendricks R. 1973.** Zur Frage der biologischen Bedeutung des Schwertfortsatzes von *Xiphophorus helleri*. *Behaviour* **44**: 167–185.
- Fugle GN, Rothstein SI. 1987.** Experiments on the control of deceptive signals of status in white-crowned sparrows. *Auk* **104**: 188–197.
- Geist V. 1971.** *The mountain sheep: a study in behaviour and evolution*. Chicago: Chicago University Press.
- Grafen A. 1990.** Biological signals as handicaps. *Journal of Theoretical Biology* **144**: 517–546.
- Graves HB, Hable CP, Jenkins TH. 1985.** Sexual selection in *Gallus*: effects of morphology and dominance on female spatial behavior. *Behavioural Processes* **11**: 189–197.
- Gronell AM. 1989.** Visiting behaviour by females of the sexually dichromatic damselfish *Chrysiptera cyanea* (Teleostei: Pomacentridae): A probable method of assessing male quality. *Ethology* **81**: 89–122.
- Halliday TR. 1987.** Physiological constraints on sexual selection. In: Bradbury JW, Andersson MB, eds. *Sexual selection: testing the alternatives*. Chichester, UK: Wiley, 247–274.
- Hamilton WD, Zuk M. 1982.** Heritable true fitness and bright birds: a role for parasites. *Science* **218**: 386–387.
- Hansen AJ, Rohwer S. 1986.** Coverable badges and resources defence in birds. *Animal Behaviour* **34**: 69–76.
- Hemans J. 1966.** The ethological significance of the sword-tail in *Xiphophorus helleri* (Haekel). *Behaviour* **27**: 290–315.
- Hingston RWG. 1933.** *The meaning of animal colour and adornment*. London: Edward Arnold.
- Hoffmann AA. 1988.** Heritable variation for territorial success in two *Drosophila melanogaster* populations. *Animal Behaviour* **36**: 1180–1189.
- Hogstad O. 1987.** It is expensive to be dominant? *Auk* **104**: 333–336.
- Holder K, Montgomerie R. 1993.** Context and consequences of comb displays by the male rock ptarmigan. *Animal Behaviour* **45**: 457–470.
- Hopkins CD. 1974.** Electric communication: function in the social behavior of *Eingemannia virescens*. *Behaviour* **50**: 270–305.
- Howard RD, Minchella DJ. 1990.** Parasitism and mate competition. *Oikos* **58**: 120–123.
- Hyatt G, Salmon M. 1978.** Combat in the fiddler crab *Uca pugilator* and *U. pugnax*: A quantitative descriptive analysis. *Behaviour* **65**: 182–211.
- Höglund J, Eriksson M, Lindell LE. 1990.** Females of the lek-breeding great snipe, *Gallinago media*, prefer males with white tails. *Animal Behaviour* **40**: 23–32.
- Iwasa Y, Pomiankowski A, Nee S. 1991.** The evolution of costly mate preferences II. The “handicap” principle. *Evolution* **45**: 1431–1442.
- Johnstone RA, Norris K. 1993.** Badges of status and the cost of aggression. *Behavioural Ecology and Sociobiology* **32**: 127–134.
- Jones IL. 1990.** Plumage variability functions for status signalling in least auklets. *Animal Behaviour* **39**: 967–975.
- Jones RB, Nowell NW. 1974.** A comparison of the aversive and female attractant properties of urine from dominant and subordinate mice. *Animal Learning and Behavior* **2**: 141–144.
- Järvi T, Bakken MA. 1984.** The function of the variation in the breast-stripe of the great tit (*Parus major*). *Animal Behaviour* **32**: 590–596.
- Kodric-Brown A. 1977.** Reproductive success and the evolution of the breeding territories in pupfish (*Cyprinodon*). *Evolution* **31**: 750–766.
- Kodric-Brown A. 1983.** Determinants of male reproductive success in pupfish (*Cyprinodon peconensis*). *Animal Behaviour* **31**: 128–137.
- Kodric-Brown A. 1985.** Female preference and sexual selection for male coloration in the guppy (*Poecilia reticulata*). *Behavioral Ecology and Sociobiology* **17**: 199–205.
- Kodric-Brown A. 1990.** Mechanisms of sexual selection: insights from fishes. *Annales Zoologici Fennici* **27**: 87–100.
- Kodric-Brown A. 1993.** Female choice of multiple male criteria in guppies: interacting effects of dominance, coloration and courtship. *Behavioral Ecology and Sociobiology* **32**: 415–420.
- Kodric-Brown A, Brown JH. 1984.** Truth in advertising: the kinds of traits favored by sexual selection. *American Naturalist* **124**: 309–323.
- Kondrashov AS. 1988.** Deleterious mutations as an evolutionary factor. III. Mating preference and some general remarks. *Journal of Theoretical Biology* **131**: 487–496.
- Kramer HG, Lemon RE, Morris MJ. 1985.** Song switching and agonistic stimulation in the song sparrow (*Melospiza melodia*): five tests. *Animal Behaviour* **33**: 135–149.

- Krebs JB, Avery M, Cowie RJ. 1981.** Effect of removal of mate on singing behaviour of great tits. *Animal Behaviour* **29**: 635–637.
- Ladich F. 1990.** Vocalization during agonistic behaviour in *Cottus gobio* (Cottidae): an acoustic threat display. *Ethology* **84**: 193–201.
- Ladich F, Brittinger W, Kratochvil H. 1992.** Significance of agonistic vocalization in the croaking gourami (*Trichopsis vittatus*, Teleostei). *Ethology* **90**: 307–314.
- Lightbody JP, Weatherhead PJ. 1987.** Polygyny in the yellow-headed blackbird: female choice versus male competition. *Animal Behaviour* **35**: 1670–1684.
- Ligon JD, Thornhill R, Zuk M, Johnson K. 1990.** Male-male competition, ornamentation and the role of testosterone in sexual selection in red jungle fowl. *Animal Behaviour* **40**: 367–373.
- Lubin DJ. 1986.** Courtship and alternative mating tactics in a social spider. *Journal of Archnology* **14**: 239–257.
- Maynard Smith J, Harper DGC. 1988.** The evolution of aggression: can selection generate variability? *Philosophical Transactions of the Royal Society of London Series B: Biological Sciences* **319**: 557–570.
- McComb KE. 1991.** Female choice for high roaring rates in red deer, *Cervus elaphus*. *Animal Behaviour* **41**: 79–88.
- McDonald MV. 1989.** Function of song in Scott's seaside sparrow, *Ammodramus maritimus peninsulae*. *Animal Behaviour* **38**: 468–485.
- Michod RE, Hasson O. 1990.** On the evolution of reliable indicators of fitness. *American Naturalist* **135**: 788–808.
- Milinski M, Bakker TCM. 1990.** Female sticklebacks use male coloration in mate choice and hence avoid parasitized males. *Nature* **344**: 331–333.
- Mitani JC. 1985.** Sexual selection and adult male orangutan long calls. *Animal Behaviour* **33**: 272–283.
- Mitani JC. 1988.** Male gibbon (*Hylobates agilis*) singing behaviour: natural history, song variations and functions. *Ethology* **79**: 177–194.
- Møller AP. 1987a.** Social control of deception among status signalling house sparrows *Passer domesticus*. *Behavioral Ecology and Sociobiology* **20**: 307–311.
- Møller AP. 1987b.** Variation in badge size in male house sparrows *Passer domesticus*: evidence for status signalling. *Animal Behaviour* **35**: 1637–1644.
- Møller AP. 1988.** Badge size in the house sparrow *Passer domesticus*. Effects of intra- and intersexual selection. *Behavioral Ecology and Sociobiology* **22**: 373–378.
- Moore AJ. 1988.** Female preferences, male social status, and sexual selection in *Nauphoeta cinerea*. *Animal Behaviour* **36**: 303–305.
- Moore AJ. 1990a.** The inheritance of social dominance, mating behaviour and attractiveness to mates in male *Nauphoeta cinerea*. *Animal Behaviour* **39**: 388–397.
- Moore AJ. 1990b.** The evolution of sexual dimorphism by sexual selection: The separate effects of intrasexual selection and intersexual selection. *Evolution* **44**: 315–331.
- Moritz RFA, Hillesheim E. 1985.** Inheritance of dominance in honeybees (*Apis mellifera capensis* Esch.) *Behavioral Ecology and Sociobiology* **17**: 87–89.
- Noble GK. 1938.** Sexual selection among fishes. *Biological Reviews of the Cambridge Philosophical Society* **13**: 133–158.
- Noble GK, Bradley HT. 1933.** The mating behavior of lizards: Its bearing on the theory of sexual selection. *Annals of the New York Academy of Sciences* **25**: 25–100.
- Norris KJ. 1990.** Female choice and the evolution of the conspicuous plumage coloration of monogamous male great tits. *Behavioral Ecology and Sociobiology* **26**: 129–138.
- O'Donald P. 1977** Theoretical aspects of sexual selection. *Theoretical Population Biology* **12**: 298–334.
- Owens IPF, Hartley IR. 1991** "Trojan sparrows": evolutionary consequences of dishonest invasion for the badges-of-status model. *American Naturalist* **138**: 1187–1205.
- Parsons J, Baptista LF. 1980.** Crown color and dominance in the white-crowned sparrow. *Auk* **97**: 807–815.
- Parzefall J. 1969.** Zur vergleichenden Ethologie verschiedener *Mollinnesia*-Arten einschliesslich einer Höhlenform von *M. sphenops*. *Behaviour* **3**: 1–37.
- Peek FW. 1972.** An experimental study of the territorial function of vocal and visual display in the male red-winged blackbird (*Agelaius phoeniceus*) *Animal Behaviour* **20**: 112–118.
- Pelwijk JJ, Tinbergen N. 1937.** Eine reizbiologische Analyse einiger Verhaltenweisen von *G. aculeatus*. *Zeitschrift für Tierpsychologie* **1**: 193–204.
- Petrie M, Halliday T, Sanders C. 1991.** Peahens prefer peacocks with elaborate trains. *Animal Behaviour* **41**: 323–331.
- Pomiankowski A. 1988.** The evolution of female mate preferences for male genetic quality. *Oxford Surveys in Evolutionary Biology* **5**: 136–184.
- Radesäter T, Halldórsdóttir H. 1993.** Two male types of the common earwig: male-male competition and mating success. *Ethology* **95**: 89–96.
- Robertson JGM. 1986a.** Female choice, male strategies and the role of vocalization in the Australian frog *Uperoleia rugosa*. *Animal Behaviour* **34**: 773–784.
- Robertson JGM. 1986b.** Male territoriality, fighting and assessment of fighting ability in the Australian frog *Uperoleia rugosa*. *Animal Behaviour* **34**: 763–772.
- Rohwer S. 1975.** The social significance of avian winter plumage variability. *Evolution* **29**: 593–610.

- Rohwer S. 1977.** Status signaling in Harris sparrows: some experiments in deception. *Behaviour* **61**: 107–129.
- Rohwer S. 1982.** The evolution of reliable and unreliable badges of fighting ability. *American Zoologist* **22**: 531–546.
- Rohwer S. 1985.** Dyed birds achieve higher social status than controls in Harri's sparrows. *Animal Behaviour* **33**: 1325–1331.
- Rohwer S, Ewald PW. 1981.** The cost of dominance and advantage of subordination in a badge signaling system. *Evolution* **35**: 441–454.
- Rohwer S, Rohwer FC. 1978.** Status signalling in Harri's sparrows: experimental deceptions achieved. *Animal Behaviour* **26**: 1012–1022.
- Rohwer S, Røskft E. 1989.** Results of dyeing male yellow-headed blackbird solid black: implications for the arbitrary identity badge hypothesis. *Behavioral Ecology and Sociobiology* **25**: 39–48.
- Rosenqvist G. 1990.** Male mate choice and female-female competition for mates in the pipefish *Nerophis ophidion*. *Animal Behaviour* **39**: 1110–1115.
- Røskft E, Järvi T, Bakken M, Bech C, Reinertsen RE. 1986.** The relationship between social status and resting metabolic rate in great tits (*Parus major*) and pied flycatchers (*Ficedula hypoleuca*). *Animal Behaviour* **34**: 838–842.
- Rosser AM. 1990.** A glandular neckpatch secretion and vocalization act as signals of territorial status in male puku (*Kobus vardonii*). *African Journal of Ecology* **28**: 314–321.
- Rowland WJ. 1982.** The effect of male nuptial coloration on stickleback coloration: a reexamination. *Behaviour* **80**: 118–126.
- Ryan MJ, Keddy-Hector A. 1992.** Directional patterns of female mate choice and the role of sensory biases. *American Naturalist* **139 S**: 4–35.
- Ryan MJ, Ryan AS. 1990.** The sensory basis of sexual selection for complex calls in the Túngara frog, *Physalaemus pustulosus* (sexual selection for sensory exploitation). *Evolution* **44**: 305–314.
- Salmon M, Hyatt G, McCarthy K, Costlow JDJ. 1978.** Display specificity and reproductive isolation in the fiddler crabs, *Uca panacea* and *U. pugilator*. *Zeitschrift für Tierpsychologie* **48**: 251–276.
- Savalli U. 1994.** Tail length affects territory ownership in the yellow-shouldered widowbird. *Animal Behaviour* **48**: 105–111.
- Schmitt A, Schuster M, Barth FG. 1992.** Male competition in a wandering spider (*Cupiennius getazi*, Ctenidae). *Ethology* **90**: 293–306.
- Schwartz JJ. 1987.** The function of the call alternation in anuran amphibians: a test of three hypotheses. *Evolution* **41**: 461–471.
- Searcy WA. 1988.** Dual intersexual and intrasexual functions of song in the red winged blackbirds. *Proceedings of the XIX International Congress of Ornithology* **1**: 1373–1381.
- Searcy WA, Andersson M. 1986.** Sexual selection and the evolution of song. *Annual Review of Ecology and Systematics* **17**: 507–533.
- Searcy WA, Yasukawa K. 1990.** The use of song repertoire in intersexual and intrasexual contexts by male red-winged blackbird. *Behavioral Ecology and Sociobiology* **27**: 123–128.
- Sekulik R. 1982.** The function of howling in red howler monkeys *Alouatta seniculus*. *Behaviour* **81**: 38–54.
- Smith DG. 1972.** The role of epaulets in the red-winged blackbird (*Agelaius phoeniceus*) mating system. *Behaviour* **41**: 251–268.
- Smith RL. 1959** The songs of the grasshopper sparrow. *Wilson Bulletin* **71**: 141–152.
- Smith SK, Breed MD. 1982.** Olfactory cues in discriminations among individuals in dominance hierarchies in the cockroach, *Nauphoeta cinerea*. *Physiological Entomology* **7**: 337–341.
- Stacey PB, Chiszar D. 1978.** Body color pattern and aggressive behavior of male Pumpkinseed Sunfish (*Lepomis gibbosus*). *Behaviour* **64**: 271–304.
- Studd MV, Robertson RJ. 1985.** Evidence for reliable badges of status in territorial yellow warblers (*Dendroica petechia*). *Animal Behaviour* **33**: 1102–1113.
- Stutchbury BJ. 1991.** The adaptive significance of male subadult plumage in purple martins: plumage dyeing experiments. *Behavioral Ecology and Sociobiology* **29**: 297–306.
- Thornhill R. 1988.** The jungle fowl hen's cackle incites male competition. *Verhandlungen Deutschen Zoologisches Gesellschaft* **81**: 145–154.
- Torricelli P, Lugli M, Gandolfi G. 1986.** A quantitative analysis of the occurrence of visual and acoustic displays during the courtship in the freshwater gobi *Padogobius martensi* (Günther 1861) (Pisces, Gobiidae). *Bollettino di Zoologia* **53**: 85–89.
- Trail PW. 1985.** Courtship disruption modifies mate choice in a lek-breeding bird. *Science* **227**: 778–780.
- Trail PW. 1990.** Why should lek-breeders be monomorphic? *Evolution* **44**: 1837–1852.
- Veiga JP. 1993.** Badge size, phenotypic quality, and reproductive success in the house sparrow: a study on honest advertisement. *Evolution* **47**: 1161–1170.
- Vincent A, Ahnesjö I, Berglund A, Rosenqvist G. 1992.** Pipefishes and sea-horses: Are they all sex role reversed? *Trends in Ecology and Evolution* **7**: 237–241.
- von Schantz T, Grahn M, Göransson G. 1994.** Intersexual selection and reproductive success in the pheasant *Phasianus colchicus*. *American Naturalist* **144**: 510–527.
- von Schantz T, Göransson G, Andersson G, Fröberg I, Grahn M, Helgée A, Wittzell H. 1989.** Female choice selects for a viability-based male trait in pheasants. *Nature* **337**: 166–169.

- Watson A, Parr R. 1981.** Hormone implants affecting territory size and aggressive and sexual behaviour in red grouse. *Ornis Scandinavica* **12**: 55–61.
- Watson PJ. 1990.** Female-enhanced male competition determines the first mate and the principal sire in the spider *Linyphia litigiosa* (Linyphiidae). *Behavioral Ecology and Sociobiology* **26**: 77–90.
- Werner DI. 1978.** On the biology of *Tropidurus delanonis*, Baur (Iguanidae). *Zeitschrift für Tierpsychologie* **47**: 337–395.
- West MJ, King AP. 1980.** Enriching cowbird song by social deprivation. *Journal of Comparative and Physiological Psychology* **94**: 263–270.
- West MJ, King AP, Eastzer DH. 1981.** Validating the female bioassay of cowbird song: relating differences in song potency to mating success. *Animal Behaviour* **29**: 490–501.
- West-Eberhart MJ. 1979.** Sexual selection, social competition, and evolution. *Proceedings of the American Philosophical Society* **123**: 222–234.
- Wickler W. 1967.** Socio-sexual signals and their intra-specific imitation among primates. In: Morris D, ed. *Primate Ethology*. London: Weidenfeld and Nicolson, 69–147.
- Wilcox RS, Spence JR. 1986.** The mating system of the two hybridizing species of water striders (Gerridae). *Behavioral Ecology and Sociobiology* **19**: 79–85.
- Wiley RH. 1991.** Lekking in birds and mammals: behavioral and evolutionary issues. *Advances in the Study of Behavior* **20**: 201–291.
- Williams GC. 1966.** *Adaptation and natural selection*. Princeton: Princeton University Press.
- Yasukawa K. 1981.** Song repertoires in the red winged blackbird (*Agelaius phoeniceus*): a test of the Beau Geste hypothesis. *Animal Behaviour* **29**: 114–125.
- Zahavi A. 1975.** Mate selection — a selection for a handicap. *Journal of Theoretical Biology* **53**: 205–214.
- Zahavi A. 1977.** The cost of honesty (further remarks on the handicap principle). *Journal of Theoretical Biology* **67**: 603–605.
- Zahavi A. 1991.** On the definition of sexual selection, Fishers model, and the evolution of waste and of signals in general. *Animal Behaviour* **42**: 501–503.
- Zuk M, Johnson K, Thornhill R, Ligon JD. 1990a.** Parasites and male ornaments in free-ranging and captive red jungle fowl. *Behaviour* **114**: 232–248.
- Zuk M, Johnson K, Thornhill R, Ligon JD. 1990b.** Mechanisms of female choice in red jungle fowl. *Evolution* **44**: 477–485.