

See discussions, stats, and author profiles for this publication at:  
<https://www.researchgate.net/publication/21672521>

# The treatment of mentally disordered offenders: A national survey of psychiatrists

Article in *The Bulletin of the American Academy of Psychiatry and the Law* · February 1992

Source: PubMed

---

CITATIONS

6

---

READS

8

5 authors, including:



[Kirk Heilbrun](#)

Drexel University

104 PUBLICATIONS 2,720 CITATIONS

SEE PROFILE



[Kevin Krull](#)

St. Jude Children's Research Hospital

159 PUBLICATIONS 2,969 CITATIONS

SEE PROFILE

# The Treatment of Mentally Disordered Offenders: A National Survey of Psychiatrists

Kirk Heilbrun, PhD; Catherine E. Nunez, MS; Mary Ann Deitchman, PhD; David Gustafson, MA; and Kevin Krull, MS

A nationwide (U.S.) survey of major public mental hospitals treating patients who are incompetent for trial, not guilty by reason of insanity, mentally disordered sex offenders, or mentally ill inmates was conducted. Responses were received from 71 percent of the 115 facilities surveyed. Respondents were the directors of psychiatry from the respective facilities. The pattern of treatments delivered generally appeared clinically appropriate. However, behavioral and cognitive-behavioral treatments were reported infrequently, even in areas in which they would be particularly useful.

The question of what kinds of treatments are delivered to mentally disordered offenders<sup>1</sup> has received remarkably little research attention. While there are descriptions of treatment approaches for recurring problems such as violence<sup>2</sup> and sexual offending,<sup>3-8</sup> and for individuals in particular legal categories,<sup>9,10</sup> there has been no systematic study of the treatments delivered to mentally disordered offenders who are hospitalized in forensic institutions. Why this should be so is unclear. Mental health service delivery in jails has been systematically examined,<sup>11</sup> and there have been a number of previous national surveys of forensic facilities and patients<sup>12-19</sup> that have provided data on institutional and

patient characteristics. None of these, however, provided detailed information on treatment.

To address the question of what kinds of treatments are provided to mentally disordered offenders in forensic facilities, we undertook a national survey of all public inpatient mental health facilities in the United States providing treatment to individuals who are incompetent to stand trial, not guilty by reason of insanity, mentally disordered sex offenders, or mentally ill inmates transferred to specialized correctional units. Our goal was to determine what kinds of treatments were being provided, for what problems, with what frequency, and with what kinds of patients.

## Methods

**Facilities** An initial listing of all forensic facilities in the United States was

Address reprint requests to: Dr. Kirk Heilbrun, Dept. of Psychiatry, Medical College of Virginia, Box 710, Richmond, VA 23298-0253.

obtained from lists used in previous surveys.<sup>13,14</sup> This was modified and updated by telephone contact with the respective offices of the forensic program director and corrections mental health director in each state. Facilities were selected for study only if they were one of the major state institutions in which mentally disordered offenders were treated. Excluded were community-based or regional forensic facilities, or correctional facilities with a single mental health unit. A total of 115 facilities meeting this criterion were identified.

**Respondents** Surveys were sent to the directors of each facility, who then passed them on to the director of psychiatry within the hospital. Psychiatrists were surveyed because of their probable familiarity with both the medical and nonmedical treatments being delivered to patients in these forensic hospitals.

**Procedure** The entire survey was done over a six-month period, using the total design method.<sup>20</sup> At the beginning of this six-month period, the initial survey (which totaled six pages) was sent. A follow-up postcard was sent out approximately two weeks after the initial survey mailing. This was followed by two more letters (the second certified), mailed three weeks apart, to those who had not responded within two months.

The six-page survey consisted of a treatment by disorder/behavior matrix, and each respondent was asked to check a cell whenever a particular treatment was administered within that facility to patients with a particular disorder/behavior. Treatments and disorders/behaviors were obtained by a review of the

relevant literature. Types of treatments presented to respondents included psychotropic drugs, reality therapy, sexual dysfunction therapy/sex education, social skills or assertion training, cognitive-behavioral therapy, contingency management systems, aversion therapy, other behavioral techniques, anger control, dynamic psychotherapy, milieu therapy, vocational training, individual counseling (any kind), group therapy (any kind), AA/NA, and activity therapy.

Disorders/behaviors in the following categories were described: mental and emotional disorders, violent/aggressive behavior toward others, self-injurious or suicidal behavior, criminal sexual deviancy, and substance abuse. The categories were selected to represent the kinds of disorders/behaviors most often treated in mentally disordered offenders. Respondents were informed that "a given patient may have (and be treated for) more than one of these disorders." This meant that a respondent rating 100 patients, for example, might actually provide 300 affirmative ratings, since it was possible for a single patient to receive affirmative ratings in multiple categories.

## Results

Usable responses were obtained from 71 percent of the facilities' respective psychiatric directors. The data were summarized according to the types of disorders treated and the treatment techniques. Two major questions were addressed: (1) What kinds of disorders are treated with the various forms of treat-

## Treatment of Mentally Disordered Offenders

ments? (2) What percentage of patients actually receive each treatment?

**What Kinds of Disorders Are Treated by the Different Forms of Treatments?** Of the 16 forms of treatment, eight are described as variably administered according to the nature of the disorder: psychotropic drugs, sexual dysfunction therapy, contingency management systems, aversion therapy, other behavioral techniques, anger control, dynamic psychotherapy, and AA/NA. The pattern of treatment by disorder administration is generally in the clinically indicated direction (see Table 1). Psychotropic medication, for example, is frequently reported in the treatment of mental and emotional disorders (92%), violent/aggressive behavior (92%), and self-injurious or suicidal behavior (84%), but not for criminal sexual deviancy (24%) or substance abuse

(43%). By contrast, sexual dysfunction therapy/sex education is rarely used to treat mental disorders (24%), violent behavior (11%), self-injurious behavior (5%), or substance abuse (11%), but is more often reported (51%) in treating criminal sexual deviancy.

This pattern, while in a "clinically indicated" direction, also reflects the distressing infrequency of administration of certain kinds of relevant treatment. This is the case with anger control, a relatively new, cognitive-behaviorally based form of intervention.<sup>21,22</sup> Anger control is rarely reported in disorders for which it would be marginally useful, such as substance abuse and criminal sexual deviancy. However, it is reported by more than half of the responding facilities in treating violent/aggressive behavior toward others (62%).

The remaining eight kinds of treat-

**Table 1**  
Percentage of Institutions Reporting Presence of Various Treatments for Different Disorders in Mentally Disordered Offenders

Treatment	Disorders				
	Mental/ Emotional	Violence/ Aggression	Self-Injury	Sexual Deviance	Substance Abuse
Psychotropic drugs	92	92	84	24	43
Reality therapy	41	27	35	30	27
Sexual dysfunction	24	11	5	51	43
Social skills/assertion	65	57	57	51	43
Cognitive/behavioral	35	35	38	41	24
Contingency management	35	46	35	19	27
Aversion therapy	0	3	0	16	3
Other behavioral	27	35	8	7	6
Anger control	16	62	32	22	16
Dynamic psychotherapy	51	35	35	22	22
Milieu therapy	76	70	70	65	65
Vocational training	54	43	46	43	43
Individual counseling	78	81	84	70	70
Group therapy	81	68	65	65	62
AA and/or NA	27	14	14	16	68
Activity therapy	78	78	68	57	59

ment are reportedly administered in a fairly constant fashion across disorders. These include treatments that are frequently (i.e., more than 50%) reported, such as social skills/assertion training, milieu therapy, individual therapy, group therapy, and activity therapy. They also include treatments reported with moderate frequency (between 26% and 49%), such as reality therapy, cognitive-behavioral therapy, and vocational training.

**What Percentage of Patients Received Each Treatment?** The second question involved the percentage of patients receiving the various forms of treatment. As can be seen in Table 2, the treatments being delivered to the highest percentages of patients were medication, group therapy, individual therapy, and activity therapy, with mean percentages all above 50 percent. Moderately high percentages were also seen for token economy/contingency management, vocational training, reality therapy, sexual dysfunction, social skills/assertion training, and cognitive-behavioral therapy.

**Table 2**  
**Percentage of Mentally Disordered Offenders Receiving Each Treatment**

Treatment	Male	Female
Psychotropic drugs	73.0	71.0
Reality therapy	36.4	39.3
Sexual dysfunction	25.8	15.7
Social skills/assertion	47.7	46.6
Cognitive/behavioral	30.6	26.2
Contingency management	26.4	28.3
Aversion therapy	2.3	.5
Vocational training	38.6	42.7
Individual counseling	55.0	61.7
Group therapy	68.5	66.4
Activity therapy	74.8	83.9

Very low percentages of patient involvement were reported for aversion therapy.

## Discussion

The combination of treatments and disorders generally appeared to reflect a good fit between type of treatment delivered and nature of disorder reported. However, some treatments were reportedly delivered infrequently when they appeared particularly relevant. This was particularly true for behavioral and cognitive-behavioral interventions. Treatments in this class, which should theoretically be well represented in the treatment of interpersonal violence<sup>2</sup> and criminal sexual deviancy,<sup>3-8</sup> were relatively infrequent. This may reflect a lack of technical expertise among the staff of some institutions in this area, with a consequent need for increased professional resources in the delivery of behaviorally based treatments.

One of the potential implications for these findings is that treatment outcome in mentally disordered offenders has been difficult to predict<sup>23-33</sup> because mentally disordered offenders often receive a course of treatment that is insufficiently individualized and not necessarily consistent with current trends in practice. This may mean that restructuring to produce more individualized treatment assignment and delivery in some institutions, particularly the larger ones, would be appropriate. It is also likely, however, that several of the groups identified in this survey are largely overlapping, and that the tendency toward similar treatment profiles is a function of this clinical reality as well.

## Treatment of Mentally Disordered Offenders

As in any survey-based design, there is always the concern about completeness. Although the response rate was reasonably high (71%), our data still do not include reports from the remaining 29 percent of facilities treating mentally disordered offenders. Nor did we include community-based forensic treatment facilities, which are playing an increasingly important role in treating mentally disordered offenders.<sup>34</sup> Current results must be considered in this context.

The focus on the treatment of mentally disordered offenders has appropriately expanded beyond institutions to include community-based settings such as jails<sup>11,15</sup> and mental health centers.<sup>35</sup> The establishment of psychiatric security review boards has facilitated such research in Oregon<sup>36,37</sup> and Connecticut.<sup>38</sup> Yet institutions will inevitably continue to retain much of the responsibility for treating mentally disordered offenders. The present study is an early step toward understanding the normative aspects of such treatment.

### References

1. For the purposes of this article, "mentally disordered offenders" will include individuals who are either incompetent to stand trial, not guilty by reason of insanity, mentally disordered sex offenders, or mentally ill and transferred from jail or prison
2. Roth LH (ed.): *Clinical Treatment of the Violent Person*. New York, Guilford Press, 1987
3. Haaven J, Little R, Petre-Miller D: *Treating Intellectually Disabled Sex Offenders: A Model Residential Program*. Orwell, VT, Safer Society Press, 1990
4. Lanyon RI: Theory and treatment in child molestation. *J Consult Clin Psychol* 54:176-82, 1986
5. Laws DR (ed.): *Relapse Prevention with Sex Offenders*, New York, Guilford Press, 1989
6. Maletzky B: *Treating the Sexual Offender*, Newbury Park, CA, Sage Publications, 1991
7. Marshall WL, Laws DR, Barbaree HE (eds.): *Handbook of Sexual Assault: Issues, Theories, and Treatment of the Offender*. New York, Plenum, 1990
8. Schwartz BK (ed.): *A Practitioner's Guide to Treating the Incarcerated Male Sex Offender*, Washington, DC, National Institute of Corrections, 1988
9. Pendleton L: Treatment of persons found incompetent to stand trial. *Am J Psychiatry* 137:1098-1100, 1980
10. Siegel AM, Elwork A: Treating incompetence to stand trial. *Law Hum Behav* 14:57-65, 1990
11. Steadman HJ, McCarty DW, Morrissey JP: *The Mentally Ill in Jail: Planning for Essential Services*. New York Guilford, 1989
12. Eckerman WC: *A Nationwide Survey of Mental Health and Correctional Institutions for Adult Mentally Disordered Offenders*. Rockville, MD, National Institute of Mental Health, 1972
13. Heilbrun K, Annis L: Research and training in forensic psychology: national survey of forensic facilities. *Prof Psychology: Res Pract* 19:211-15, 1988
14. Kerr C, Roth J: Populations, practices, and problems in forensic psychiatric facilities. *Ann Am Acad Pol Soc Sci* 484:127-43, 1986
15. Scheidemandel PL, Kanno CK: *The Mentally Ill Offender: A Survey of Treatment Programs*. Washington, DC, American Psychiatric Association, 1969
16. Sheldon RB, Norman WB: Comprehensive survey of forensic psychiatric facilities in the United States. *Bull Am Acad Psychiatry Law* 6:93-104, 1978
17. Steadman HJ, Monahan J, Hartstone E, Davis K, Robbins PC: Mentally disordered offenders: a national survey of patients and facilities. *Law Hum Behav* 6:31-8, 1982
18. Steadman JH, Rosenstein MJ, MacAskill RL, Manderscheid RW: A profile of mentally disordered offenders admitted to inpatient psychiatric services in the United States. *Law Hum Behav* 12:91-9, 1988
19. Way BB, Dvoskin JA, Steadman HJ, Huguley HC, Banks S: Staffing of forensic inpatient services in the United States. *Hosp Community Psychiatry* 41:172-4, 1990
20. Dillman DA: *Mail and Telephone Surveys: The Total Design Method*. New York, John Wiley, 1978
21. Feindler EL, Ecton RB: *Adolescent Anger Control*, New York, Pergamon, 1986

22. Goldstein AP, Glick B: Aggression Replacement Training, Champaign, IL, Research Press, 1987
23. Heilbrun K, Bennett WS, Evans JH, Offutt RA, Reiff HJ, White AJ: Assessing treatability in mentally disordered offenders: a conceptual and methodological note. *Behav Sci Law* 6:479-86, 1988
24. Heilbrun K, Bennett WS, Evans JH, Offutt RA, Reiff HJ, White AJ: Assessing treatability in mentally disordered offenders: strategies for improving reliability. *Forensic Reports*, in press
25. Ashford JB: Assessing treatability in drug offenders. *Behav Sci Law* 6:139-48, 1988
26. Jackson MW: Understanding the concepts of need for treatment/treatability. Paper presented at the American Academy of Psychiatry and Law, Albuquerque, NM, October 1985
27. Jackson MW: Psychiatric decision-making for the courts: judges, psychiatrists, lay people? *Int J Law Psychiatry* 9:507-20, 1986
28. Quinsey VL, Maguire A: Offenders remanded for a psychiatric examination: perceived treatability and disposition. *Int J Law Psychiatry* 6:193-205, 1983
29. Rogers R, Gillis JR, Dickens SE, Webster CD: Treatment recommendations for mentally disordered offenders: more than roulette? Paper presented at the Annual Convention of the American Psychological Association, Atlanta, GA, August 1988
30. Rogers R, Webster CD: Assessing treatability in mentally disordered offenders. *Law Hum Behav* 13:19-29, 1989
31. Webster CD, Menzies R, Jackson MA: *Clinical Assessment Before Trial: Legal Issues and Mental Disorder*. Toronto, Butterworths, 1982
32. Greenland C, Rosenblatt E: Remands for psychiatric examination in Ontario, 1969-1970. *Can Psychiatric Assoc J* 17:387-401, 1972
33. Quinsey VL: Psychiatric staff conferences of dangerous mentally disordered offenders. *Can J Behav Sci* 7:60-9, 1975
34. Heilbrun K, Griffin, P: Community based forensic treatment. Chattahoochee, FL, Florida State Hospital, currently unpublished manuscript
35. Cavanaugh J, Wasyliw O, Rogers R: The NGR1 outpatient: a two-year study. Paper Presented at the Annual Meeting of the American Academy of Psychiatry and the Law, Nassau, Bahamas, 1984
36. Bloom JD, Williams MH, Rogers JL, Barbur P: Evaluation and treatment of insanity acquittees in the community. *Bull Am Acad Psychiatry Law* 14:231-44, 1986
37. Rogers JL, Bloom JD, Manson SM: Oregon's new insanity defense system: a review of the first five years, 1978 to 1982. *Bull Am Acad Psychiatry Law* 12:383-402, 1984
38. Scott DC, Zonona HV, Getz MA: Monitoring insanity acquittees: Connecticut's Psychiatric Security Review Board. *Hosp Community Psychiatry* 41:980-4, 1990