

DTIC FILE COPY

2

(U)

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
LECTE AD-A196 042 JUL 10 7 1988		1b RESTRICTIVE MARKINGS NA		3 DISTRIBUTION/AVAILABILITY OF REPORT Distribution unlimited
4 MONITORING ORGANIZATION REPORT NUMBER(S) H		5. MONITORING ORGANIZATION REPORT NUMBER(S) NA		
6a. NAME OF PERFORMING ORGANIZATION University of California	6b OFFICE SYMBOL (If applicable) NA	7a. NAME OF MONITORING ORGANIZATION Office of Naval Research		
6c. ADDRESS (City, State, and ZIP Code) Department of Zoology Davis, California 95616		7b ADDRESS (City, State, and ZIP Code) 800 N. Quincy Street Arlington, VA 22217-5000		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION Office of Naval Research	8b OFFICE SYMBOL (If applicable) ONR	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N 00014-85-K-0242		
8c. ADDRESS (City, State, and ZIP Code) 800 N. Quincy Street Arlington, VA 22217-5000		10 SOURCE OF FUNDING NUMBERS	PROGRAM ELEMENT NO. 61153N	PROJECT NO. RR04108
		TASK NO. 441K712	WORK UNIT ACCESSION NO.	
11. TITLE (Include Security Classification) (U) Role of water in proton-hydroxide conductance across membranes.				
12. PERSONAL AUTHOR(S) Deamer, David W.				
13a. TYPE OF REPORT Annual	13b TIME COVERED FROM 7/1/87 TO 6/30/88	14. DATE OF REPORT (Year, Month, Day) 88/6/28	15 PAGE COUNT 5	
16 SUPPLEMENTARY NOTATION				
17 COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP		
08				
19 ABSTRACT (Continue on reverse if necessary and identify by block number)				
<p>The goal of this research is 1) to understand the nature of hydrated defects in lipid bilayers that permit proton flux to occur, and 2) to determine whether hydrated channels in biological membranes have special properties related to proton conduction along hydrogen bonded water. In the progress report, we test a mechanism of general anesthesia which proposes that anesthetics introduce defects into synaptic vesicle membranes. These in turn cause loss of neurotransmitter and inhibited synaptic transmission. We found that minor leaks are produced by anesthetics, but that they do not account directly for the anesthetic state. We propose a modification which involves catecholamine interaction with autoreceptors. In the work plan, we describe further tests of the mechanism which will be undertaken. We will also initiate studies of isotope effects on proton transport in bilayers and ion conducting channels.</p>				
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION (U)		
22a NAME OF RESPONSIBLE INDIVIDUAL Dr. I. Vodyanov		22b TELEPHONE (Include Area Code) 202-696-4055	22c. OFFICE SYMBOL ONR	

DD Form 1473, JUN 86

Previous editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

PROGRESS REPORT ON ONR CONTRACT TASK 441k712-01

PRINCIPAL INVESTIGATOR: Dr. David W. Deamer

CONTRACTOR: University of California, Davis

CONTRACT TITLE: Role of water in proton-hydroxide conductance across model and biological membranes.

START DATE: October 1, 1987

RESEARCH OBJECTIVE: To understand the nature of defects in lipid bilayers that permit ion flux to occur, with particular emphasis on specialized mechanisms of proton transfer. The results will further our understanding of ion permeation processes in nervous function (synaptic transmission and anesthesia) and chemiosmotic energy transduction.

PROGRESS: (Year 1) Earlier investigations supported by ONR (Barchfeld and Deamer, 1985) were directed at testing the pump-leak hypothesis of Bangham and Mason (1980) who suggested that general anesthetics might introduce defects into bilayers of synaptic vesicle membranes which lead to increased proton permeability. Since pH gradients are required for accumulation of catecholamines in synaptic vesicles, the resulting decay of pH gradients would cause loss of neurotransmitters from the vesicles. The resulting inhibition of synaptic transmission in sensitive portions of the CNS would induce the anesthetic state. In support, Bangham and Mason found that benzoyl alcohol caused loss of dopamine from isolated synaptic vesicles and liposomes. We confirmed this result in liposome systems, and demonstrated that the defects were not specific for protons, since potassium permeability was equally increased.

In order to better understand the nature of the defect, we have extended this study to a series of alcohols and alkanes. The aim here was to determine whether the increase in ion permeability caused by anesthetics resulted from a general increase in membrane dielectric, or whether actual defects were caused when anesthetic molecules partitioned into the bilayer. We found that the increased ionic permeability was directly related to the partition coefficient of the alcohols, and that certain alcohols (ethylene glycol and glycerol) could not reach membrane concentrations sufficient to cause *measurable permeability increments*. *Significantly, permeability* was also increased by pentane and hexane, which would have little

or no effect on the dielectric constant of the bilayer. We conclude that anesthetics perturb the bilayer barrier by increasing the number of ion-conducting defects above the level normally present. Because the alkanes could not in themselves increase membrane dielectric constant, we exclude the possibility that anesthetics increase permeability through lowering the Born energy barrier related to membrane dielectric constants. This work has been accepted for publication in *Biochimica et Biophysica Acta* (Barchfeld and Deamer, 1988).

Dr. Mark Akesson has now joined the laboratory, and we have had the opportunity to initiate an investigation which represents a critical test of the pump-leak hypothesis of general anesthesia. We chose to use chromaffin granules as model synaptic vesicles (Johnson, 1987) since they are relatively stable and can be isolated in large quantities. The effect of anesthetics on both the pump and the leak has been determined in this system, with surprising results. We found that anesthetics had no effect on the proton pump ATPase. Furthermore, at clinical levels, anesthetics only produced a 5-10% increment in proton permeability. At concentrations sufficiently high to double proton permeability (5 to 10 times clinical levels) the efflux of protons and catecholamines had half times of 15 minutes. This is too slow to account for the kinetics of anesthesia in animal and human subjects, in which anesthesia can be induced in less than a minute.

We conclude that the original pump leak model must be modified in some way to take into account the fact that only small amounts of neurotransmitters are released by clinical levels of anesthetics. We are following up on one possibility, which is the known inhibitory effect of catecholamines on presynaptic excitability. For instance, 10 μ M epinephrine produces ganglionic blockade in the rabbit superior cervical ganglion (Christ and Nishi, 1970). The inhibitory effect is apparently mediated through α autoreceptors on presynaptic cells (Starke, 1987) and it follows that a modest release of catecholamines caused by general anesthetics could induce the anesthetic state by a similar mechanism. To our knowledge, this concept has not been previously explored. A manuscript describing the research is in preparation for publication in *PNAS*, to be sponsored by Dr. Eric Conn, Department of Biochemistry and Biophysics, U.C. Davis..

Other progress:

An invited review entitled Proton Flux Mechanisms in Model and Biological Membranes has been submitted for publication in the *Journal of Membrane Biology*.

on For	<input type="checkbox"/>
A&I	<input checked="" type="checkbox"/>
ed	<input type="checkbox"/>
ation	<input type="checkbox"/>

tion/	
ality Codes	
avail and/or	
Special	



Dist

A-1

The PI was organizer of the Gordon Conference on Protons and Membrane Reactions, which was held in Ventura California, February 1-5, 1988. (Support for the conference from the Office of Naval Research is gratefully acknowledged.)

A Defense University Research Instrumentation Proposal was submitted by the PI to the Office of Naval Research. This is a proposal for purchase of a Tracor Northern Fluoroplex, an integrated macro/micro fluorometer which will be used directly in advancing the studies described above.

WORK PLAN: (Year 2 of renewal)

Our overall goals are to test the proposed mechanism of general anesthesia, and to continue investigations of proton flux mechanisms in model and biological membranes. The specific techniques to be applied depend on whether we are successful in acquiring the Tracor Northern fluorometer, which would expand the kinds of measurements we can make. However, for the purposes of this report we cannot assume that the fluorometer will be available, and will describe research that can be undertaken with existing equipment.

Anesthetic investigations.

Probably the most important initial test of our hypothesis is to determine whether clinical levels of general anesthetics do in fact release catecholamines from chromaffin granules and synaptic vesicles, under conditions simulating the intracellular environment. We have established a polarographic method for measuring micromolar concentrations of catecholamines which utilizes a glassy carbon electrode. The approach is to titrate a variety of general anesthetics into suspensions of granules or vesicles in buffered KCl, pH 7.3, with Mg-ATP present to generate a proton gradient across the membrane. If our hypothesis is correct, we will expect to see small amounts of catecholamines released when the anesthetic concentrations reach clinically effective doses. Furthermore, the release must be sufficient to increase intracellular catecholamines to near 10 μ M within 60 seconds. If we are unable to demonstrate such an effect, we will conclude that the pump-leak hypothesis, and our proposed modification of it, are incorrect. A negative result would be nearly as important as a positive result, since one whole class of anesthetic mechanisms could then be excluded.

Proton flux studies

One of the most interesting generalizations to come out of the recent Gordon Conference on Protons and Membrane Reactions is that proton flux in three different systems is affected by deuterium oxide. These include the CF_o subunit (Lill et al., 1987) a synthetic proton channel (Lear et al. 1988) and the gramicidin channel (Deamer, 1987). In all of these, proton flux is reduced by about half when deuterium oxide is exchanged for water, while potassium flux is unaffected. This result suggests that a similar proton conductive mechanism may be present in all three channels. The gramicidin channel is generally agreed to involve a "proton wire" consisting of a single chain of hydrogen bonded water molecules, which leads to the exciting possibility that the deuterium effect provides a way to test for proton conductance along water wires in biological membranes. The establishment of such a conductive mechanism would represent a significant step forward in understanding coupling membrane function.

Our specific aim is to perform a more careful comparison of the deuterium effect on proton flux in three different systems. The first is lipid bilayers in the form of liposomes. We have extensive experience with liposomes, and have made preliminary attempts to measure a deuterium effect. The second system is the gramicidin channel, an established proton wire which provides a control for the other systems. The third system involves a comparison of proton flux through two kinds of channels, one specialized for protons (the F_o subunit of bacterial membranes, isolated according to Cain and Simoni, 1987) and the second is the acetylcholine receptor, which permits sodium ion transport after binding agonists. The latter studies will be carried out in collaboration with Dr. Mark McNamee, at UC Davis.

Our expectations are as follows: If we are correct that water wires are involved in proton conductance across lipid bilayers, we should see a deuterium effect similar to that observed in the gramicidin channel. Furthermore, this effect should disappear in the presence of protonophores, which transport protons directly across membranes, rather than through hydrated defects. Second, if the F_o subunit is a water wire, we should again see a deuterium effect which disappears with protonophore addition. Finally, the acetylcholine receptor channel is large enough to fit several water molecules across its diameter, and the water will likely be relatively disordered. We would therefore expect to find protons crossing by

diffusion, rather than hopping along water wires, and there should be little or no deuterium effect.

References

- Bangham, A.D., Hill, M.W. and Mason, W.T. (1980) *Prog. Anesthesiol.* 2:69-77.
- Barchfeld, G.L. and Deamer, D.W. (1985) *Biochim. Biophys. Acta* 819:161-169.
- Barchfeld, G.L. and Deamer, D.W. (1988) *Biochim. Biophys. Acta* (in press).
- Cain, B.D. and Simoni, R.D. (1986) *J. Biol. Chem.* 261:10043-10050.
- Christ, D.D. and Nishi, S. (1971) *Brit. J. Pharmacol.* 41:331-338.
- Deamer, D.W. (1987) *J. Bioenerg. Biomembr.* 19:457-479.
- Johnson, R. (1987) *Physiol. Rev.* 68:232-307.
- Lill, H., Althoff, G. and Junge, W. (1987) *J. Membr. Biol.* 98:69-78.
- Lear, J.D., Wasserman, Z.R. and DeGrado, W.W. (1988) *Science* (In press)
- Starke, K. (1987) *Rev. Physiol. Biochem. Pharmacol.* 107: 73-146.

PUBLICATIONS SUPPORTED BY ONR CONTRACT

- Barchfeld, G.L. and Deamer, D.W. Alcohol effects on proton permeability of liposomes: relationship to general anesthesia. *Biochim. Biophys. Acta* (In press, 1988)
- Deamer, D.W. and Nichols, J.W. Proton flux mechanisms in model and biological membranes. Invited review submitted July 1 to the *Journal of Membrane Biology*.
- Akeson, M. and Deamer, D.W. Ionic permeability induced by anesthetics in chromaffin granules: autoreceptor inhibition as a mechanism of general anesthesia. (To be submitted to *Proc. Natl. Acad. Sci. USA*)

DISTRIBUTION LIST FOR REPORTS

ONR MEMBRANE ELECTROCHEMISTRY PROGRAM

Dr. Martin Blank
Department of Physiology
Columbia University College
of Physicians and Surgeons
630 W. 168th Street
New York, NY 10032

Dr. William E. Brownell
Department of Otolaryngology-HNS
Johns Hopkins University
School of Medicine
720 Rutland Avenue
Baltimore, MD 21205

Dr. Marco Colombini
Department of Zoology
University of Maryland
College Park, MD 20742

Dr. Michael A. Cusanovich
Department of Biochemistry
University of Arizona
Tuscon, AZ 85721

Dr. D. W. Deamer
Department of Zoology
University of California
Davis, CA 95616

Dr. Edward A. Dratz
Department of Chemistry
Montana State University
Bozeman, MT 59717

Dr. Harvey M. Fishman
Department of Physiology and
Biophysics
University of Texas Medical Branch
Galveston, TX 77550

Dr. Sol M. Gruner
Department of Physics
Jadwin Hall
Princeton University
P. O. Box 708
Princeton, NJ 08544

Dr. Felix T. Hong
Department of Physiology
Wayne State University
540 E. Canfield Avenue
Detroit, MI 48201

Dr. Huey W. Huang
Department of Physics
Rice University
Houston, TX 77251

Dr. Israel R. Miller
Department of Membrane Research
The Weizmann Institute of Science
Rehovot 76100
ISRAEL

Dr. V. Adrian Parsegian
Laboratory of Chemical Biology,
NIADDK
Room 9N-307
Building 10
Bethesda, MD 20892

Dr. Davis S. Perlin
Department of Biochemistry
Public Health Research Institute
455 First Avenue
New York, NY 10016

Dr. H. Gilbert Smith
EG & G Mason Research Institute
57 Union Street
Worcester, MA 01608

Dr. Michael E. Starzak
Department of Chemistry
State University of New York
Binghamton, NY 13901

Dr. H. Ti Tien
Department of Physiology
Membrane Biophysics Laboratory
Michigan State University
East Lansing, MI 48824

Dr. Tian Y. Tsong
Department of Biological Chemistry
Johns Hopkins University
School of Medicine
725 N. Wolfe Street
Baltimore, MD 21205

Dr. Peter Vanysek
Department of Chemistry
Northern Illinois University
De Kalb, IL 60115

ONR MEMBRANE ELECTROCHEMISTRY PROGRAM

Dr. Howard Wachtel
Dept. of Electrical & Computer Eng.
University of Colorado
Campus Box 425
Boulder, CO 80309

Dr. James C. Weaver
Div. Health Sciences & Technology
Room 20A-128
Massachusetts Institute of Tech.
Cambridge, MA 20742

Dr. George S. Wilson
Department of Chemistry
University of Kansas
Lawrence, KS 66045

Annual Final and Technical Reports

ADMINISTRATORS

Dr. Igor Vodyanoy, Code 1141SB (2 copies)
Scientific Officer, Biophysics
Office of Naval Research
800 N. Quincy Street
Arlington, VA 22217-5000

Dr. Robert J. Nowak, Code 1113ES
Scientific Officer, Electrochemical
Office of Naval Research
800 N. Quincy Street
Arlington, VA 22217-5000

Administrator (2 copies) (Enclose DTIC Form 50)
Defense Technical Information Center
Building 5, Cameron Station
Alexandria, VA 22314

Program Manager
Biological/Human Factors Division
Code 125
Office of Naval Research
800 N. Quincy Street
Arlington, VA 22217-5000

Administrative Contracting Officer
ONR Resident Representative
(address varies - obtain from contract or
your business office)

Program Manager Defense Technical
Support Technology Directorate
Office of Naval Technology, Code 223
800 N. Quincy Street
Arlington, VA 22217-5000

Annual and Final Reports Only (one copy each)

DoD ACTIVITIES

Commander
Chemical and Biological Sciences Division
Research Army Research Office, P. O. Box 1221
Research Triangle Park, NC 27709

Directorate of Life Sciences
Air Force Office of Scientific
Bolling Air Force Base Research
Washington, DC 20332

Head
Biomolecular Engineering Branch
Code 619C
Naval Research Laboratory
Washington, DC 20375

Final and Technical Reports Only

Director, Naval Research Laboratory (6 copies)
Attn: Technical Information Division, Code 2627
Washington, DC 20375