

Lower incidence of arm-to-head contact incidents with stricter interpretation of the Laws of the Game in Norwegian male professional football

John Bjørneboe,¹ Roald Bahr,¹ Jiri Dvorak,² Thor Einar Andersen¹

¹Department of Sports Medicine, Oslo Sports Trauma Research Center, Norwegian School of Sport Sciences, Oslo, Norway

²FIFA Medical Assessment and Research Centre, Zürich, Switzerland

Correspondence to

John Bjørneboe, Department of Sports Medicine, Oslo Sports Trauma Research Center, Norwegian School of Sport Sciences, PO Box 4014 Ullevaal Stadion, Oslo 0806, Norway; john.bjorneboe@nih.no

Received 28 June 2012

Revised 29 November 2012

Accepted 5 December 2012

Published Online First

11 January 2013

ABSTRACT

Background Video analyses reveal that the rate of incidents with a propensity for injury caused by opponent-to-player contact has increased by about 50% from 2000 to 2010 in Norwegian male professional football. The aim of the study was to assess whether a stricter interpretation of the Laws of the Game (red cards for high elbows in heading duels and for late/two foot tackles) could reduce the potential for injuries in Norwegian male professional football.

Methods A preintervention/postintervention design was employed, where the rate of incidents and injuries from the 2010 season (pre) was compared to the 2011 season (post). An incident was recorded if the match was interrupted by the referee, and the player lay down for more than 15 s, and appeared to be in pain or received medical treatment. Time-loss injuries were recorded by the medical staff of each club.

Results A total of 1421 contact incidents were identified, corresponding to a rate of 92.7 (95% CI 86.0 to 99.4) in the 2010 season and 86.6 (95% CI 80.3 to 99.4) in the 2011 season, with no difference between the two seasons. We found a reduction in the incidence of total head incidents (rate ratio (RR) 0.81, 95% CI 0.67 to 0.99), and head-incidents caused by arm-to-head contact (RR 0.72, 95% CI 0.54 to 0.97). We found no difference in tackling characteristics or contact injury rate.

Conclusions We found no significant differences in the overall rate of incidents after the introduction of stricter rule enforcement. However, the rate of head and arm-to-head incidents was lower in the 2011 season.

recent video analyses revealed a 50% increase in the rate of incidents due to opponent-to-player contact from 2000 to 2010 in Norwegian male professional football.¹⁵

Video analyses of incidents leading to injuries in Fédération Internationale de Football Association (FIFA) tournaments showed that the match referee identified 47% of all injuries, and 40% of head injuries as foul play.¹⁶ A study in Norwegian professional football concluded that most referee decisions were correct according to the Laws of the Game, but that there might be a need for more strict interpretation of the Laws of the Game in order to protect players from dangerous play.¹⁷ The need for a reduction of foul play to reduce injury rates in football has therefore been emphasised.^{17–18} As a consequence, The International Football Association Board gave referees the authority to severely sanction fouls that were recognised to be injurious, such as intentional elbows to the head.¹⁹ After this, the incidence of match injuries was significantly lower in the 2010 FIFA World Cup for men compared to the mean incidence found in the three previous World Cups.²⁰ However, the effect of rule changes and their interpretation have neither been evaluated through prospective injury surveillance systems nor through video analysis, a key element missing in the current sport injury prevention research portfolio.²¹

Therefore, the aim of this study was to assess whether a stricter interpretation of the Laws of the Game could reduce the potential for injuries in Norwegian male professional football.

INTRODUCTION

The risk of injury during football matches is 1000 times higher than high-risk industrial occupations,¹ with a time-loss injury incidence in male professional football between 20.3 and 34.8 injuries per 1000 player-match hours.^{2–7} A recent study from Norwegian professional football documented an increased incidence of acute match injuries from 2002 to 2007.⁸

Medical staff injury registration has established that between 44% and 59% of all acute match injuries at the club level are caused by player-to-player contact.^{3–7,9,10} Previous studies utilising video analysis to examine the mechanisms of injury in football have found that the most common causes of ankle injuries are tackles from the side, late tackles, two-footed tackles and tackles to the weight-bearing limb.^{11–13} Arm-to-head contact is the most common cause of head injuries in male professional football.¹⁴ Furthermore,

MATERIALS AND METHODS

Study design

This was a prospective study where we collected videotapes of league matches and injury information prospectively from the same matches prospectively during the 2010 and 2011 seasons to evaluate the effect of stricter rule enforcement by referees. We employed a preintervention/postintervention design, where the rate of incidents and injuries from the 2011 season (post) was compared to 2010 season data (pre).

Implementation of stricter rule enforcement

During the autumn of 2010 the Football Association of Norway (NFF) and the Norwegian Professional League Association (NTF) met with the project group from the Oslo Sports Trauma Research Center (OSTRC) and members of FIFA-Medical Assessment and Research Centre (F-MARC) to discuss the implementation of stricter

To cite: Bjørneboe J, Bahr R, Dvorak J, et al. *Br J Sports Med* 2013;**47**:508–514.

rule enforcement in 2011 in the Norwegian male professional league (Tippeligaen).

Video recordings of incidents and injuries from the 2010 season were analysed and refereeing guidelines were agreed upon according to FIFA regulations. This involved sanctioning of two-foot tackles as well as tackles with excessive force and intentional high elbow with an automatic red card. A total of 15 referees and 25 assistant referees were familiarised with the stricter rule enforcement in meetings at the end of the 2010 season and in a training camp in January 2011.

The plans for stricter rule enforcement were introduced to each of the teams in meetings with referees appointed for the 2011 season. During these 1 h meetings the stricter interpretation of the rules was introduced through video clips, lectures and discussions. After informing the players, the study group and the Head of Refereeing in the Football Association of Norway held a similar meeting for the media. We also organised a press conference which included a high-profile player, manager and FIFA representative a week prior to the start of the season to inform the public.

Video analysis

An 'incident' was said to occur if the match was interrupted by the referee, the player stayed down for more than 15 s, and appeared to be in pain or received medical treatment. We did not include incidents caused by muscle cramps. Each incident was classified according to predetermined criteria: the cause (opponent-player contact, teammate-player contact, ball-player contact or non-contact), body location involved. A duel was defined as a situation where two opponents challenged each other for ball possession; duels were classified as heading duel, tackling duel or other duel (screening or running). We also categorised the referee's decision (no foul, foul for, foul against) and the referees sanction (no sanction, yellow card, red card). In cases where the referee played 'the advantage rule' the decision and sanction was classified depending on the activity of the downed player and the referees sanction. In addition, incidents affecting the head were classified by cause (head-to-head, arm-to-head, trunk-to-head, leg-to-head and in addition head-to-ground/ball/object were listed as head-to-other).

All tackling situations were analysed using variables used for video analyses of injuries from three FIFA tournaments:¹² the direction of the tackle (tackling player approached from the front, side or behind the tackled player), action during tackle (one-footed tackle, two-footed tackle, use of arm/hand, upper body contact and clash of heads), tackling mode (tackling player staying on feet and sliding in or jumping vertically). In addition, the study group assessed whether the tackle was late (the tackle occurred after the ball had been passed by the tackled player),¹³ and whether the tackling player made contact with the ball (prior to or after initial contact with the tackled player) or not. We also classified the tackling situations in two categories; if the tackled player also tackled, it was an active tackling duel. We defined a passive tackling duel as a situation where the tackled player had possession of the ball and he did not tackle.

In addition, we conducted a video analysis of all player-to-player contact situations between players from opposing teams in 32 matches, irrespective of the consequence of the contact. A contact situation was said to occur when there was body contact between two players from opposing teams. We included situations where the players were challenging for ball possession. To select which 16 games to analyse in the two seasons a random draw was made using to bowls with a ball for each team, continuing the draw until we had picked one home

match and one away match for each team. We registered the type of duel (tackling, heading or other). For heading duels we recorded the type of contact between the two opponents (trunk-trunk, head-head, arm-head and leg-head).

Injury registration

The study population included players with a first-team contract with one of the 16 clubs in the Norwegian male professional league (Tippeligaen). Prior to the 2010 season, the methodology of the UEFA injury study was implemented in the Norwegian professional football league.⁷ An injury was registered if the player was unable to take fully part in football activity at least one day beyond the day of injury.²² The player was considered injured until declared fit for full participation in training and available for match selection by the medical staff. Individual player exposure in training and matches was registered by the clubs medical staff on a standard exposure form.

The injury form was designed according to the consensus statement,²² including information about the date of injury, the cause of injury (contact or non-contact), the type of activity (match or training) in which the injury occurred, injury location and injury history. We categorised injuries into four severity categories according to the duration of absence from match and training sessions: minimal (1–3 days); mild (4–7 days); moderate (8–28 days) and severe (>28 days).

A member of the club medical staff conducted the prospective injury registration. The club license for Norwegian male professional football clubs requires that a chartered physiotherapist is available for the club and they usually attend all organised team activities, that is, all training sessions and matches. We collected the forms on a monthly basis and, if needed, we followed up with reminder text messages and phone calls. If information was missing from the injury cards or we discovered any other inconsistencies, a member of the study group contacted the medical staff for clarification. Twelve teams participated in the injury registration during the 2010 season and 14 teams in the 2011 season.

The Regional Committee for Medical Research Ethics, Region Øst-Norge and the Norwegian Social Science Data Services approved the study.

Outcome measures and statistics

The primary outcome measure was the overall rate of contact incidents before and after the introduction of stricter rule enforcement in the 2011 season. Secondary outcome measures were the rate of head contact incidents, ankle contact incidents and contact injuries. Our hypothesis was that stricter rule enforcement by the referees would lead to a reduction in the number of incidents, especially head and ankle incidents.

We calculated our sample size using a formula for cohort studies with Poisson outcomes²³ based on incident rates in the 2000 season, that is, 75 incidents/1000 player-match hours.²⁴ An estimated total of 630 incidents per season would provide an acceptable power of 0.9 at the 5% significant level to detect a 30% reduction in the number of incidents. Correspondingly, an estimate of 180 ankle and head incidents per season would enable us to detect an effect size of 50% for these two categories. Based on an expected incidence of 18 acute injuries/1000 player-match hours, with 13 participating clubs and assuming that approximately 50% of all injuries would be contact injuries, we expected a total of 50 recorded match contact injuries each season. Thus, we would need a decrease in contact injury incidence of 70% after the introduction of stricter rule enforcement

Table 1 Characteristics of incidents (n=1721) from video analysis of all games (n=240 each season)

	2010		2011		2010 vs 2011 Rate ratio
	Incidents	Rate	Incidents	Rate	
Contact opponent	734	92.7 (86.0 to 99.4)	687	86.7 (80.3 to 93.2)	0.94 (0.84 to 1.04)
Contact teammate	28	3.5 (2.2 to 4.8)	28	3.5 (2.2 to 4.8)	1.00 (0.59 to 1.69)
Non-contact	68	8.6 (6.5 to 10.6)	91	11.5 (9.1 to 13.9)	1.34 (0.98 to 1.83)
Contact ball	32	4.0 (2.6 to 5.4)	45	5.7 (4.0 to 7.3)	1.41 (0.89 to 2.21)
Other	6	0.8 (0.2 to 1.4)	2	0.3 (−0.1 to 0.6)	0.33 (0.07 to 1.65)

Rate is reported as the number of incidents per 1000 player-match hours with 95% CI. Rate ratios between the 2010 and 2011 seasons are shown with 95% CI, with the 2010 season as the reference group.

in Norwegian professional football to have a power of 0.9 and a 5% significance level.

Results are presented as the rate of incidents and injuries (injuries or incidents/1000 player-match hours). We used a z test and the 95% CI based on the Poisson model to compare the rate ratio between the 2010 season and 2011 season. Rate ratios are presented with the 2010 season as the reference group. Categorical variables were compared using a χ^2 test. A two-tailed p value of less than ≤ 0.05 was regarded as significant.

RESULTS

Incidents

During the two seasons all 240 matches were analysed, leading to 7920 player-match hours/season. A total of 1721 match incidents were identified during the two seasons, 868 in 2010 and 853 in 2011. The corresponding overall incident rate was 109.6/1000 player-match hours of exposure (95% CI 102.3 to 116.9) in the 2010 season and 107.7 (95% CI 100.5 to 114.9) in the 2011 season, with no difference between the two seasons (rate ratio: 0.98, 95% CI 0.89 to 1.08). No differences were observed in the rate of opponent-to-player contact, non-contact incidents, teammate-to-player contact or ball-to-player contact (table 1).

Heading and tackling characteristics

We did not detect any difference in the rate of incidents caused by opponent-to-player contact, not for heading nor tackling duels. We found a lower rate of head incidents in the 2011 season compared to the 2010 season (table 2). We found a

reduced incidence of arm-to-head situations in the 2011 season. No differences were found in the incidence of other mechanisms for all head incidents (table 3) or during heading duels.

Of the 861 tackling incidents captured during the two seasons, the downed player was passive in 724 (84%) and active in 137 (16%) of the duels. The characteristics of the 724 passive tackling situations are listed in table 4. We found a reduced incident rate of passive tackles from the front. We found no differences for passive tackle actions, tackling mode, tackling timing or tackles with ball contact. For active tackling duels we found an increased rate of sliding tackles and tackles with ball contact prior to opponent contact in the 2011 season.

Decision of the referee

The referee decisions for the 1421 incidents are characterised in table 5. We found that a higher proportion of passive tackling duels in the 2011 season resulted in a free-kick being awarded ($p=0.01$). We found no difference in the percentage of free-kicks awarded for all opponent-to-player contact incidents, arm-to-head incidents or arm-to-head incidents in heading duels. We found no difference in the referee's sanctioning of incidents between the two seasons (table 5).

Player-to-player contact situations

During the 32 matches analysed in their entirety, 3547 situations with player-to-opponent contact in duels were identified, 1739 in the 2010 season and 1808 in the 2011 season. The corresponding overall rate of contact situations was 3294/1000 exposure h (95% CI 3139 to 3448) in the 2010 season and

Table 2 Characteristics of incidents due to opponent-to-player contact (n=1421) from video analysis of all games (n=240 each season)

	2010		2011		2010 vs 2011 Rate ratio
	Incidents	Rate	Incidents	Rate	
Duel type					
Heading duel	215	27.1 (23.5 to 30.8)	177	22.3 (19.1 to 25.6)	0.82 (0.68 to 1.00)
Tackling duel	437	55.2 (50.0 to 60.4)	424	53.5 (48.4 to 58.6)	0.97 (0.85 to 1.11)
Other duel	82	10.4 (8.1 to 12.6)	86	10.9 (8.6 to 13.2)	1.05 (0.78 to 1.42)
Body location					
Head/neck	226	28.5 (24.8 to 32.3)	184	23.2 (19.9 to 26.6)	0.81 (0.67 to 0.99)
Upper extremity	16	2.0 (1.0 to 3.0)	16	2.0 (1.0 to 3.0)	1.00 (0.50 to 2.00)
Trunk	91	11.5 (9.1 to 13.9)	108	13.6 (11.1 to 16.2)	1.18 (0.90 to 1.57)
Lower-extremity					
Thigh	39	4.9 (3.4 to 6.5)	56	7.1 (5.2 to 8.9)	1.44 (0.95 to 2.16)
Knee	49	6.2 (4.5 to 7.9)	39	4.9 (3.4 to 6.5)	0.80 (0.52 to 1.21)
Lower leg/ankle	313	39.5 (35.1 to 43.9)	284	35.9 (31.7 to 40.0)	0.91 (0.77 to 1.07)

Incident rate is reported per 1000 player-match hours with 95% CI. Rate ratios between the 2010 and 2011 seasons are shown with 95% CI, with the 2010 season as the reference group.

Table 3 Characteristics of head incidents due to opponent-to-player contact (n=410) from video analysis of all games (n=240 each season)

	2010		2011		2010 vs 2011 Rate ratio
	Incidents	Rate	Incidents	Rate	
All head incidents (n=410)					
Head-to-head	74	9.3 (7.2 to 11.5)	70	8.8 (6.8 to 10.9)	0.95 (0.68 to 1.31)
Arm-to-head	109	13.8 (11.2 to 16.3)	79	10.0 (7.8 to 12.2)	0.72 (0.54 to 0.97)
Shoulder-to-head	10	1.3 (0.5 to 2.0)	11	1.43 (0.65 to 2.2)	1.10 (0.47 to 2.59)
Trunk-to-head	10	1.3 (0.5 to 2.0)	7	0.9 (0.2 to 1.5)	0.70 (0.27 to 1.84)
Leg-to-head	21	2.7 (1.5 to 3.8)	16	2.0 (1.0 to 3.0)	0.76 (0.40 to 1.46)
Otder-head	2	–	1	–	–
Heading duel (n=286)					
Head-to-head	68	8.6 (6.5 to 10.6)	66	8.3 (6.5 to 10.3)	0.97 (0.69 to 1.36)
Arm-to-head	84	10.6 (8.3 to 12.9)	47	5.9 (4.2 to 7.6)	0.56 (0.39 to 0.80)
Shoulder-to-head	6	0.8 (0.2 to 1.4)	3	0.4 (0.0 to 0.8)	0.50 (0.13 to 2.00)
Trunk-to-head	2	0.3 (–0.1 to 0.6)	4	0.5 (0.0 to 1.0)	2.00 (0.37 to 10)
Leg-to-head	3	0.4 (0.0 to 0.8)	2	0.3 (–0.1 to 0.6)	0.67 (0.11 to 4.00)
Otder-head	0	–	1	–	–

Rate is reported per 1000 player-match hours with 95% CI. Rate ratios between the 2010 and 2011 seasons are shown with 95% CI, with the 2010 season as the reference group.

3424 (95% CI 3266 to 3582) in the 2011 season; thus, no significant difference between the two seasons was found (RR 1.04, 95% CI 0.97 to 1.11). We also did not detect any difference in the incidence of heading duels or tackling duels between the two seasons (table 6).

Injury registration

A total of 12 763 player-match hours were registered during the two seasons; 5850 (46%) in 2010 and 6912 (54%) in 2011. A total of 202 acute injuries were recorded, of which 99 in 2010 and 103 in 2011, corresponding to an overall acute injury incidence of 16.9/1000 player-match hours (95% CI 13.6 to

20.3) in 2010 and 14.9 (95% CI 12.0 to 17.8) in 2011. We found no difference in overall injury incidence between the 2010 season and the 2011 season (rate ratio: 0.88, 95% CI 0.67 to 1.16). No differences were observed for the incidence of contact or non-contact acute match injuries between the 2010 season and the 2011 season. We found a reduced rate of acute contact injuries of minimal severity. No difference was detected between the two seasons for injury type and injury location (table 7).

Of the 82 acute contact injuries reported to have occurred during league matches, 47 (57%) were identified through video analysis. Of these 47 injuries, 9 (19%) were classified as

Table 4 Tackling characteristics for incidents where the involved player was passive (n=724) from video analysis of all games (n=240 each season)

	2010		2011		2010 vs 2011 Rate ratio
	Incidents	Rate	Incidents	Rate	
Tackle direction					
Front	139	17.6 (14.6 to 20.5)	106	13.4 (10.8 to 15.9)	0.76 (0.59 to 0.98)
Side	164	20.7 (17.5 to 23.9)	186	23.5 (20.1 to 26.9)	1.13 (0.92 to 1.40)
Back	75	9.5 (7.3 to 11.6)	54	6.8 (5.0 to 8.6)	0.72 (0.51 to 1.02)
Tackle action					
One-foot	333	42.0 (37.5 to 46.4)	300	37.9 (33.6 to 42.2)	0.90 (0.77 to 1.05)
Two-footed	11	1.4 (0.6 to 2.2)	4	0.5 (0.0 to 1.0)	0.36 (0.11 to 1.14)
Upper body	29	3.7 (2.3 to 5.0)	31	3.9 (2.5 to 5.3)	1.07 (0.64 to 1.77)
Other	5	0.6 (0.1 to 1.2)	11	1.4 (0.6 to 2.2)	2.20 (0.76 to 6.33)
Tackling mode					
Feet	208	26.3 (22.7 to 29.8)	197	24.9 (21.4 to 28.3)	0.95 (0.78 to 1.15)
Sliding in	166	21.0 (17.8 to 24.1)	142	17.9 (15.0 to 20.9)	0.86 (0.68 to 1.07)
Other	4	0.5 (0.0 to 1.0)	7	0.9 (0.2 to 1.5)	1.75 (0.51 to 5.98)
Tackling timing					
Early	206	26.0 (22.5 to 29.9)	196	24.7 (21.3 to 28.2)	0.95 (0.78 to 1.16)
Late	172	21.7 (18.5 to 25.0)	150	18.9 (15.9 to 22.0)	0.87 (0.70 to 1.09)
Contact ball					
Prior to opponent	61	7.7 (5.8 to 9.6)	64	8.1 (6.1 to 10.1)	1.05 (0.74 to 1.49)
After opponent	40	5.1 (3.5 to 6.6)	43	5.4 (3.8 to 7.1)	1.08 (0.70 to 1.65)
No ball contact	277	35.0 (30.9 to 39.1)	239	30.2 (26.4 to 34.0)	0.86 (0.72 to 1.02)

Rate is reported per 1000 player-match hours with 95% CI. Rate ratios between situations in the 2010 and 2011 seasons are shown with 95% CI, with the 2010 season as the reference group.

Table 5 Referee decision for different incident types caused by opponent-to-player contact from video analysis of all games (n=240 each season)

	2010		2011		2010 vs 2011 p Value
	Incidents	Percentage	Incidents	Percentage	
Opponent-to-player contact (n=1421)					
Free kick	379	52	367	53	0.50
Sanctioned	128	34	114	31	0.38
Passive tackling incidents (n=724)					
Free kick	253	67	262	76	0.01
Sanctioned	108	43	103	39	0.44
Arm-to-head contact (n=188)					
Free kick	38	35	30	38	0.66
Sanctioned	6	16	4	13	0.89
Arm-to-head contact in heading duels (n=131)					
Free kick	34	41	17	36	0.63
Sanctioned	5	15	1	6	0.36

Proportions were compared using a χ^2 test.

minimal, 13 (28%) as mild, 13 (28%) as moderate and 12 (26%) as severe. Of the 35 acute contact injuries not identified on video, 10 (29%) were classified as minimal, 10 (29%) as mild, 13 (37%) as moderate and 2 (5%) as severe.

DISCUSSION

This is the first study to evaluate the effect of stricter interpretation of the Laws of the Game on the risk of match injury in male professional football. The main finding of the study was that there was a reduction in the rate of head incidents, and head-incidents caused by arm-to-head contact. We found, however, neither a difference in the overall incident rate between the two seasons, nor in the rate of tackling incidents.

Ideally, a reduction of contact injuries would serve as endpoint. However, with an expected total of 50 contact injuries, the effect of the stricter rule enforcement would have required a 70% decrease in injury incidence in order to detect it. We therefore chose incident rate as our primary outcome and measure of injury risk. The 15-s cut-off was chosen because that was thought to be long enough to avoid incidents where players intentionally stayed down either to rest, simulate an injury or to delay playing time. However, only 47 of the 1421 (3%) incidents resulted in an injury recorded by the medical staff. In addition, video analysis did not capture 35 of the injuries recorded by the medical staff. Despite this, we do believe incidents serve as a surrogate measure of injury risk, as the incidents represents events with a propensity for injury.^{12 24 25} There is also a

possibility of a type II error resulting from small numbers, especially when comparing incidences in subcategories of injuries and incidents, such as for a location, mechanism, type or severity.

With an RCT not being possible, a pre-/post-intervention design was employed, where data from the 2011 season was compared to 2010 season data. There have been no other changes in the Norwegian male professional league system or style of play that we can think of which could explain the observed reduction in head incidents, or head incidents caused by arm-to-head contact.

We conducted a separate video analysis where 32 games were analysed for all situations involving opponent contact. In this analysis we found no difference in the overall incidence of player-to-player contact between the two seasons. We could not detect any difference in the incidence of heading or tackling duels, nor the incidence of arm-to-head contact in heading duels. Thus, there is no reason to assume that the reduced incidence of head incidents and head incidents caused by arm-to-head contact was due to an overall change in the style of play or intensity of play in matches from the 2010 to the 2011 season.

Previous studies on injury mechanisms in football have found that most ankle and head injuries are caused by player-to-player contact.^{11 13 14} The most common cause of head injuries is heading duels, with subsequent arm-to-head contact or head-to-head contact.^{12 14} Incidents and injuries caused by head-to-head contact are normally not deliberate, while arm-to-head incidents sometimes are. Therefore, we introduced a stricter rule interpretation, explicitly sanctioning intentional high elbows with an automatic red card, to reduce the rate of head incidents. We found a reduced frequency of contact head incidents. It is therefore encouraging that the incidence of arm-to-head contact incidents was reduced after the introduction of stricter rule enforcement.

For ankle injuries, the most common cause of contact injury is being tackled to the weight bearing limb, involving lateral and medial forces and the tackler staying on his feet.¹¹⁻¹³ Therefore, we focused on the sanctioning of two-foot tackles as well as tackles with excessive force with an automatic red card. Still, we found no difference in characteristics for passive tackles between the two seasons, indicating that the intervention did not change player behaviour in these situations. Correspondingly, we were not able to reduce the rate of lower leg/ankle incidents.

One question is of course whether the referees actually did award free kicks and sanctions as intended, with a straight red card for two-foot tackles, tackles with excessive force and intentional high elbows. We found that a free-kick was awarded in a higher proportion of the passive tackling incidents in the 2011

Table 6 Characteristics of player-to-player contact situations (n=3547) from video analysis of 32 randomly picked matches

	2010		2011		2010 vs 2011 Rate ratio
	Situations	Rate	Situations	Rate	
Duel type (n=3547)					
Heading duel	816	1546 (1439 to 1652)	818	1549 (1443 to 1655)	1.00 (0.91 to 1.11)
Tackling duel	651	1233 (1138 to 1328)	710	1344 (1246 to 1444)	1.09 (0.98 to 1.21)
Other duel	272	515 (454 to 576)	280	530 (468 to 592)	1.03 (0.87 to 1.22)

Situation rate is reported per 1000 player-match hours with 95% CI. Rate ratios between the 2010 and 2011 seasons are shown with 95% CI, with the 2010 season as the reference group.

Table 7 Characteristics of acute match injuries (n=202) recorded through the injury surveillance system

	2010		2011		2010 vs 2011 Rate ratio
	Injuries	Rate	Injuries	Rate	
Contact opponent	44	7.5 (5.3 to 9.7)	38	5.5 (3.7 to 7.2)	0.73 (0.47 to 1.13)
Contact teammate	2	–	1	–	–
Non-contact	52	8.9 (6.5 to 11.3)	61	8.8 (6.6 to 11.0)	0.99 (0.69 to 1.44)
Contact ball	1	–	3	–	–
Contact injuries (n=82)					
Injury type					
Fracture	3	–	2	–	–
Joint and ligament	18	3.1 (1.7 to 4.5)	14	2.0 (1.0 to 3.1)	0.66 (0.33 to 1.32)
Concussion	3	–	4	–	–
Contusion	18	3.1 (1.7 to 4.5)	18	2.6 (1.4 to 3.8)	0.85 (0.44 to 1.63)
Other	2	–	0	–	–
Body location					
Head/neck	5	0.9 (0.1 to 1.6)	7	1.0 (0.3 to 1.8)	1.19 (0.38 to 3.73)
Upper extremity	3	–	5	–	–
Trunk	1	–	6	–	–
Lower extremity					
Hip/groin	1	–	2	–	–
Thigh	9	–	3	–	–
Knee	10	1.7 (0.6 to 2.8)	5	0.7 (0.1 to 1.4)	0.42 (0.15 to 1.24)
Lower leg	3	–	3	–	–
Ankle	8	1.4 (0.4 to 2.3)	6	0.9 (0.2 to 1.6)	0.64 (0.22 to 1.83)
Foot	4	–	1	–	–
Time loss					
Minimal	15	2.6 (1.3 to 3.9)	4	0.6 (0.0 to 1.1)	0.23 (0.08 to 0.68)
Mild	11	1.9 (0.8 to 3.0)	12	1.7 (0.8 to 2.7)	0.92 (0.41 to 2.09)
Moderate	10	1.7 (0.6 to 2.8)	16	2.3 (1.2 to 3.4)	1.35 (0.62 to 2.98)
Severe	8	1.4 (0.4 to 2.3)	6	0.9 (0.2 to 1.6)	0.64 (0.22 to 1.83)

Rate is reported per 1000 h of match exposure (with 95% CI). Rate ratios between injuries in the 2010 and 2011 season are shown with 95% CI, with the 2010 season as the reference group.

–, Due to small numbers statistics were not computed.

season; however, no difference was found in the sanctioning. We were not able to observe any difference in the decision-making or the sanctioning of arm-to-head incidents.

We had no referee panel to evaluate the decisions of the referees; thus, we are not able to assess whether the decisions were correct according to expert opinion. Fuller *et al*¹² found that referees identified only 40% of head/neck injuries as foul play during FIFA tournaments.

During the 2010 and 2011 season, all straight red cards (4) were given for tackling incidents and no straight red cards were given for arm-to-head contact. This might indicate that it is more difficult for the referees to recognise arm-to-head incidents and that the reduction in head incidents and arm-to-head incidents was due to changes in player behaviour.

Since the 2006 season, the fourth official has become an integral part of the officiating team and the role is to advise the match referee. In addition, UEFA has in recent tournaments introduced two goal-line officials to ensure that the Laws of the Game are upheld, especially within the penalty box. The expansion of the refereeing team may help to ensure stricter rule enforcement.

In an assessment of player error as an injury causation factor in international football it was found that human error during tackling, inadequacies in the Laws of the Game and/or their application by match referees were equally responsible for the high levels of injury observed.²⁶ In a study of psychological

characteristics of football players Junge *et al*²⁷ found that players have insufficient respect for the Laws of the Game and its regulation. In addition, nearly all players were ready to commit a 'professional foul' if necessary and a majority stated that concealed fouls were a part of the game. However, we have not evaluated player attitudes to stricter rule enforcement, but it is possible that the increased focus on the potential of injury through arm-to-head contact and the stricter rule enforcement have changed their attitude towards safer behaviour in heading duels.

The injury incidence in Norwegian male professional football is lower than the Champions League level.^{7, 8} In addition, epidemiological studies on the risk of injury in male professional football have indicated that the injury rate is slightly higher during international matches.^{5, 7, 20, 24, 28–31} Video analysis of injuries and incidents with a high potential of injury has not been evaluated in leagues with a higher injury rate compared to Tippeligaen. We therefore suggest that a similar approach to stricter rule enforcement is included and evaluated in a league or tournament with higher injury risk.

In summary, we found no differences in the overall rate of incidents after the introduction of sanctioning of two-foot tackles as well as tackles with excessive force and intentional high elbow with an automatic red card. However, the rate of head incidents caused by player-to-player contact and the rate of arm-to-head incidents was lower in the 2011 season after implementation of stricter rule enforcement.

What this study adds to existing knowledge

- Implementation of stricter rule enforcement was associated with a lower incidence of head-incidents caused by arm-to-head contact.

How might it impact on clinical practice in the near future

- Increased focus on the effect of rule changes and regulations on injury risk. It might also lead to implementation of stricter rule enforcement in other leagues and tournaments, in order to reduce the number of situations with a high injury potential.

Acknowledgements We would like to thank the players and the medical staff in Tippeligaen for their participation. We would also like to thank Svein Inge Børven and Kenneth Wilsgård for analysing 32 matches for all player-to-player contact.

Contributors JB, RB, JD and TEA contributed to study conception, design and development of the intervention. JB coordinated the study and managed all aspects, including data collection. JB conducted and initialised the data analyses, which were planned and checked with RB, JD and TEA. JB, RB and TEA wrote the first draft of the paper, and all authors contributed to the final manuscript. JB and TEA are guarantors. The contributing authors have made substantial contributions to the conception, design, analysis and interpretation of data, drafting of the article and have all given final approval of the current version and agree to its submission.

Funding This study was supported by grants from the FIFA Medical Assessment and Research Centre. The Oslo Sports Trauma Research Center has been established at the Norwegian School of Sport Sciences through generous grants from the Royal Norwegian Ministry of Culture and Church Affairs, the South-Eastern Norway Regional Health Authority, the International Olympic Committee, the Norwegian Olympic Committee & Confederation of Sport, and Norsk Tipping AS.

Competing interests None.

Provenance and peer review Not commissioned; externally peer reviewed.

REFERENCES

- 1 Drawer S, Fuller CW. Evaluating the level of injury in English professional football using a risk based assessment process. *Br J Sports Med* 2002;36:446–51.
- 2 Poulsen TD, Freund KG, Madsen F, et al. Injuries in high-skilled and low-skilled soccer: a prospective study. *Br J Sports Med* 1991;25:151–3.
- 3 Arnason A, Gudmundsson A, Dahl HA, et al. Soccer injuries in Iceland. *Scand J Med Sci Sports* 1996;6:40–5.
- 4 Hawkins RD, Fuller CW. A prospective epidemiological study of injuries in four English professional football clubs. *Br J Sports Med* 1999;33:196–203.
- 5 Walden M, Hagglund M, Ekstrand J. UEFA Champions League study: a prospective study of injuries in professional football during the 2001–2002 season. *Br J Sports Med* 2005;39:542–6.
- 6 Walden M, Hagglund M, Ekstrand J. Injuries in Swedish elite football—a prospective study on injury definitions, risk for injury and injury pattern during 2001. *Scand J Med Sci Sports* 2005;15:118–25.
- 7 Ekstrand J, Hagglund M, Walden M. Injury incidence and injury patterns in professional football: the UEFA injury study. *Br J Sports Med* 2011;45:553–8.
- 8 Bjorneboe J, Bahr R, Andersen TE. Gradual increase in risk of match injury in Norwegian male professional football—a six-year prospective study. *Scand J Med Sci Sports*. Published Online First: 15 May 2012 doi: 10.1111/j.1600-0838.2012.01476.x.
- 9 Ekstrand J, Gillquist J. Soccer injuries and their mechanisms: a prospective study. *Med Sci Sports Exerc* 1983;15:267–70.
- 10 Hagglund M, Walden M, Ekstrand J. Injuries among male and female elite football players. *Scand J Med Sci Sports* 2009;19:819–27.
- 11 Giza E, Fuller C, Junge A, et al. Mechanisms of foot and ankle injuries in soccer. *Am J Sports Med* 2003;31:550–4.
- 12 Fuller CW, Smith GL, Junge A, et al. The influence of tackle parameters on the propensity for injury in international football. *Am J Sports Med* 2004;32:435–53S.
- 13 Andersen TE, Flørenes TW, Arnason A, et al. Video analysis of the mechanisms for ankle injuries in football. *Am J Sports Med* 2004;32:695–79S.
- 14 Andersen TE, Arnason A, Engebretsen L, et al. Mechanisms of head injuries in elite football. *Br J Sports Med* 2004;38:690–6.
- 15 Bjorneboe J, Bahr R, Andersen TE. Video analysis of high risk injury incidents in Norwegian male professional football; a comparison between 2000 and 2010. *Scand J Med Sci Sports* 2013 (In press).
- 16 Fuller CW, Junge A, Dvorak J. An assessment of football referees' decisions in incidents leading to player injuries. *Am J Sports Med* 2004;32:175–22S.
- 17 Andersen TE, Engebretsen L, Bahr R. Rule violations as a cause of injuries in male Norwegian professional football: are the referees doing their job? *Am J Sports Med* 2004;32:62S–8S.
- 18 Dvorak J, Junge A, Chomiak J, et al. Risk factor analysis for injuries in football players. Possibilities for a prevention program. *Am J Sports Med* 2000;28:S69–74.
- 19 Dvorak J, Junge A, Grimm K, et al. Medical report from the 2006 FIFA World Cup Germany. *Br J Sports Med* 2007;41:578–81.
- 20 Dvorak J, Junge A, Derman W, et al. Injuries and illnesses of football players during the 2010 FIFA World Cup. *Br J Sports Med* 2011;45:626–30.
- 21 Matheson GO, Mohtadi NG, Safran M, et al. Sport injury prevention: time for an intervention? *Clin J Sport Med* 2010;20:399–401.
- 22 Fuller CW, Ekstrand J, Junge A, et al. Consensus statement on injury definitions and data collection procedures in studies of football (soccer) injuries. *Clin J Sport Med* 2006;16:97–106.
- 23 Gail M, Benichou J. Sample Size for Epidemiologic Studies. *Encyclopedia of epidemiologi methods*. 2000:784–6.
- 24 Andersen TE, Tenga A, Engebretsen L, et al. Video analysis of injuries and incidents in Norwegian professional football. *Br J Sports Med* 2004;38:626–31.
- 25 Arnason A, Tenga A, Engebretsen L, et al. A prospective video-based analysis of injury situations in elite male football: football incident analysis. *Am J Sports Med* 2004;32:1459–65.
- 26 Fuller CW, Smith GL, Junge A, et al. An assessment of player error as an injury causation factor in international football. *Am J Sports Med* 2004;32:28S–35S.
- 27 Junge A. The influence of psychological factors on sports injuries. Review of the literature. *Am J Sports Med* 2000;28:S10–15.
- 28 Junge A, Dvorak J, Graf-Baumann T. Football injuries during the World Cup 2002. *Am J Sports Med* 2004;32:23S–7S.
- 29 Junge A, Dvorak J, Graf-Baumann T, et al. Football injuries during FIFA tournaments and the Olympic Games, 1998–2001: development and implementation of an injury-reporting system. *Am J Sports Med* 2004;32:80S–9S.
- 30 Walden M, Hagglund M, Ekstrand J. Football injuries during European Championships 2004–2005. *Knee Surg Sports Traumatol Arthrosc* 2007;15:1155–62.
- 31 Hagglund M, Walden M, Ekstrand J. UEFA injury study—an injury audit of European Championships 2006 to 2008. *Br J Sports Med* 2009;43:483–9.



Lower incidence of arm-to-head contact incidents with stricter interpretation of the Laws of the Game in Norwegian male professional football

John Bjørneboe, Roald Bahr, Jiri Dvorak and Thor Einar Andersen

Br J Sports Med 2013 47: 508-514 originally published online January 11, 2013

doi: 10.1136/bjsports-2012-091522

Updated information and services can be found at:
<http://bjsm.bmj.com/content/47/8/508>

References

These include:

This article cites 28 articles, 19 of which you can access for free at:
<http://bjsm.bmj.com/content/47/8/508#BIBL>

Email alerting service

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

Notes

To request permissions go to:
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:
<http://group.bmj.com/subscribe/>