Bibliography

Aarts, E. & Korst, J., eds (1989), *Simulated annealing and Boltzmann machines*, Wiley.

Ahn, S., Cooper, C., Cornuéjols, G. & Frieze, A. M. (1988), 'Probabilistic analysis of a relaxation for the k-median problem', *Mathematics of Operations Research* **13**, 1–31.

Aumann, R. J. & Maschler, M. (1964), The bargaining set for cooperative games, *in* M. Dresher, L. S. Shapley & A. W. Tucker, eds, 'Advances in Game Theory', number 52 *in* 'Annals of Mathematical Studies', Princeton University Press, pp. 443–476.

Bird, G. C. (1976), 'On cost allocation for a spanning tree: A game theory approach', *Networks* **6**, 335–350.

Bondareva, O. N. (1963), 'Certain applications of the methods of linear programming to the theory of cooperative games', *Problemy Kibernet* **10**, 119–139.

Bonomi, E. & Lutton, J.-L. (1984), 'The n-city travelling salesman problem: statistical mechanics and the metropolis algorithm', *SIAM Review*.

Chardaire, P. & Lutton, J.-L. (1993), Using simulated annealing to solve concentrator location problems in telecommunication networks, *in* R. Valqui Vidal, ed., 'Applied Simulated Annealing', A volume of the Lecture Notes Series of Springer Verlag, pp. 175–199.

Chardaire, P. & Sutter, A. (1995), 'A decomposition method for quadratic zero-one programming', *Management Science* **41**(4), 704–712.

Chardaire, P., Costa, M. C. & Sutter, A. (1996), 'Solving the dynamic facility location problem', *Networks* **28**, 117–124.

Chardaire, P., Lutton, J.-L. & Sutter, A. (1995), 'Thermostatistical persistency: A new improving concept for simulated annealing algorithms', *European Journal of Operation Research* **86**, 565–579.

Charnes, A., Rousseau, J. & Seiford, L. (1978), 'Complement, mollifiers and the propensity to disrupt', *International Journal of Game Theory* **7**, 37–50.

Chvátal, V. (1978), Rational behavior and computational complexity, Technical Report SOCS-78.9, McGill University, School of Computer Science, Montreal.

Cornuéjols, G. (1986), Private communication.

Cornuéjols, G., Fisher, M. & Nemhauser, G. L. (1977), 'Location of banks account to optimise float: an analytic study of exact and approximate algorithm', *Management Science* **23**, 789–810.

Cornuéjols, G., Nemhauser, G. L. & Wolsey, L. A. (1990), The uncapacited facility location problem, *in* P. B. Mirchandani & R. L. Francis, eds, 'Discrete Location Theory', Wiley-Interscience Series in Discrete Mathematics and Optimization, John Wiley and Sons, Inc., chapter 3, pp. 119–172.

Curiel, I., Potters, J., Prasad, R., Tijs, S. & Vetman, B. (1994), 'Sequencing and cooperation', *Operations Research* **3**, 566–568.

Davis, M. & Maschler, M. (1965), 'The kernel of a cooperative game', *Naval Res. Logist. Quart.* **12**, 223–259.

Deng, X. T. & Papadimitriou, C. (1994), 'On the complexity of cooperative solution concepts', *Mathematics of Operations Research* **19**(2), 257–266.

Derks, J. & Kuipers, J. (1997), 'On the core of routing games', *International Journal of Game Theory* **26**(2), 193–205.

Dragan, I. (1981), 'A procedure for finfing the nucleolus of a cooperative n person game', *Zeitschrift fur Operations Research* **25**, 119–131.

Dreyfus, S. E. (1969), 'An appraisal of some shortest-path algorithms', *J. Ops. Res. S. America* **17**, 395–412.

Dror, M. (1990), 'Cost allocation: The traveling saleman, binpacking, and the knapsack', *Applied Mathematics and Computation* **35**, 191–207.

Edmonds, J. (1967), 'Optimum branchings', *National Bureau of Standards Journal of Research* **71B**, 233–240.

Erlenkotter, D. (1978), 'A dual-based procedure for uncapacited facilities location', *Operations Research* **26**, 992–1009.

Faigle, U., Fekete, S. P., Hochstättler, W. & Kern, W. (1997), 'On the complexity of testing membership in the core of min-cost spanning tree games', *International Journal of Game Theory* **26**, 361–366.

Francis, R. L. & Mirchandani, P. B., eds (1990), *Discrete Location Theory*, Wiley-Interscience Series in Discrete Mathematics and Optimization.

Fromen, B. (1997), 'Reducing the number of linear programs needed for solving the nucleolus problem of n-person game theory', *European Journal of Operational Research* **98**, 626–636.

Gately, D. (1974), 'Sharing the gain from regional cooperation: A game theoretic application to planning investment in electric power', *International Economic Review* **15**, 195–208.

Gibbens, R. J., Kelly, F. P., Cope, G. A. & Whitehead, M. J. (1991), Coalitions in the international network, *in* 'Proceedings of the 13^{th} International Teletraffic Congress, Copenhagen', pp. 93–98.

Giles, R. (1978), 'A balanced hypergraph defined by subtrees of a tree', *ARS Combinatorica* **6**, 179–183.

Gondran, M. & Minoux, M. (1984), *Graphs and Algorithms*, Wiley-Interscience Series in Discrete Mathematics.

Göthe-Lundgren, M., Jörnsten, K. & Värbrand, P. (1996), 'On the nucleolus of the basic vehicle routing game', *Mathematical programming* **72**, 83–100.

Granot, D. (1986), 'A generalized linear production model: A unifying model', *Mathematical Programming* **34**, 212–222.

Granot, D. & Granot, F. (1992*a*), 'Computational-complexity of a cost allocation approach to a fixed cost spanning forest problem', *Mathematics of Operations Research* **17**(4), 765–780.

Granot, D. & Granot, F. (1992*b*), 'On some network flow games', *Mathematics of Operations Research* **17**(4), 792–841.

Granot, D. & Hojati, M. (1990), 'On cost allocation in communication networks', *Networks* **20**, 209–229.

Granot, D. & Huberman, G. (1981), 'Minimum cost spanning tree games', *Mathematical programming* **21**, 1–18.

Granot, D. & Huberman, G. (1984), 'On the core and nucleolus of m.c.s.t. games', *Mathematical Programming* **29**, 323–347.

Grotte, J. H. (1970), Computation of and observation on the nucleolus and the central games, Master's thesis, Cornell University, N.Y.

Hallefjord, A., Helming, R. & Jornsten, K. (1995), 'Computing the nucleolus when the characteristic function is given implicitly: A constraint generation approach', *International Journal of Game Theory* **24**, 357–372.

Hamers, H. (1997), 'On the concavity of delivery games', *European Journal of Operational Research* **99**(2), 445–458.

Hamers, H., Borm, P. & Tijs, S. (1995), 'On games corresponding to sequencing situations and ready times', *Mathematical Programming* **69**, 471–483.

Jacobsen, K. (1990), Multiperiod capacited location models, *in* R. Francis & P. Mirchandani, eds, 'Discrete Location Theory', Wiley-Interscience Series in Discrete Mathematics and Optimization.

Kalai, E. & Zemel, E. (1982*a*), 'Generalized network problems yielding totally balanced games', *Operations research* **30**, 998–1008.

Kalai, E. & Zemel, E. (1982*b*), 'Totally balanced games and games of flows', *Mathematics of Operations Research* **7**, 476–478.

Kirkpatrick, S., Gelatt Jr., C. D. & Vecchi, M. M. (1983), 'Optimisation by simulated annealing', *Science* **220**, 671–680.

Kohlberg, E. (1972), 'The nucleolus as solution of a minimisation problem', *SIAM Journal of Applied Mathematics* **23**, 34–39.

Kolen, A. (1983), 'Solving covering problems and the uncapacitated plant location problem on trees', *European Journal of Operational Research* **12**, 266–278.

Kolen, A. & Tamir, A. (1990), Covering problems, *in* R. Francis & P. Mirchandani, eds, 'Discrete Location Theory', Wiley-Interscience Series in Discrete Mathematics and Optimization.

Konangi, V. K., Aidja, T. & Dhas, C. R. (1984), On the multilevel concentrator location problem for local access networks, *in* 'Proceedings of IEEE Globecom', pp. 912–915.

Kopelowitz, A. (1967), Computation of the kernels of simple games and the nucleolus of n person games, Research memorandum 31, The Hebrew University of Jerusalem, Department of Mathematics.

Krarup, J. & Bilde, O. (1977), Plant location, set covering and economic lot sizing: An $o(mn)$ algorithm for structured problems, *in* L. e. a. Collatz, ed., 'Optimierung bei graphentheoretishen und ganzzahligen Probleme', Birkhaeuser, Base, Switzerland, pp. 155–180.

Krarup, J. & Pruzan, P. (1983), 'The simple plant location problem: Survey and synthesis', *European Journal of Operation Research* **12**, 36–81.

Kuehn, A. A. & Hamburger, M. J. (1963), 'A heuristic program for locating warehouses', *Management Science* **9**, 643–666.

Kuipers, J. (1997), 'Minimum cost forest games', *International Journal of Game Theory* **26**(3), 367–377.

Lin, S. (1965), 'Computer solutions of the traveling salesman problem', *Bell System Technical Journal* **44**, 2245–2269.

Littlechild, S. C. (1974), 'A simple expression for the nucleolus in a simple case', *International Journal of Game Theory* **3**, 21–29.

Littlechild, S. C. & Vaidya, K. G. (1976), 'The propensity to disrupt and the disruption nucleolus of a characteristic function game', *International Journal of Game Theory* **5**, 151–161.

Lutton, J.-L. & Bonomi, E. (1986), 'Simulated annealing algorithm for the minimum weighted perfect euclidian matching problem', *RAIRO Operation Research* **20**, 177–197.

Marchi, E. & Oviedo, J. (1997), 'The core of a further m-sided assignment game', *European Journal of Operational Research* **98**(3), 617–625.

Maschler, M., Peleg, B. & Shapley, L. S. (1979), 'Geometric properties of kernel, nucleolus and related concepts', *Mathematics of Operations Research* **4**(4), 339–337.

Maschler, M., Potters, J. & Tijs, S. (1992), 'The general nucleolus and the reduced game property', *International Journal of Game Theory* **21**, 83–106.

McGregor, P. & Shen, D. (1977), 'Network design: an algorithm for access facility location problems', *IEEE Trans. Commun. COM-25* pp. 61–73.

McLean, R. P. & Sharkey, W. W. (1994), 'An approach to the pricing of broadband telecommunications services', *Telecommunication Systems* **2**, 159–184.

Megiddo, N. (1974), 'On the nonmonotonicity of the bagaining set, the kernel and the nucleolus of a game', *SIAM Journal of Apllied Mathematics* **27**, 355–358.

Megiddo, N. (1978*a*), 'Computational complexity and the game theory approach to cost alllocation for a tree', *Mathematics of Operations Research* **3**, 189–196.

Megiddo, N. (1978*b*), 'Cost allocation for steiner trees', *Networks* **8**, 1–6.

Metropolis, N., Rosenbluth, A., Rosenbluth, M. et al. (1953), 'Equation of state calculations by fast computing machines', *Journal of Chemical Physics* **21**, 1087–1092.

Nagamochi, H., Zeng, D. Z., Kabutoya, N. & Ibaraki, T. (1997), 'Complexity of the minimum base game on matroids', *Mathematics of Operations Research* **22**(1), 146–164.

Narasimhan, S. & Pirkul, H. (1992), 'Hierarchical concentrator location problem', *Computer Communications* **15**(3), 185–191.

Nemhauser, G. L. & Wolsey, L. A. (1988), *Integer and Combinatorial Optimization*, Wiley-Interscience Series in Discrete Mathematics and Optimization.

Owen, G. (1974), 'A note on the nucleolus', *International Journal of Game Theory* **3**, 101–103.

Owen, G. (1975), 'On the core of linear production games', *Mathematical Programming* **9**, 358–370.

Owen, G. (1995), *Game Theory*, Academic Press.

Papadimitriou, C. H. (1981), 'Worst-case amd probabilistic analysis of a geometric location problem', *SIAM Journal on Computing* **10**, 542–557.

Papadimitriou, C. H. (1993), *Computational complexity*, Addison-Wesley, Reading, MA.

Potters, J. A. M., Curiel, J. I. & Tijs, S. H. (1992), 'Traveling salesman games', *Mathematical programming* **53**, 199–211.

Potters, J. A. M., Reijnierse, J. H. & Ansing, M. (1996), 'Computing the nucleolus by solving a prolonged simplex algorithm', *Mathematics of Operations Research* **3**, 757–768.

Preux, N. (1996), Des jeux coopératifs issus de problèmes de recouvrement, de couplage et de partitionnement, Note technique NT/PAA/ATR/ORI/4973, France Telecom, CNET, 38-40, rue du Général Leclerc, 92794 Issy les Moulineaux Cedex 9, France.

Rayward-Smith, V. (1996), Private communication.

Roth, A. E., Rothblum, U. G. & Vande Vate, J. H. (1993), 'Stable matchings, optimal assignments, and linear-programming', *Mathematics of Operations Research* **18**(4), 803–828.

Sankaran, J. (1991), 'On finding the nucleolus of an n-person cooperative game', *International Journal of Game Theory* **19**, 329–338.

Schmeidler, D. (1969), 'The nucleolus of a characteristic function game', *SIAM J. Appl. Math.* **17**, 1163–1170.

Schneider, G. M. & Zastrow, M. N. (1982), 'An algorithm for the design of multilevel concentrator networks', *Computer Networks* **6**, 1–11.

Shapley, L. S. (1953), 'A value for n-person games', *Annals of Mathematical Studies* **28**, 307–317.

Shapley, L. S. (1967), 'On balanced sets and cores', *Naval Res. Logist. Quart.* **14**, 453–460.

Shapley, L. S. & Shubik, M. (1966), 'Quasi-cores in a monetary economy with nonconvex preferences', *Econometrica* **34**, 805–827.

Shapley, L. S. & Shubik, M. (1972), 'The assignment game 1: The core', *International Journal of Game Theory* **1**, 111–130.

Sharkey, W. W. (1990), 'Cores of games with fixed costs and shared facilities', *International Economic Review*.

Shubik, M. (1959), Edgeworth market games, *in* A. W. Tucker & R. D. Luce, eds, 'Contributions to the theory of games', Vol. 4, Princeton University Press.

Skorin-Kapov, D. (1993), 'On a cost allocation problem arising from a capacitated concentrator covering problem', *Operations Research Letters* **13**(5), 315–323.

Skorin-Kapov, D. (1995), 'On the core of the minimum-cost steiner tree game in networks', *Annals of Operations Research* **57**, 233–249.

Skorin-Kapov, D. & Beltrán, H. F. (1993), A unifying efficient characterization of some cost allocation solutions associated with capacited network design problems, *in* 'Proceedings of the 2^{nd} International Conference on Telecommunication Systems,Nashvill, USA', pp. 397–407.

Skorin-Kapov, D. & Beltrán, H. F. (1994), 'An efficient characterization of some cost allocation solutions associated with capacited network design problems', *Telecommunications Systems* **3**, 91–107.

Solymosi, T. (1993), On computing the nucleolus of cooperative games, PhD thesis, University of Illinois at Chicago.

Tamir, A. (1989), 'On the core of a traveling salesman cost allocation game', *Operations Research Letters* **8**, 31–34.

Tamir, A. (1991), 'On the core of network synthesis games', *Mathematical Programming* **50**, 123–135.

Tamir, A. (1992), 'On the core of cost allocation games defined on location problems', *Transportation Science* **27**(1), 81–86.

Telser, G. (1987), *A theory of efficient cooperation and competition*, Cambridge University Press.

Tijs, S. H. & Driessen, T. S. H. (1986), 'Game theory and cost allocation problems', *Management Science* **32**(8), 1015–1028.

Van Roy, T. & Erlenkotter, D. (1982), 'A dual-based procedure for dynamic facility location', *Management Science* **28**, 1091–1105.

Wolsey, L. A. (1976), 'The nucleolus and kernel for simple games or special valid inequalities for 0-1 linear integer programs', *Internatiobal Journal of Game Theory* **5**(4), 227–238.