

# The Difference All-Difference Makes\*

Kostas Stergiou and Toby Walsh

Department of Computer Science

University of Strathclyde

Glasgow, Scotland

{ks,tw}@cs.strath.ac.uk

## Abstract

We perform a comprehensive theoretical and experimental analysis of the use of all-different constraints. We prove that generalized arc-consistency on such constraints lies between neighborhood inverse consistency and, under a simple restriction, path inverse consistency on the binary representation of the problem. By generalizing the arguments of Kondrak and van Beek, we prove that a search algorithm that maintains generalized arc-consistency on all-different constraints dominates a search algorithm that maintains arc-consistency on the binary representation. Our experiments show the practical value of achieving these high levels of consistency. For example, we can solve almost all benchmark quasigroup completion problems up to order 25 with just a few branches of search. These results demonstrate the benefits of using non-binary constraints like all-different to identify structure in problems.

## 1 Introduction

Many real-world problems involve all-different constraints. For example, every fixture for a sports team must be on a different date. Many of the constraint satisfaction toolkits therefore provide specialized algorithms for efficiently representing and, in some case, reasoning about all-different constraints. Alternatively, we can expand all-different constraints into a quadratic number of binary not-equals constraints. However, it is less efficient to do this, and the translation loses some semantic information. The aim of this paper is to show the benefits of keeping with a non-binary representation. We prove that we can achieve much higher levels of consistency in the non-binary representation compared to the binary. We show experimentally that these high levels of consistency can reduce search dramatically.

---

\*The authors are members of the APES research group, <http://www.cs.strath.ac.uk/~apes>. We thank our colleagues in the group at the Universities of Strathclyde and Leeds, most especially Paul Shaw. The second author is supported by EPSRC award GR/K/65706.

## 2 Formal background

A constraint satisfaction problem (CSP) is a triple  $(X, D, C)$ .  $X$  is a set of variables. For each  $x_i \in X$ ,  $D_i$  is the domain of the variable. Each  $k$ -ary constraint  $c \in C$  is defined over a set of variables  $(x_1, \dots, x_k)$  by the subset of the cartesian product  $D_1 \times \dots \times D_k$  which are consistent values. An all-different constraint over  $(x_1, \dots, x_k)$  allows the values  $D_1 \times \dots \times D_k - \{(a_1, \dots, a_k) \mid a_i \in D_i \ \&\forall u, v. a_u \neq a_v\}$ . A solution is an assignment of values to variables that is consistent with all constraints.

Many lesser levels of consistency have been defined for binary constraint satisfaction problems (see [Debruyne and Bessi re, 1997] for references). A problem is  $(i, j)$ -consistent iff it has non-empty domains and any consistent instantiation of  $i$  variables can be extended to a consistent instantiation involving  $j$  additional variables. A problem is arc-consistent (AC) iff it is  $(1, 1)$ -consistent. A problem is path-consistent (PC) iff it is  $(2, 1)$ -consistent. A problem is strong path-consistent iff it is  $(j, 1)$ -consistent for  $j \leq 2$ . A problem is path inverse consistent (PIC) iff it is  $(1, 2)$ -consistent. A problem is neighborhood inverse consistent (NIC) iff any value for a variable can be extended to a consistent instantiation for its immediate neighborhood. A problem is restricted path-consistent (RPC) iff it is arc-consistent and if a variable assigned to a value is consistent with just a single value for an adjoining variable then for any other variable there exists a value compatible with these instantiations. A problem is singleton arc-consistent (SAC) iff it has non-empty domains and for any instantiation of a variable, the problem can be made arc-consistent.

Many of these definitions can be extended to non-binary constraints. For example, a (non-binary) CSP is generalized arc-consistent (GAC) iff for any variable in a constraint and value that it is assigned, there exist compatible values for all the other variables in the constraint [Mohr and Masini, 1988]. Regin gives an efficient algorithm for enforcing generalized arc-consistency on a set of all-different constraints [R egin, 1994]. We can also maintain a level of consistency at every node in a search tree. For example, the MAC algorithm for binary CSPs maintains arc-consistency at each node in the search tree [Gaschnig, 1979]. As a second example, on a non-binary problem, we can maintain generalized arc-consistency (MGAC) at every node in the search tree.

Following [Debruyne and Bessi re, 1997], we call a consistency property  $A$  stronger than  $B$  ( $A \geq B$ ) iff in

consistency property  $A$  incomparable with  $B$  ( $A \sim B$ ) iff  $A$  is not stronger than  $B$  nor vice versa. Finally, we call a local consistency property  $A$  equivalent to  $B$  iff  $A$  implies  $B$  and vice versa. The following identities summarize results from [Debruyne and Bessière, 1997] and elsewhere: strong PC  $>$  SAC  $>$  PIC  $>$  RPC  $>$  AC, NIC  $>$  PIC, NIC  $\sim$  SAC, and NIC  $\sim$  strong PC.

### 3 Generalized arc-consistency

All-different constraints are “network decomposable” [Dechter, 1990] (abbreviated to decomposable in this paper) as they can be represented by binary constraints on the same set of variables. In this section, we give some theoretical results which identify the level of consistency achieved by GAC on decomposable constraints like the all-different constraint.

In general, GAC on decomposable constraints may only achieve the same level of consistency as AC on the binary representation. The problem is that decomposable constraints can often be decomposed into smaller constraints. For example, we can decompose an  $n$ -ary all-different constraint into  $n(n-1)/2$  binary all-different constraints, and enforcing GAC on these only achieves the same level of consistency as AC on the binary representation. We can achieve higher levels of consistency if we prohibit too much decomposition of the non-binary constraints. For example, we can insist that the constraints are *triangle preserving*. That is, we insist that, if there is a triangle of variables in the constraint graph of the binary representation, then these variables must occur together in a non-binary constraints. Binary constraints can still occur in a triangle preserving set of constraints, but only if they do not form part of a larger triangle. Under such a restriction, GAC is strictly stronger than PIC, which itself is strictly stronger than AC.

**Theorem 1** *On a triangle preserving set of decomposable constraints GAC is strictly stronger than PIC on the binary representation.*

**Proof:** Consider a triple of variables,  $x_i, x_j, x_k$  and any value for  $x_i$  from its generalized arc-consistent domain. The proof divides into four cases. In the first,  $x_i$  and  $x_j$  appear in one constraint, and  $x_i$  and  $x_k$  in another. As each of these constraints is arc-consistent, we can find a value for  $x_j$  consistent with  $x_i$ , and for  $x_k$  consistent with  $x_i$ . As the (non-binary) constraints are triangle preserving, there is no direct constraint between  $x_j$  and  $x_k$  so the values for  $x_j$  and  $x_k$  are consistent with each other. Hence, the binary representation of the problem is PIC. The other three cases follow a similar argument. To show that GAC is strictly stronger, consider an all-different constraint on 4 variables each with domains of size 3. This problem is PIC but not GAC.  $\square$

A corollary of this result is that GAC on a triangle preserving set of decomposable constraints is strictly stronger than RPC or AC on the binary representation. We can also put an upper bound on the level of consistency that GAC achieves.

**Proof:** Consider any variable and value assignment. NIC ensures that we can assign consistent values to the variable’s neighbors. However, any (non-binary) constraint including this variable has all its variables in the neighborhood. Hence, the (non-binary) constraint is GAC. To prove strictness, consider a problem with five all-different constraints on  $\{x_1, x_2, x_3\}$ , on  $\{x_1, x_3, x_4\}$ , on  $\{x_1, x_4, x_5\}$ , on  $\{x_1, x_5, x_6\}$ , and on  $\{x_1, x_6, x_2\}$ . in which  $x_1$  has the unitary domain  $\{1\}$  and every other variable has the domain  $\{2, 3\}$ . This problem is GAC, but enforcing NIC shows that it is insoluble.  $\square$

Finally, GAC on decomposable constraints, is incomparable to strong PC and SAC, even when restricted to triangle preserving sets of constraints.

**Theorem 3** *On a triangle preserving set of decomposable constraints, GAC is incomparable to strong PC and to SAC.*

**Proof:** Consider an all-different constraint on 4 variables, each with the same domain of size 3. The binary representation of the problem is strong PC and SAC, but enforcing GAC shows that it is insoluble.

Consider the problem in the proof of Theorem 2 with five all-different constraints. This problem is GAC, but enforcing strong PC or SAC shows that it is insoluble.  $\square$

These results are summarized in Figure 1.




Figure 1: The consistency of GAC on a triangle preserving set of decomposable constraints.

### 4 Quasigroup problems

Quasigroup problems lend themselves to a non-binary representation using all-different constraints. A quasigroup is a Latin square, a  $n$  by  $n$  multiplication table in which each entry appears once in every row and column. Quasigroups model a variety of practical problems like tournament scheduling and designing drug tests. Quasigroup completion, the problem of completing a partial filled quasigroup, has been proposed as a constraint satisfaction benchmark [Gomes and Selman, 1997].

An order  $n$  quasigroup completion problem can be represented as a non-binary constraint satisfaction problem with  $n^2$  variables, each with a domain of size  $n$ . The constraints are  $2n$  all-different constraints of size  $n$ , one for each row and column, and any number of unitary constraints or preassignments. The special structure of these constraints allows us to prove some tighter results.

**Theorem 4** *In quasigroup completion problems, GAC is equivalent to NIC.*

in the 2 all-different constraints that contain the variable. As these constraints are GAC, we can find consistent instantiations for each of the variables. In the binary representation, none of these variables have a direct constraint with each other. Hence, this is a consistent instantiation for the neighborhood.  $\square$

GAC on quasigroup problems remains strictly stronger than PIC and incomparable to strong PC and to SAC.

**Theorem 5** *In quasigroup completion problems, GAC is strictly stronger than PIC.*

**Proof:** By theorem 1, GAC is stronger than PIC. To show that it is strictly stronger, consider an order 4 quasigroup, in which 3 diagonal elements have domains  $\{1\}$ , and all the other elements (including the other diagonal element) have domains  $\{2, 3, 4\}$ . This problem is PIC but is not GAC.  $\square$

**Theorem 6** *In quasigroup completion problems, GAC is incomparable to strong PC and to SAC.*

**Proof:** Consider the problem from the last proof. This problem is strong PC and SAC but is not GAC.

Consider an order 3 quasigroup. Let every element have a domain  $\{1, 2, 3\}$  except the top right which has the domain  $\{1, 2\}$ , the bottom left which has the domain  $\{1, 3\}$  and the bottom right which has the domain  $\{2, 3\}$ . This problem is GAC but enforcing strong PC or SAC shows that it is insoluble.  $\square$

What can we learn from these results? First, on quasigroup completion problems, we achieve the maximum level of consistency (viz. NIC) possible for a GAC procedure on decomposable constraints. And second, we achieve this at very moderate cost. Regin’s algorithm for achieving GAC on a set of all-different constraints has a cost that is polynomial in  $n$ . By comparison, enforcing NIC on binary constraints is exponential in the size of the neighborhood (which is  $O(n)$  in this case).

## 5 Maintaining GAC and AC

We now compare an algorithm that maintains GAC on decomposable constraints over one that maintains AC on the binary representation. We say that algorithm  $A$  dominates algorithm  $B$  if when  $A$  visits a node then  $B$  also visits the equivalent node in its search tree, and strictly dominates if it dominates and there is one problem on which it visits strictly fewer nodes. Using the previous results, we can reduce our analysis to comparing algorithms that maintain NIC, PIC and AC. In fact, we do better than this and prove some general results about algorithms that maintain any level of consistency stronger than FC in which we just filter domains. This covers algorithms that maintain NIC, PIC and AC, as well those that maintain RPC and SAC. We shall use  $A$ -consistent and  $B$ -consistent to denote any two such levels of consistency.

We assume throughout a static variable and value ordering. We can then associate each node in the search tree with the sequence of value assignments made. We say that a node  $(a_1, \dots, a_i)$  is  $A$ -compatible with another

sufficient condition for a node to be visited.

**Theorem 7** *A node is visited by an algorithm that maintains  $A$ -consistency iff it is consistent, it is  $A$ -compatible with all its ancestors, and its parent can be made  $A$ -consistent.*

**Proof:**  $(\Rightarrow)$  The proofs of the first and third conjuncts are similar to those in [Kondrak and van Beek, 1997]. For the second, suppose that node  $(a_1, \dots, a_i)$  is not  $A$ -compatible with one of its ancestors and it is visited. Let  $(a_1, \dots, a_j)$ , with  $j < i$ , be the shallowest of those ancestors. Since  $(a_1, \dots, a_j)$  is an ancestor of  $(a_1, \dots, a_i)$ , it is also visited. When we visit node  $(a_1, \dots, a_j)$  and  $A$ -consistency is enforced,  $a_i$  is pruned out from the domain of  $x_i$ . Node  $(a_1, \dots, a_{i-1})$  cannot therefore be extended to  $(a_1, \dots, a_i)$ . This is a contradiction.

$(\Leftarrow)$  WLOG assume that node  $(a_1, \dots, a_{i-1})$  is the shallowest node that can be made  $A$ -consistent, its child  $(a_1, \dots, a_i)$  is consistent and  $A$ -compatible with all its ancestors, but the child is not visited. Since  $(a_1, \dots, a_i)$  is consistent and  $A$ -compatible with all its ancestors,  $a_i$  is in the domain of  $x_i$ . At node  $(a_1, \dots, a_{i-1})$ , we do not annihilate any of the domains of future variables because the node can be made  $A$ -consistent. The branch will therefore be extended to the remaining values of the next variable  $x_i$ . One of these values is  $a_i$  and therefore node  $(a_1, \dots, a_i)$  is visited.  $\square$

This result lets us rank algorithms in the hierarchy presented in [Kondrak and van Beek, 1997].

**Theorem 8** *If  $A$ -consistency is (strictly) stronger than  $B$ -consistency then maintaining  $A$ -consistency (strictly) dominates maintaining  $B$ -consistency.*

**Proof:** All nodes visited by an algorithm that maintains  $A$ -consistency, are  $A$ -consistent with all their ancestors and have parents that can be made  $A$ -consistent. But as  $A$ -consistency is stronger than  $B$ -consistency, all these nodes are  $B$ -consistent with all their ancestors and have parents that can be made  $B$ -consistent. Hence maintaining  $A$ -consistency dominates maintaining  $B$ -consistency. To show strictness, consider any problem that is  $B$ -consistent but is not  $A$ -consistent.  $\square$

From this result, it follows that MGAC on decomposable constraints strictly dominates MAC on the binary representation, and that MAC itself strictly dominates FC. We can also prove the correctness of MGAC and MAC using the following general result.

**Theorem 9** *Maintaining  $A$ -consistency is correct.*

**Proof:** Soundness is trivial as only consistent nodes are visited. For completeness, consider WLOG the deepest node  $k = (a_1, \dots, a_i)$ ,  $i \geq 1$  that is consistent, is not visited, and its parent is visited. Since  $k$  is consistent, its parent is also consistent. When node  $(a_1, \dots, a_{i-1})$  is visited  $A$ -consistency is enforced, and since this node is consistent, there is no domain wipe-out. Therefore,  $k$  is visited.  $\square$

## 6 Experimental results

To demonstrate the practical relevance of these theoretical results, we ran experiments in three domains.

completion problems as a benchmark that combines some of the best features of random and structured problems [Gomes and Selman, 1997]. For these problems, there is a phase transition from a region where almost all problems are soluble to a region where almost all problems are insoluble as we vary the percentage of variables preassigned. The solution cost peaks around the transition, with approximately 42% of variables preassigned [Gomes and Selman, 1997].

We encoded the problem in ILOG Solver, a C++ constraint toolkit which includes Regin’s algorithm for maintaining GAC on all-different constraints. We used the Brelez heuristic for variable selection (as in [Gomes and Selman, 1997]) and Geelen’s promise heuristic for value ordering (as in [Meseguer and Walsh, 1998]). Gomes et al. observed that search costs to solve random quasigroup completion problems can be modeled by a “heavy-tailed” distribution [Gomes *et al.*, 1997]. We therefore focus on the higher percentiles. Table 1 gives branches explored to complete an order 10 quasigroup with  $p\%$  of entries preassigned, maintaining either AC on the binary representation or GAC on the all-different constraints. We see a very significant advantage for MGAC over MAC. With a random value ordering, the worst case for MGAC was also 2 branches.

p	MAC		MGAC	
	100th	90th	100th	90th
10	163	1	1	1
20	*	1	1	1
30	*	15	2	1
35	*	124	2	1
40	*	1726	2	1
42	*	*	2	1
45	*	*	2	1
48	*	2771	2	1
50	5692	1263	2	1
55	324	71	2	1
60	47	7	1	1
70	2	2	1	1
80	2	2	1	1
90	2	2	1	1

Table 1: Percentiles in branches searched to complete a quasigroup of order 10 using either MAC or MGAC. \* means that the instance was abandoned after 10000 branches. 100 problems were solved at each data point.

Table 2 shows that, as we increase problem size, almost all the problems remain trivial to solve. The only exception was a single order 25 problem with 42% of its variables preassigned. Search was abandoned at the cutoff limit of 10,000 branches. Apart from this, all instances were solved in less than 5 branches. This is a significant improvement over the results of [Gomes *et al.*, 1997] where, despite the use of random restarts to enhance performance, problems of order 25 were too expensive to solve, especially at the phase transition.

20	1	1	1	1	1	1	1	
30	2	1	1	1	2	1	2	1
40	2	1	2	1	2	1	2	1
42	2	1	2	1	2	1	*	1
45	2	1	3	1	3	1	3	1
48	2	1	2	1	2	1	2	1
50	2	1	2	1	2	1	3	1
60	1	1	1	1	4	1	1	1
70	1	1	1	1	1	1	1	1
80	1	1	1	1	1	1	1	1
90	1	1	1	1	1	1	1	1

Table 2: Percentiles in branches explored to complete quasigroups of order 10, 15, 20 and 25 using MGAC.

## 6.2 Quasigroup existence

A variety of automated reasoning programs have been used to answer open questions in finite mathematics about the existence of quasigroups with particular properties [Fujita *et al.*, 1993]. Is GAC useful on these problems? We follow [Fujita *et al.*, 1993] and look at the so-called QG3, QG4, QG5, QG6 and QG7 class of problems. For example, the QG5 problems concern the existence of idempotent quasigroups (those in which  $a \cdot a = a$  for each element  $a$ ) in which  $(ba \cdot b)b = a$ . For the definition of the other problems, see [Fujita *et al.*, 1993]. In these problems, the structure of the constraint graph is disturbed by additional non-binary constraints. These reduce the level of consistency achieved compared to quasigroup completion problems. Nevertheless, GAC significantly prunes the search space and reduces runtimes.

To solve these problems, we again use the Solver toolkit, maintaining either GAC on the all-different constraints, or AC on the binary representation, and the fail-first heuristic for variable ordering. To eliminate some of the symmetric models, as in [Fujita *et al.*, 1993], we added the constraint that  $a \cdot n \geq a - 1$  for every element  $a$ . Table 3 demonstrates the benefits of MGAC over MAC. In QG3 and QG4, MAC explores twice as many branches as MGAC, in QG5 the difference is orders of magnitude, whilst there is only a slight difference in QG6 and QG7. MGAC dominates MAC in terms of CPU time as well as in terms of explored branches. It would be interesting to identify the features of QG5 that gives MGAC such an advantage over MAC, and those of QG6 and QG7 that lessen this advantage.

We now compare our results with those of FINDER [Slaney, 1992], MACE [McCune, 1994], MGTP [Fujita *et al.*, 1993], SATO [Zhang and Stickel, 1994], and SEM [Zhang and Zhang, 1995]. Table 4 shows that Solver outperforms MGTP and FINDER by orders of magnitude, and explores less branches than SEM. SEM and SATO have very sophisticated branching heuristics and complex rules for the elimination of symmetric models that are far more powerful than the symmetry breaking constraint we use [Zhang and Zhang, 1995]. It is therefore impressive that our simple Solver program is competitive with well-developed systems like SEM and SATO.

7	64	48	59	42	5	3	5	2	67	39
8	1,511	821	1,227	707	15	10	9	3	415	314
9	65,001	31,274	88,460	40,582	30	19	36	26	4,837	4,211
10	-	-	-	-	268	74	199	167	94,433	80,677
11	-	-	-	-	1,107	292	2,221	1,876	-	-
12	-	-	-	-	6,832	910	42,248	34,741	-	-
13	-	-	-	-	>1,000,000	27,265	-	4,730,320	-	-

Table 3: Branches explored using MAC on the binary representation and MGAC on the all-different constraints.

Order	Models	Branches					
		MGTP	FINDER	MACE	SATO	SEM	Solver (MGAC)
7	3	9	3	4	5	6	3
8	1	34	13	8	8	11	10
9	0	239	46	14	11	29	19
10	0	7,026	341	37	21	250	74
11	5	51,904	1,728	112	43	1,231	292
12	0	2,749,676	11,047	369	277	8,636	1,156

Table 4: Number of branches explored and models found on QG5 problems by a variety of different programs.

To conclude, despite the addition of non-binary constraints that disturb the structure of the constraint graph, MGAC significantly reduces search and runtimes on quasigroup existence problems. We conjecture that the performance of SEM and SATO could be improved by the addition of a specialized procedure to maintain GAC on the all-different constraints.

### 6.3 Small-worlds problems

Recently, Watts and Strogatz have shown that graphs that occur in many biological, social and man-made systems are often neither completely regular nor completely random, but have instead a “small world” topology in which nodes are highly clustered, whilst the path length between them is small [Watts and Strogatz, 1998]. Walsh has argued that such a topology can make search problems hard since local decisions quickly propagate globally [Walsh, 1998]. To construct graphs with such a topology, we start from the constraint graph of a structured problem like a quasigroup and introduce randomness by deleting edges at random from the binary representation. Deleting an edge at random breaks up an all-different constraint on  $n$  variables into two all-different constraints on  $n - 1$  variables. For example, if  $x_1, x_2, x_3, \dots, x_k$  are all-different and remove the edge between  $x_1$  and  $x_2$  then we are left with all-different constraints on  $x_1, x_3, \dots, x_k$  and  $x_2, x_3, \dots, x_k$ .

Figures 2 and 3 show percentiles in the number of branches explored and in CPU time to find the optimal coloring of order 10 quasigroups in which we delete  $p\%$  of edges from the binary representation. The hardest problems had 5% of their edges removed. MGAC dominates MAC by orders of magnitude in the hard region both in terms of branches explored and CPU time. As  $p$  increases, problems become very easy and both MGAC and MAC quickly find a solution. MAC starts to out-

perform MGAC in terms of CPU time as the overhead of GAC on the large number of all-different constraints is greater.




Figure 2: Percentiles in branches explored by MAC and MGAC to color small world problems generated from an order 10 quasigroup.




Figure 3: Percentiles of CPU seconds used by MAC and MGAC to color small world problems generated from an order 10 quasigroup.

## 7 Related work

Gomes and Selman solved quasigroup completion problems using the MAC algorithm and a binary represen-

However, there were still not able to consistently solve quasigroup completion problems of order 25 or larger.

Meseguer and Walsh solved quasigroup completion problems using a forward checking algorithm (FC) on the binary representation [Meseguer and Walsh, 1998]. They found that discrepancy and interleaved based search methods could also reduce, if not eliminate, the heavy tail. However, their experiments were limited to quasigroups of order 20 and less.

Bacchus and van Beek have compared generalized FC on non-binary constraints with FC on the hidden variable and dual encodings into binary constraints [Bacchus and van Beek, 1998]. They show that a simple extension of FC on the hidden variable encoding will dominate generalized FC on the non-binary representation.

## 8 Conclusions

We have shown experimentally and theoretically the benefits of achieving generalized arc-consistency on decomposable constraints like all-different constraints. Generalized arc-consistency on such constraints lies between neighborhood inverse consistency and, under a simple restriction, path inverse consistency on the binary representation of the problem. On quasigroup completion problems, generalized arc-consistency achieves neighborhood inverse consistency. By generalizing the arguments of [Kondrak and van Beek, 1997], we proved that a search algorithm that maintains generalized arc-consistency on decomposable constraints dominates a search algorithm that maintains arc-consistency on the binary representation. Our generalization also proves the correctness of the algorithms that maintain arc-consistency or generalized arc-consistency. Our experiments demonstrated the practical value of achieving these high levels of consistency. For example, we solved almost all benchmark quasigroup completion problems up to order 25 with just a few branches of search. On quasigroup existence problems, we are competitive with the best programs, despite lacking their specialized branching heuristics and symmetry breaking rules.

What general lessons can be learnt from this study? First, it can be very beneficial to identify structure in a problem by means of a non-binary representation. We can use this structure to enforce higher levels of consistency than can be practical in a binary representation. Second, theory can be motivated by experiment. We were led to attempt our theoretical analysis by the exceptionally good experimental results on quasigroup completion problems. And finally, the all-different constraint really can make a big difference.

## References

[Bacchus and van Beek, 1998] F. Bacchus and P. van Beek. On the conversion between non-binary and binary constraint satisfaction problems. In *Proc. of 15th National Conference on AI*, pages 311–318. 1998.

[Debruyne and Bessière, 1997] R. Debruyne and C. Bessière. Some practicable filtering techniques for

networks with hidden variables. In *Proc. of the 8th National Conference on AI*, pages 555–562. 1990.

[Fujita *et al.*, 1993] M. Fujita, J. Slaney, and F. Bennett. Automatic generation of some results in finite algebra. In *Proc. of the 13th IJCAI*, pages 52–57. 1993.

[Gaschnig, 1979] J. Gaschnig. Performance measurement and analysis of certain search algorithms. Technical report CMU-CS-79-124, Carnegie-Mellon University, 1979. PhD thesis.

[Gomes and Selman, 1997] C. Gomes and B. Selman. Problem structure in the presence of perturbations. In *Proc. of the 14th National Conference on AI*, pages 221–226. 1997.

[Gomes *et al.*, 1997] C. Gomes, B. Selman, and N. Crato. Heavy-tailed distributions in combinatorial search. In G. Smolka, editor, *Proc. of 3rd Int. Conf. on Principles and Practice of Constraint Programming (CP97)*, pages 121–135. 1997.

[Kondrak and van Beek, 1997] G. Kondrak and P. van Beek. A Theoretical Evaluation of Selected Backtracking Algorithms. *Artificial Intelligence*, 89:365–387, 1997.

[McCune, 1994] W. McCune. A Davis-Putnam Program and its Application to Finite First-Order Model Search: Quasigroup Existence Problems. Technical Report ANL/MCS-TM-194, Argonne National Laboratory, 1994.

[Meseguer and Walsh, 1998] P. Meseguer and T. Walsh. Interleaved and discrepancy based search. In *Proc. of the 13th ECAI*. Wiley, 1998.

[Mohr and Masini, 1988] R. Mohr and G. Masini. Good old discrete relaxation. In *Proc. of the 8th ECAI*, pages 651–656, 1988.

[Régis, 1994] J-C. Régis. A filtering algorithm for constraints of difference in CSPs. In *Proc. of the 12th National Conference on AI*, pages 362–367. 1994.

[Slaney, 1992] J. Slaney. FINDER, Finite Domain Enumerator: Notes and Guide. Technical Report TR-ARP-1/92, Australian National University, 1992.

[Walsh, 1998] T. Walsh. Search in a small world. Technical report APES-07-1998, 1998. available from <http://www.cs.strath.ac.uk/~apes/reports/apes-07-1998.ps.gz>.

[Watts and Strogatz, 1998] D.J. Watts and S.H. Strogatz. Collective dynamics of 'small-world' networks. *Nature*, 393:440–442, 1998.

[Zhang and Stickel, 1994] H. Zhang and Stickel M. Implementing the Davis-Putnam Algorithm by Tries. Technical report, University of Iowa, 1994.

[Zhang and Zhang, 1995] J. Zhang and H. Zhang. SEM: a System for Enumerating Models. In *Proc. of the 14th IJCAI*, pages 298–303, 1995.