

Making Nondeterminism Unambiguous*

Klaus Reinhardt[†]
Wilhelm-Schickard Institut für Informatik
Universität Tübingen
Sand 13, D-72076 Tübingen, Germany
e-mail: reinhard@informatik.uni-tuebingen.de

Eric Allender[‡]
Department of Computer Science, Rutgers University
P.O. Box 1179, Piscataway, NJ 08855-1179, USA
e-mail: allender@cs.rutgers.edu

May 6, 1998

Abstract

We show that in the context of nonuniform complexity, nondeterministic logarithmic space bounded computation can be made unambiguous. An analogous result holds for the class of problems reducible to context-free languages. In terms of complexity classes, this can be stated as:

$$\begin{aligned} NL/poly &= UL/poly \\ LogCFL/poly &= UAuxPDA(\log n, n^{O(1)})/poly \end{aligned}$$

Keywords: Nondeterministic space, Unambiguous computation, NLOG, ULOG, LogCFL

AMS Subject Classification: 68Q15, 68Q10

*A preliminary version of this paper appeared in Proc. IEEE Symposium on Foundations of Computer Science (FOCS), 1997.

[†]Supported in part by the DFG Project La 618/3-1 KOMET.

[‡]Supported in part by NSF grant CCR-9509603. This work was performed while this author was a visiting scholar at the Wilhelm-Schickard Institut für Informatik, Universität Tübingen, supported by DFG grant TU 7/117-1

1 Introduction

In this paper, we combine two very useful algorithmic techniques (the inductive counting technique of [Imm88, Sze88] and the isolation lemma of [MVV87]) to give a simple proof that two fundamental concepts in complexity theory coincide in the context of nonuniform computation: nondeterminism and unambiguity.

Unambiguous computation has been the focus of much attention over the past three decades. The notion of nondeterminism is a fundamental notion in many areas of computer science, and the version of nondeterminism where *at most one* nondeterministic path is accepting has proved to be one of the most meaningful restrictions of nondeterminism to study. For example:

- Unambiguous context-free languages form one of the most important subclasses of the class of context-free languages.
- The complexity class UP (unambiguous polynomial time) was first defined and studied by Valiant [Val76]; a necessary precondition for the existence of one-way functions is for P to be properly contained in UP [GS88].

Although UP is one of the most intensely-studied subclasses of NP, it is neither known nor widely-believed that UP contains any sets that are hard for NP under any interesting notion of reducibility. (Recall that Valiant and Vazirani showed that “*Unique.Satisfiability*” – the set of all Boolean formulae with *exactly one* satisfying assignment – is hard for NP under probabilistic reductions [VV86]. However, the language *Unique.Satisfiability* is hard for coNP under \leq_m^p reductions, and thus is not in UP unless NP = coNP.)

Nondeterministic and unambiguous space-bounded computation have also been the focus of much work in computer science. For instance, the question of whether every context-sensitive language has an unambiguous context-sensitive grammar is really a question about whether nondeterministic and unambiguous linear space coincide. This question remains open. In recent years, nondeterministic logspace (NL) has been the focus of much attention, in part because NL captures the complexity of many natural computational problems [Jon75]. The unambiguous version of NL, denoted UL, was first explicitly defined and studied in [BJLR91, AJ93]. A language A is in UL if and only if there is a nondeterministic logspace machine M accepting A such that, for every x , M has at most one accepting computation on input x .

Our results indicate that NL and UL are probably equal, but we cannot prove this equality. In order to state our theorem, we first need to discuss the issue of *uniformity*.

Complexity classes such as P, NP, and NL that are defined in terms of machines are known as “uniform” complexity classes, in contrast to “non-uniform” complexity classes, which are defined most naturally in terms of families of circuits $\{C_n\}$, with a circuit for each input length. In order to make a circuit complexity class “uniform”, it is necessary to require that the function $n \mapsto C_n$ be “easy” to compute in some sense. (We will consider “logspace-uniform” circuits, where the function $n \mapsto C_n$ can be computed in space $\log n$.) P and

NL (and many other uniform complexity classes) have natural definitions in terms of uniform circuits; for instance, NL can be characterized in terms of switching-and-rectifier networks (see, e.g. [Raz92, Raz90]) and skew circuits [Ven92]. Uniform complexity classes can be used to give characterizations of the non-uniform classes, too, using a formalism presented in [KL82]: Given any complexity class \mathcal{C} , \mathcal{C}/poly is the class of languages A for which there exists a sequence of “advice strings” $\{\alpha(n) \mid n \in \mathbf{N}\}$ and a language $B \in \mathcal{C}$ such that $x \in A$ if and only if $(x, \alpha(|x|)) \in B$.

Our main result is that NL/poly is equal to UL/poly .

(It is worth emphasizing that, in showing the equality $\text{UL}/\text{poly} = \text{NL}/\text{poly}$, we must show that for every B in NL/poly , there is a nondeterministic logspace machine M that never has more than one accepting path on any input, and there is an advice sequence $\alpha(n)$ such that $M(x, \alpha(|x|))$ accepts if and only if $x \in B$. This is stronger than merely saying that there is an advice sequence $\alpha(n)$ and a nondeterministic logspace machine such that $M(x, \alpha(|x|))$ never has more than one accepting path, and it accepts if and only if $x \in B$.)

Our work extends the earlier work of Wigderson and Gál. Motivated in part by the question of whether a space-bounded analog of the result of [VV86] could be proved, Wigderson [Wig94, GW96] proved the inclusion $\text{NL}/\text{poly} \subseteq \oplus\text{L}/\text{poly}$. (An alternative proof of this inclusion is sketched in [Reg97, p. 284].) This is a weaker statement than $\text{NL} \subseteq \oplus\text{L}$, which is still not known to hold. $\oplus\text{L}$ is the class of languages A for which there is a nondeterministic logspace bounded machine M such that $x \in A$ if and only if M has an odd number of accepting computation paths on input x .

In the proof of the main result of [Wig94, GW96], Wigderson observed that a simple modification of his construction produces graphs in which the shortest distance between every pair of nodes is achieved by a unique path. We will refer to such graphs in the following as *min-unique graphs*. Wigderson wrote: “We see no application of this observation.” The proof of our main result is just such an application.

2 Nondeterministic Logspace

The s - t connectivity problem takes as input a directed graph with two distinguished vertices s and t , and determines if there is a path in the graph from s to t . It is well-known that this is a complete problem for NL [Jon75].

The following lemma is implicit in [Wig94, GW96], but for completeness we make it explicit here.

Lemma 2.1 *There is a logspace-computable function f and a sequence of “advice strings” $\{\alpha(n) \mid n \in \mathbf{N}\}$ (where $|\alpha(n)|$ is bounded by a polynomial in n) with the following properties:*

- For any graph G on n vertices, $f(G, \alpha(n)) = \langle G_1, \dots, G_{n^2} \rangle$.
- For each i , the graph G_i has an s - t path if and only if G has an s - t path.

- There is some i such that G_i is a min-unique graph.

Proof: We first observe that a standard application of the isolation lemma technique of [MVV87] shows that, if each edge in G is assigned a weight in the range $[1, 4n^4]$ uniformly and independently at random, then with probability at least $\frac{3}{4}$, for any two vertices x and y such that there is a path from x to y , there is only one path having minimum weight. (Sketch: The probability that there is more than one minimum weight path from x to y is bounded by the sum, over all edges e , of the probability of the event $\text{BAD}(e, x, y) ::=$ “ e occurs on one minimum-weight path from x to y and not on another”. Given any weight assignment w' to the edges in G other than e , there is at most one value z with the property that, if the weight of e is set to be z , then $\text{BAD}(e, x, y)$ occurs. Thus the probability that there are two minimum-weight paths between two vertices is bounded by $\sum_{x,y,e} \sum_{w'} \text{BAD}(e, x, y|w') \text{Prob}(w') \leq \sum_{x,y,e} \sum_{w'} 1/(4n^4) \text{Prob}(w') = \sum_{x,y,e} 1/(4n^4) \leq 1/4$.)

Our advice string α will consist of a sequence of n^2 weight functions, where each weight function assigns a weight in the range $[1, 4n^4]$ to each edge. (There are $A(n) = 2^{O(n^5)}$ such advice strings possible for each n .) Our logspace-computable function f takes as input a graph G and a sequence of n^2 weight functions, and produces as output a sequence of graphs $\langle G_1, \dots, G_{n^2} \rangle$, where graph G_i is the result of replacing each edge $e = (x, y)$ in G by a path of length j from x to y , where j is the weight given to e by the i -th weight function in the advice string. Note that, if the i -th weight function satisfies the property that there is at most one minimum weight path between any two vertices, then G_i is a min-unique graph. (It suffices to observe that, for any two vertices x and y of G_i , there are vertices x' and y' such that

- x' and y' are vertices of the original graph G , and they lie on every path between x and y ,
- there is only one path from x to x' , and only one path from y' to y , and
- the minimum weight path from x to y is unique.)

Let us call an advice string “bad for G ” if none of the graphs G_i in the sequence $f(G)$ is a min-unique graph. For each G , the probability that a randomly-chosen advice string α is bad is bounded by (probability that G_i is not min-unique) $^{n^2} \leq (1/4)^{n^2} = 2^{-2n^2}$. Thus the total number of advice strings that are bad for some G is at most $2^{n^2} (2^{-2n^2} A(n)) < A(n)$. Thus there is some advice string $\alpha(n)$ that is not bad. ■

Theorem 2.2 $NL \subseteq UL/poly$

Proof: It suffices to present a UL/poly algorithm for the s - t connectivity problem.

We show that there is a nondeterministic logspace machine M that takes as input a sequence of digraphs $\langle G_1, \dots, G_r \rangle$, and processes each G_i in sequence, with the following properties:

- If G_i is not min-unique, M has a unique path that determines this fact and goes on to process G_{i+1} ;¹ all other paths are rejecting.
- If G_i is a min-unique graph with an s - t path, then M has a unique accepting path.
- If G_i is a min-unique graph with no s - t path, then M has no accepting path.

Combining this routine with the construction of Lemma 2.1 yields the desired UL/poly algorithm.

Our algorithm is an enhancement of the inductive counting technique of [Imm88] and [Sze88]. We call this the *double counting* technique since in each stage we count not only the number of vertices having distance at most k from the start vertex, but also the sum of the lengths of the shortest path to each such vertex. In the following description of the algorithm, we denote these numbers by c_k and Σ_k , respectively.

Let us use the notation $d(v)$ to denote the length of the shortest path in a graph G from the start vertex to v . (If no such path exists, then $d(v) = n + 1$.) Thus, using this notation, $\Sigma_k = \sum_{\{x \mid d(x) \leq k\}} d(x)$.

A useful observation is that *if the subgraph of G having distance at most k from the start vertex is min-unique* (and if the correct values of c_k and Σ_k are provided), then an unambiguous logspace machine can, on input (G, k, c_k, Σ_k, v) , compute the Boolean predicate “ $d(v) \leq k$ ”. This is achieved with the routine shown in Figure 1.

To see that this routine truly is unambiguous if the preconditions are met, note the following:

- If the routine ever guesses incorrectly for some vertex x that $d(x) > k$, then the variable *count* will never reach c_k and the routine will reject. Thus the only paths that run to completion guess correctly exactly the set $\{x \mid d(x) \leq k\}$.
- If the routine ever guesses incorrectly the length l of the shortest path to x , then if $d(x) > l$ no path of length l will be found, and if $d(x) < l$ then the variable *sum* will be incremented by a value greater than $d(x)$. In the latter case, at the end of the routine, *sum* will be greater than Σ_k , and the routine will reject.

Clearly, the subgraph having distance at most 0 from the start vertex is min-unique, and $c_0 = 1$ and $\Sigma_0 = 0$. A key part of the construction involves computing c_k and Σ_k from c_{k-1} and Σ_{k-1} , at the same time checking that the subgraph having distance at most k from the start vertex is min-unique. It is easy to see that c_k is equal to c_{k-1} plus the number of vertices having

¹More precisely, our routine will check if, for every vertex x , there is at most one minimal-length path from the start vertex to x . This is sufficient for our purposes. A straightforward modification of our routine would provide an unambiguous logspace routine that will determine if the entire graph G_i is a min-unique graph.

```

Input  $(G, k, c_k, \Sigma_k, v)$ 
 $count := 0; sum := 0; path.to.v := false;$ 
for each  $x \in V$  do
  Guess nondeterministically if  $d(x) \leq k$ .
  if the guess is  $d(x) \leq k$  then
    begin
      Guess a path of length  $l \leq k$  from  $s$  to  $x$ 
      (If this fails, then halt and reject).
       $count := count + 1; sum := sum + l;$ 
      if  $x = v$  then  $path.to.v := true;$ 
    end
  endfor
if  $count = c_k$  and  $sum = \Sigma_k$ 
  then return the Boolean value of  $path.to.v$ 
  else halt and reject
end.procedure

```

Figure 1: An unambiguous routine to determine if $d(v) \leq k$.

$d(v) = k$. Note that $d(v) = k$ if and only if there is some edge (x, v) such that $d(x) \leq k - 1$ and it is not the case that $d(v) \leq k - 1$. (Note that both of these latter conditions can be determined in UL, as discussed above.) The subgraph having distance at most k from the start vertex *fails* to be a min-unique graph if and only if there exist some v and x as above, as well as some other $x' \neq x$ such that $d(x') \leq k$ and there is an edge (x', v) . The code shown in Figure 2 formalizes these considerations.

Searching for an s - t path in graph G is now expressed by the routine shown in Figure 3.

Given the sequence $\langle G_1, \dots, G_r \rangle$, the routine processes each G_i in turn. If G_i is not min-unique (or more precisely, if the subgraph of G_i that is reachable from the start vertex is not a min-unique graph), then one unique computation path of the routine returns the value *BAD.GRAPH* and goes on to process G_{i+1} ; all other computation paths halt and reject. Otherwise, if G_i is min-unique, the routine has a unique accepting path if G_i has an s - t path, and if this is not the case the routine halts with no accepting computation paths. ■

Corollary 2.3 $NL/poly = UL/poly$

3 LogCFL

LogCFL is the class of problems logspace-reducible to a context-free language. Two important and useful characterizations of this class are summarized in the following proposition. (SAC^1 and $AuxPDA(\log n, n^{O(1)})$ are defined in the following paragraphs.)

Input $(G, k, c_{k-1}, \Sigma_{k-1})$
Output (c_k, Σ_k) , and also the flag *BAD.GRAPH*

```

 $c_k := c_{k-1}; \Sigma_k := \Sigma_{k-1};$ 
for each vertex  $v$  do
  if  $\neg(d(v) \leq k - 1)$  then
    for each  $x$  such that  $(x, v)$  is an edge do
      if  $d(x) \leq k - 1$  then
        begin
           $c_k := c_k + 1; \Sigma_k := \Sigma_k + k;$ 
          for  $x' \neq x$  do
            if  $(x', v)$  is an edge and  $d(x') \leq k - 1$ 
              then  $BAD.GRAPH := \text{true};$ 
          endfor
        end
      endfor
    endfor
  endfor

```

At this point, the values of c_k and Σ_k are correct.

Figure 2: Computing c_k and Σ_k .

```

Input  $(G)$ 
 $BAD.GRAPH := \text{false}; c_0 := 1; \Sigma_0 := 0; k := 0;$ 
repeat
   $k := k + 1;$ 
  compute  $c_k$  and  $\Sigma_k$  from  $(c_{k-1}, \Sigma_{k-1})$ ;
until  $c_{k-1} = c_k$  or  $BAD.GRAPH = \text{true}.$ 
If  $BAD.GRAPH = \text{false}$  then there is an  $s-t$  path in  $G$  if and only if  $d(t) \leq k.$ 

```

Figure 3: Finding an $s-t$ path in a min-unique graph.

Proposition 3.1 [*Sud78, Ven91*]
 $\text{LogCFL} = \text{AuxPDA}(\log n, n^{O(1)}) = \text{SAC}^1.$

An Auxiliary Pushdown Automaton (AuxPDA) is a nondeterministic Turing machine with a read-only input tape, a space-bounded worktape, and a pushdown store that is not subject to the space-bound. The class of languages accepted by Auxiliary Pushdown Automata in space $s(n)$ and time $t(n)$ is denoted by $\text{AuxPDA}(s(n), t(n))$. If an AuxPDA satisfies the property that, on every input x , there is at most one accepting computation, then the AuxPDA is said to be *unambiguous*. This gives rise to the class $\text{UAuxPDA}(s(n), t(n))$.

SAC^1 is the class of languages accepted by logspace-uniform semi-unbounded circuits of depth $O(\log n)$; a circuit family is semi-unbounded if the AND gates have fan-in 2 and the OR gates have unbounded fan-in.

Not long after NL was shown to be closed under complementation [Imm88, Sze88], LogCFL was also shown to be closed under complementation in a proof that also used the inductive counting technique ([BCD⁺89]). A similar history followed a few years later: not long after it was shown that NL is contained in $\oplus\text{L}/\text{poly}$ [Wig94, GW96], the isolation lemma was again used to show that LogCFL is contained in $\oplus\text{SAC}^1/\text{poly}$ [Gál95, GW96]. (As is noted in [GW96], this was independently shown by H. Venkateswaran.)

In this section, we show that the same techniques that were used in Section 2 can be used to prove an analogous result about LogCFL. (In fact, it would also be possible to derive the result of Section 2 from a modification of the proof of this section. Since some readers may be more interested in NL than LogCFL, we have chosen to present a direct proof of $\text{NL}/\text{poly} = \text{UL}/\text{poly}$.) The first step is to state the analog to Lemma 2.1. Before we can do that, we need some definitions.

A *weighted circuit* is a semiunbounded circuit together with a *weighting function* that assigns a nonnegative integer weight to each wire connecting any two gates in the circuit.

Let C be a weighted circuit, and let g be a gate of C . A *certificate for $g(x) = 1$ (in C)* is a list of gates, corresponding to a depth-first search of the subcircuit of C rooted at g . The *weight of a certificate* is the sum of the weights of the edges traversed in the depth-first search. This informal definition is made precise by the following inductive definition. (It should be noted that this definition differs in some unimportant ways from the definition given in [Gál95, GW96].)

- If g is a constant 1 gate or an input gate evaluating to 1 on input x , then the only certificate for g is the string g . This certificate has weight 0.
- If g is an AND gate of C with inputs h_1 and h_2 (where h_1 lexicographically precedes h_2), then any string of the form gyz is a certificate for g , where y is any certificate for h_1 , and z is any certificate for h_2 . If w_i is the weight of the edge connecting h_i to g , then the weight of the certificate gyz is $w_1 + w_2$ plus the sum of the weights of certificates y and z .

- If g is an OR gate of C , then any string of the form gy is a certificate for g , where y is any certificate for a gate h that is an input to g in C . If w is the weight of the edge connecting h to g , then the weight of the certificate gy is w plus the weight of certificate y .

Note that if C has logarithmic depth d , then any certificate has length bounded by a polynomial in n and has weight bounded by 2^d times the maximum weight of any edge. Every gate that evaluates to 1 on input x has a certificate, and no gate that evaluates to 0 has a certificate.

We will say that a weighted circuit C is *min-unique on input x* if, for every gate g that evaluates to 1 on input x , the minimal-weight certificate for $g(x) = 1$ is unique.

Lemma 3.2 *For any language A in LogCFL, there is a sequence of advice strings $\alpha(n)$ (having length polynomial in n) with the following properties:*

- Each $\alpha(n)$ is a list of weighted circuits of logarithmic depth $\langle C_1, \dots, C_n \rangle$.
- For each input x and for each i , $x \in A$ if and only if $C_i(x) = 1$.
- For each input x , there is some i such that C_i is min-unique on input x .

Lemma 3.2 is in some sense implicit in [Gál95, GW96]. We include a proof for completeness.

Proof: Let A be in LogCFL, and let C be the semiunbounded circuit of size n^k and depth $d = O(\log n)$ recognizing A on inputs of length n .

As in [Gál95, GW96], a modified application of the isolation lemma technique of [MVV87] shows that, for each input x , if each wire in C is assigned a weight in the range $[1, 4n^{3k}]$ uniformly and independently at random, then with probability at least $\frac{3}{4}$, C is min-unique on input x . (Sketch: The probability that there is more than one minimum weight certificate for $g(x) = 1$ is bounded by the sum, over all wires e , of the probability of the event $\text{BAD}(e, g) ::= "e$ occurs in one minimum-weight certificate for $g(x) = 1$ and not in another". Given any weight assignment w' to the edges in C other than e , there is at most one value z with the property that, if the weight of e is set to be z , then $\text{BAD}(e, g)$ occurs. Thus the probability that there are two minimum-weight certificates for any gate in C is bounded by $\sum_{g,e} \sum_{w'} \text{BAD}(e, g|w') \text{Prob}(w') \leq \sum_{g,e} \sum_{w'} 1/(4n^{3k}) \text{Prob}(w') = \sum_{g,e} 1/(4n^{3k}) \leq 1/4$.)

Now consider sequences β consisting of n weight functions $\langle w_1, \dots, w_n \rangle$, where each weight function assigns a weight in the range $[1, 4n^{3k}]$ to each edge of C . (There are $B(n) = 2^{n^{O(1)}}$ such sequences possible for each n .) There must exist a string β such that, for each input x of length n , there is some $i \leq n$ such that the weighted circuit C_i that results by applying weight function w_i to C is min-unique on input x . (Sketch of proof: Let us call a sequence β "bad for x " if none of the circuits C_i in the sequence is min-unique on input x . For each x , the probability that a randomly-chosen β is bad is bounded by (probability that C_i is not min-unique) $^n \leq (1/4)^n = 2^{-2n}$. Thus the total number of sequences

that are bad for some x is at most $2^n(2^{-2^n}B(n)) < B(n)$. Thus there is some sequence β that is not bad.)

The desired advice sequence $\alpha(n) = \langle C_1, \dots, C_n \rangle$ is formed by taking a good sequence $\beta = \langle w_1, \dots, w_n \rangle$ and letting C_i be the result of applying weight function w_i to C . ■

Theorem 3.3 *LogCFL \subseteq UAuxPDA($\log n, n^{O(1)}$)/poly.*

Proof: Let A be a language in LogCFL. Let x be a string of length n , and let $\langle C_1, \dots, C_n \rangle$ be the advice sequence guaranteed by Lemma 3.2.

We show that there is an unambiguous auxiliary pushdown automaton M that runs in polynomial time and uses logarithmic space on its worktape that, given a sequence of circuits as input, processes each circuit in turn, and has the following properties:

- If C_i is not min-unique on input x , then M has a unique path that determines this fact and goes on to process C_{i+1} ; all other paths are rejecting.
- If C_i is min-unique on input x and evaluates to 1 on input x , then M has a unique accepting path.
- If C_i is min-unique on input x but evaluates to zero on input x , then M has no accepting path.

Our construction is similar in many respects to that of Section 2. Given a circuit C , let c_k denote the number of gates g that have a certificate for $g(x) = 1$ of weight at most k , and let Σ_k be the sum, over all gates g having a certificate for $g(x) = 1$ of weight at most k , of the minimum-weight certificate of g . (Let $W(g)$ denote the weight of the minimum-weight certificate of $g(x) = 1$, if such a certificate exists, and let this value be ∞ otherwise.)

A useful observation is that *if all gates of C having certificates of weight at most k have unique minimal-weight certificates* (and if the correct values of c_k and Σ_k are provided), then on input $(C, x, k, c_k, \Sigma_k, g)$, an unambiguous AuxPDA can determine if $W(g) > k$, and if $W(g) \leq k$, the AuxPDA can compute the value of $W(g)$. This is achieved with the routine shown in Figure 4.

To see that this routine truly is unambiguous if the preconditions are met, note the following:

- If the routine ever guesses incorrectly for some gate h that $W(h) > k$, then the variable *count* will never reach c_k and the routine will reject. Thus the only paths that run to completion guess correctly exactly the set $\{h \mid W(h) \leq k\}$.
- For each gate h such that $W(h) \leq k$, there is exactly one minimal-weight certificate that can be found. An UAuxPDA will find this certificate using its pushdown to execute a depth-first search (using nondeterminism at the OR gates, and using its $O(\log n)$ workspace to compute the weight of the

```

Input  $(C, x, k, c_k, \Sigma_k, g)$ 
 $count := 0; sum := 0; a := \infty;$ 
for each gate  $h$  do
    Guess nondeterministically if  $W(h) \leq k$ .
    if the guess is  $W(h) \leq k$  then
        begin
            Guess a certificate of size  $l \leq k$  for  $h$ 
            (If this fails, then halt and reject).
             $count := count + 1; sum := sum + l;$ 
            if  $h = g$  then  $a := l;$ 
        end
    endfor
if  $count = c_k$  and  $sum = \Sigma_k$ 
    then return  $a$ 
    else halt and reject
end.procedure

```

Figure 4: An unambiguous routine to calculate $W(g)$ if $W(g) \leq k$ and return ∞ otherwise.

certificate), and only one path will find the the minimal-weight certificate. If, for some gate h , a certificate of weight greater than $W(h)$ is guessed, then the variable sum will not be equal to Σ_k at the end of the routine, and the path will halt and reject.

Clearly, all gates at the input level have unique minimal-weight certificates (and the only gates g with $W(g) = 0$ are at the input level). Thus we can set $c_0 = n + 1$ (since each input bit and its negation are provided, along with the constant 1), and $\Sigma_k = 0$. A key part of the construction involves computing c_k and Σ_k from (c_{k-1}, Σ_{k-1}) , at the same time checking that no gate has two minimal-weight certificates of weight k . Consider each gate g in turn. If g is an AND gate with inputs h_1 and h_2 and weights w_1 and w_2 connecting g to these inputs, then $W(g) \leq k$ if and only if $(W(g) = l \leq k - 1)$ or $((W(g) > k - 1)$ and $(W(h_1) + W(h_2) + w_1 + w_2 = k))$. If g is an OR gate, then it suffices to check, for each gate h that is connected to g by an edge of weight w , if $(W(g) = l \leq k - 1)$ or $((W(g) > k - 1)$ and $(W(h) + w = k))$; if one such gate is found, then $W(g) = k$; if two such gates are found, then the circuit is not min-unique on input x . If no violations of this sort are found for any k , then C is min-unique on input x . The code shown in Figure 5 formalizes these considerations.

Evaluating a given circuit C_i is now expressed by the routine shown in Figure 6.

Given the sequence $\langle C_1, \dots, C_n \rangle$, the routine processes each C_i in turn. If C_i is not min-unique on input x , then one unique computation path of the routine returns the value *BAD.CIRCUIT* and goes on to process C_{i+1} ; all other computation paths halt and reject. Otherwise, the routine has a unique accepting path if $C_i(x) = 1$, and if this is not the case the routine halts with no accepting

Input $(C, x, k, c_{k-1}, \Sigma_{k-1})$
Output (c_k, Σ_k) , and also the flag *BAD.CIRCUIT*

```

 $c_k := c_{k-1}; \Sigma_k := \Sigma_{k-1};$ 
for each gate  $g$  do
  if  $W(g) > k - 1$  then
    begin
    if  $g$  is an AND gate with inputs  $h_1, h_2$ , connected
      to  $g$  with edges weighted  $w_1, w_2$  and
       $W(h_1) + W(h_2) + w_1 + w_2 = k$  then
         $c_k := c_k + 1; \Sigma_k := \Sigma_k + k$ 
    if  $g$  is an OR gate then
      for each  $h$  connected to  $g$  by an edge
        weighted  $w$  do
        if  $W(h) = k - w$  then
          begin
           $c_k := c_k + 1; \Sigma_k := \Sigma_k + k$ 
          for  $h' \neq h$  connected to  $g$  by an edge
            of weight  $w'$  do
            if  $W(h') = k - w'$ 
              then BAD.CIRCUIT := true:
            endfor
          endfor
        end
      endfor
    end
  endfor
endfor

```

At this point, if *BAD.CIRCUIT* = false, the values of c_k and Σ_k are correct.

Figure 5: Computing c_k and Σ_k .

```

Input  $(C_i)$ 
BAD.CIRCUIT := false;  $c_0 := n + 1; \Sigma_0 := 0;$ 
for  $k = 1$  to  $2^d 4n^3$ 
  compute  $(c_k, \Sigma_k)$  from  $c_{k-1}, \Sigma_{k-1};$ 
  if BAD.CIRCUIT = true, then exit the for loop.
endfor
If BAD.CIRCUIT = false then the output gate  $g$  evaluates to 1 if and only if
 $W(g) < \infty.$ 

```

Figure 6: Evaluating a circuit.

computation paths. ■

Corollary 3.4 $\text{LogCFL}/\text{poly} = \text{UAuxPDA}(\log n, n^{O(1)})/\text{poly}$.

4 Discussion and Open Problems

Rytter [Ryt87] (see also [RR92]) showed that any unambiguous context-free language can be recognized in logarithmic time by a CREW-PRAM. In contrast, no such CREW algorithm is known for any problem complete for NL, even in the nonuniform setting, although one might initially suspect that our results, combined with those of [Ryt87], would yield such algorithms, because of the following considerations:

- NL is the class of languages reducible to linear context-free languages [Sud75].
- The class of languages accepted by deterministic AuxPDAs in logarithmic space and polynomial time coincides with the class of languages logspace-reducible to deterministic context-free languages.
- LogCFL coincides with $\text{AuxPDA}(\log n, n^{O(1)})$.

That is, there is a close connection between deterministic and nondeterministic context-free languages, and related deterministic and nondeterministic complexity classes. Shouldn't similar relationships hold for the unambiguous classes? Unfortunately, it is *not* known that $\text{UAuxPDA}(\log n, n^{O(1)})$ or UL is reducible to unambiguous context-free languages. The work of Niedermeier and Rossmanith does an excellent job of explaining the subtleties and difficulties here [NR95]. CREW algorithms are closely associated with a version of unambiguity called *strong unambiguity*. In terms of Turing-machine based computation, strong unambiguity means that, not only is there at most one path from the start vertex to the accepting configuration, but in fact there is at most one path between *any two configurations of the machine*.

Strongly unambiguous algorithms have more efficient algorithms than are known for general NL or UL problems. It is shown in [AL96] that problems in strongly unambiguous logspace have deterministic algorithms using less than $\log^2 n$ space, and it is shown in [BJLR91] that this class is also in LogDCFL (and hence has logarithmic-time CROW-PRAM algorithms and is in SC^2). For more information on this connection to CROW-PRAM algorithms, see [FLR96].

The reader is encouraged to note that, in a min-unique graph, the shortest path between *any two vertices* is unique. This bears a superficial resemblance to the property of strong unambiguity. We see no application of this observation.

It is natural to ask if the randomized aspect of the construction can be eliminated using some sort of derandomization technique to obtain the equality $\text{UL} = \text{NL}$. In more recent work [AR98], we observe that if $\text{DSPACE}(n)$ contains a language with sufficiently high circuit complexity, then the techniques of [NW94]

can be used to build pseudorandom generators of sufficiently high quality, so that the results of this paper would also hold in the uniform setting.

A corollary of our work is that $UL/poly$ is closed under complement. It remains an open question if UL is closed under complement, although some of the unambiguous logspace classes that can be defined using strong unambiguity are known to be closed under complement [BJLR91]. Similarly, $UL/poly$ has a complete set under the natural types of reducibility to consider (nonuniform logspace reductions, or even nonuniform projections). In contrast, UL itself is not known to have any complete sets under logspace reducibility. In this regard, note that Lange has shown that one of the other unambiguous logspace classes does have complete sets [Lan97].

It is disappointing that the techniques used in this paper do not seem to provide any new information about complexity classes such as $NSPACE(n)$ and $NSPACE(2^n)$. It is straightforward to show that $NSPACE(s(n))$ is contained in $USPACE(s(n))/2^{O(s(n))}$, but this is interesting only for sublinear $s(n)$. (In a personal communication, Fortnow has pointed out that our argument does show that $NSPACE(n) = USPACE(n)$ relative to a random oracle.)

There is a natural class of functions associated with NL , denoted FNL [AJ93]. This can be defined in several equivalent ways, such as

- The class of functions computable by NC^1 circuits with oracle gates for problems in NL .
- The class of functions f such that $\{(x, i, b) \mid \text{the } i\text{-th bit of } f(x) \text{ is } b\}$ is in NL .
- The class of functions computable by logspace-bounded machines with oracles for NL .

Another important class of problems related to NL is the class $\#L$, which counts the number of accepting paths of a NL machine. $\#L$ characterizes the complexity of computing the determinant [Vin91]. (See also [Tod, Dam, MV97, Val92, AO96].) It was observed in [AJ93] that if $NL = UL$, then FNL is contained in $\#L$. Thus a corollary of the result in this paper is that $FNL/poly \subseteq \#L/poly$.

Many questions about $\#L$ remain unanswered. Two interesting complexity classes related to $\#L$ are PL (probabilistic logspace) and $C=L$ (which characterizes the complexity of singular matrices, as well as questions about computing the rank). It is known that some natural hierarchies defined using these complexity classes collapse:

- $AC^0(C=L) = C=L^{C=L \cdots C=L} = NC^1(C=L) = L^{C=L}$ [AO96, ABO96].
- $AC^0(PL) = PL^{PL \cdots PL} = NC^1(PL) = PL$ [AO96, Ogi96, BF97].

In contrast, the corresponding $\#L$ hierarchy (equal to the class of problems AC^0 reducible to computing the determinant) $AC^0(\#L) = FL^{\#L \cdots \#L}$ is not known to collapse to any fixed level. Does the equality $UL/poly = NL/poly$ provide any help in analyzing this hierarchy in the nonuniform setting?

It is instructive to view our results in terms of arithmetic circuits. An equivalent definition of the class of functions $\#L$ results by taking the Boolean circuit characterization of NL (see [Ven92]) and replacing each Boolean AND and OR gate by integer multiplication and addition, respectively. The class $\#SAC^1$ can be defined similarly. This notion of arithmetic circuit complexity has been investigated in a series of papers including [Vin91, CMTV96, AAD97, All97]. Our results say that the zero-one valued characteristic function of any language in NL (or LogCFL) can be computed by the corresponding (nonuniform) class of arithmetic circuits. Note that, although the output gate is producing a value in $\{0,1\}$, some of the interior gates will be producing larger values. Are there equivalent arithmetic circuits where *all* gates take values in $\{0,1\}$? (This is essentially the notion of strong unambiguity.) Note that each such gate is itself defining a language in NL (or LogCFL), and thus there is a zero-one valued arithmetic circuit for it – but this circuit may itself have gates that produce large values.

Acknowledgment: We thank Klaus-Jörn Lange for helpful comments, and for drawing our attention to min-unique graphs, and for arranging for the second author to spend some of his sabbatical time in Tübingen. We also thank V. Vinay and Lance Fortnow for insightful comments.

References

- [AAD97] M. Agrawal, E. Allender, and S. Datta. On TC^0 , AC^0 , and arithmetic circuits. In *Proceedings, 12th Annual IEEE Conference on Computational Complexity*, pages 134–148, 1997.
- [ABO96] E. Allender, R. Beals, and M. Ogihara. The complexity of matrix rank and feasible systems of linear equations. In *ACM Symposium on Theory of Computing (STOC)*, 1996.
- [AJ93] C. Àlvarez and B. Jenner. A very hard log-space counting class. *Theoretical Computer Science*, 107:3–30, 1993.
- [AL96] E. Allender and K.-J. Lange. $StUSPACE(\log n)$ is contained in $DSPACE(\log^2 n / \log \log n)$. In *Proceedings of the 7th International Symposium on Algorithms and Computation (ISAAC)*, volume 1178 of *Lecture Notes in Computer Science*, pages 193–202. Springer-Verlag, 1996. To appear in *Theory of Computing Systems*.
- [All97] E. Allender. Making computation count: Arithmetic circuits in the nineties. *SIGACT NEWS*, 28(4):2–15, December 1997.
- [AO96] E. Allender and M. Ogihara. Relationships among PL, $\#L$, and the determinant. *RAIRO - Theoretical Information and Application*, 30:1–21, 1996.

- [AR98] E. Allender and K. Reinhardt. Isolation, matching, and counting. In *Proceedings, 13th Annual IEEE Conference on Computational Complexity*, 1998. to appear.
- [BCD⁺89] A. Borodin, S. A. Cook, P. W. Dymond, W. L. Ruzzo, and M. Tompa. Two applications of inductive counting for complementation problems. *SIAM Journal on Computing*, 18(3):559–578, 1989.
- [BF97] R. Beigel and B. Fu. Circuits over PP and PL. In *IEEE Conference on Computational Complexity*, pages 24–35, 1997.
- [BJLR91] G. Buntrock, B. Jenner, K.-J. Lange, and P. Rossmanith. Unambiguity and fewness for logarithmic space. In *Proc. 8th International Conference on Fundamentals of Computation Theory (FCT '91)*, volume 529 of *Lecture Notes in Computer Science*, pages 168–179. Springer-Verlag, 1991.
- [CMTV96] H. Caussinus, P. McKenzie, D. Thérien, and H. Vollmer. Nondeterministic NC¹ computation. In *Proceedings, 11th Annual IEEE Conference on Computational Complexity*, pages 12–21, 1996.
- [Dam] C. Damm. DET = L^{#L}? Informatik-Preprint 8, Fachbereich Informatik der Humboldt-Universität zu Berlin, 1991.
- [FLR96] H. Fernau, K.-J. Lange, and K. Reinhardt. Advocating ownership. In V. Chandru, editor, *Proceedings of the 16th Conference on Foundations of Software Technology and Theoretical Computer Science*, volume 1180 of *LNCS*, pages 286–297. Springer, December 1996.
- [Gál95] A. Gál. Semi-unbounded fan-in circuits: Boolean vs. arithmetic. In *IEEE Structure in Complexity Theory Conference*, pages 82–87, 1995.
- [GS88] J. Grollmann and A. Selman. Complexity measures for public-key cryptosystems. *SIAM Journal on Computing*, 17:309–335, 1988.
- [GW96] A. Gál and A. Wigderson. Boolean vs. arithmetic complexity classes: randomized reductions. *Random Structures and Algorithms*, 9:99–111, 1996.
- [Imm88] N. Immerman. Nondeterministic space is closed under complement. *SIAM Journal on Computing*, 17:935–938, 1988.
- [Jon75] N. D. Jones. Space bounded reducibility among combinatorial problems. *Journal of Computer and System Sciences*, 11:68–85, 1975.
- [KL82] R. Karp and R. Lipton. Turing machines that take advice. *L'Enseignement Mathématique*, 28:191–209, 1982.

- [Lan97] K.-J. Lange. An unambiguous class possessing a complete set. In *Proc. 14th Symposium on Theoretical Aspects of Computer Science (STACS '97)*, volume 1200 of *Lecture Notes in Computer Science*, pages 339–350. Springer-Verlag, 1997.
- [MV97] M. Mahajan and V. Vinay. Determinant: Combinatorics, algorithms, and complexity. *Chicago Journal of Theoretical Computer Science*, (5), 1997.
- [MVV87] K. Mulmuley, U. Vazirani, and V. Vazirani. Matching is as easy as matrix inversion. *Combinatorica*, 7:105–113, 1987.
- [NR95] R. Niedermeier and P. Rossmanith. Unambiguous auxiliary push-down automata and semi-unbounded fan-in circuits. *Information and Computation*, 118(2):227–245, 1995.
- [NW94] N. Nisan and A. Wigderson. Hardness vs. randomness. *Journal of Computer and System Sciences*, 49:149–167, 1994.
- [Ogi96] M. Ogiwara. The PL hierarchy collapses. In *ACM Symposium on Theory of Computing (STOC)*, pages 84–88, 1996. to appear in *SIAM J. Comput.*
- [Raz90] A. Razborov. Lower bounds on the size of switching-and-rectifier networks for symmetric Boolean functions. *Mathematical Notes of the Academy of Sciences of the USSR*, 48(6):79–91, 1990.
- [Raz92] A. Razborov. Lower bounds for deterministic and nondeterministic branching programs. In *Proc. 8th International Conference on Fundamentals of Computation Theory (FCT '91)*, volume 529 of *Lecture Notes in Computer Science*, pages 47–60. Springer-Verlag, 1992.
- [Reg97] K. Regan. Polynomials and combinatorial definitions of languages. In L. Hemaspaandra and Alan Selman, editors, *Complexity Theory Retrospective II*, pages 261–293. Springer-Verlag, 1997.
- [RR92] P. Rossmanith and W. Rytter. Observations on $\log n$ time parallel recognition of unambiguous context-free languages. *Information Processing Letters*, 44:267–272, 1992.
- [Ryt87] W. Rytter. Parallel time $O(\log n)$ recognition of unambiguous context-free languages. *Information and Computation*, 73:75–86, 1987.
- [Sud75] I. H. Sudborough. A note on tape-bounded complexity classes and linear context-free languages. *J. Association of Computing Machinery*, 22:499–500, 1975.
- [Sud78] I. H. Sudborough. On the tape complexity of deterministic context-free languages. *J. Association of Computing Machinery*, 25:405–414, 1978.

- [Sze88] R. Szelepcsényi. The method of forced enumeration for nondeterministic automata. *Acta Informatica*, 26:279–284, 1988.
- [Tod] S. Toda. Counting problems computationally equivalent to the determinant. Technical Report CSIM 91-07, Department of Computer Science and Information Mathematics, University of Electro-Communications, Tokyo, 1991.
- [Val76] L. Valiant. The relative complexity of checking and evaluating. *Information Processing Letters*, 5:20–23, 1976.
- [Val92] L. Valiant. Why is Boolean complexity theory difficult? In M. Paterson, editor, *Boolean Function Complexity*, volume 169 of *London Mathematical Society Lecture Notes Series*, pages 84–94. Cambridge University Press, 1992.
- [Ven91] H. Venkateswaran. Properties that characterize LOGCFL. *Journal of Computer and System Sciences*, 43:380–404, 1991.
- [Ven92] H. Venkateswaran. Circuit definitions of nondeterministic complexity classes. *SIAM Journal on Computing*, 21:655–670, 1992.
- [Vin91] V. Vinay. Counting auxiliary pushdown automata and semi-unbounded arithmetic circuits. In *Proc. 6th Structure in Complexity Theory Conference*, pages 270–284. IEEE, 1991.
- [VV86] L. Valiant and V. Vazirani. NP is as easy as detecting unique solutions. *Theoretical Computer Science*, 47:85–93, 1986.
- [Wig94] A. Wigderson. $NL/poly \subseteq \oplus L/poly$. In *Proc. of the 9th IEEE Structure in Complexity Conference*, pages 59–62, 1994.