



Esri  
380 New York Street  
Redlands, California 92373-8100  
Phone: 909-793-2853, ext. 1-4441  
Fax: 909-307-3046



---

---

**ArcPad® packaged with a Trimble® Yuma™ 2 Rugged Tablet Computer with a Trimble GPS Pathfinder® Pro 6H or Pro 6T**  
*A special promotional offer for US customers only.*

### Pricing

Item #	Package	Unit Price
137657	ArcPad with the Trimble Yuma 2 Rugged Tablet Computer, a GPS Pro 6T Submeter Receiver with Floodlight and Trimble Positions ArcPad Extension License	\$6,900
137658	ArcPad with the Trimble Yuma 2 Rugged Tablet Computer, a GPS Pro 6T Submeter Receiver, and Trimble Positions ArcPad Extension License	\$6,200
137659	ArcPad with the Trimble Yuma 2 Rugged Tablet Computer, a GPS Pro 6H Postprocessed Subfoot Receiver with Floodlight, and Trimble Positions ArcPad Extension License	\$8,700

### Trimble Positions

#### Trimble Positions for ArcGIS for Desktop

The Trimble Positions Desktop add-in for ArcGIS for Desktop completes the back-office workflow and seamlessly corrects collected positions using differential correction.

This add-in is available for both ArcGIS for Windows Mobile and ArcPad workflows.

Item #	Product	Unit Price
132809	Trimble Positions Desktop Add-in Perpetual License for ArcGIS for Desktop	\$1,995

### Trimble Yuma 2 Rugged Tablet Computer Features

- Intel® Atom Cedar Trail N2600 Dual Core 1.6 GHz Processor 17.8 cm (7 inch) 1024 x 600 Hybrid Reflective and Transmissive with Sunlight Readable Multi-touch Capacitive Touch Screen Color Display
- Outward-facing Autofocus 5 MP Camera with LED Flash—Photo and Video Recording Capable
- Integrated GPS Receiver (2–4 meter after differential correction)
- Dual-mode 3.75G Cellular Data
- Integrated Bluetooth 4.0
- Integrated Wi-Fi b/g/n
- 4 GB DRAM
- 128 GB Solid State Drive (SSD)
- Rugged Design Certified to IP65 and MIL-STD-810G
- Accelerometer and Electronic Compass
- Genuine Windows® 7 Professional Operating System



Esri  
380 New York Street  
Redlands, California 92373-8100  
Phone: 909-793-2853, ext. 1-4441  
Fax: 909-307-3046

## Software Delivery

### ArcPad

ArcPad is delivered via electronic download from Esri. Users will receive an e-mail communication with a token that directs them to their Esri Global Account. Customers who do not have an Esri Global Account must create one before they can use the token to receive access for downloading software from the Customer Care portal. Existing customers who already have access to the Customer Care portal will be able to download ArcPad.

Official media is available on DVD for an additional fee.

### StreetMap Premium

StreetMap™ Premium TomTom North America is included with the ArcPad license. Customer must request unlock codes for StreetMap Premium to use StreetMap data.

## Available Training

Item #	Option	Description	Price
125695	On-Site ArcPad with Trimble GPS Handheld Training	On-site, two-day training on ArcPad with Trimble GPS handheld(s) for up to 12 students by Electronic Data Solutions. This course will focus on being productive with ArcPad in the field and how to collect and process high-quality GPS data with ArcPad, the Trimble Positions ArcPad extension, and the Trimble Positions Desktop add-in for ArcGIS for Desktop. Students will learn best practices for geodatabase design and map authoring as they relate to mobile GIS projects and get hands-on experience walking through the typical steps of an ArcPad data collection project. Pricing includes student manuals for up to 12 students. At a minimum, customer must provide one Trimble GPS handheld and one machine supporting ArcGIS for Desktop per two students. Additional hardware can be provided upon request (rental fees apply). Pricing includes training as specified, airfare, car, hotel, per diem expenses, and shipping of material. Pricing is also based on a minimum three-week lead time for scheduling.	\$7,200



Esri  
380 New York Street  
Redlands, California 92373-8100  
Phone: 909-793-2853, ext. 1-4441  
Fax: 909-307-3046

## Extended Warranty Options

Item #	Option	Description	Price
100908	Extended Hardware Warranty	The Extended Hardware Warranty gives you the assurance that your Trimble Yuma 2 Rugged Tablet Handheld hardware will be maintained for the period of the warranty.	\$325
100901	GPS Pro 6T or Pro 6H Receiver Extended Hardware Warranty	<p>The GPS Pro 6T or Pro 6H receiver Extended Hardware Warranty gives you the assurance that your hardware will be maintained for the period of the warranty.</p> <p>GPS Pro 6T and Pro 6H receivers come with a standard warranty on your hardware and associated firmware against defective parts and labor for 12 months. Maintenance can be extended for additional 12-month periods with the purchase of the Pro 6T or Pro 6H receiver Extended Hardware Warranty.</p>	\$325
133660	Trimble Positions ArcPad Extension Warranty	Additional one-year enhancement coverage for Trimble Positions ArcPad extension. This extends the standard one-year Trimble Positions ArcPad extension software enhancement coverage. If any enhancements to the Trimble Positions ArcPad extension software are released during this time, you will be entitled to them at no charge.	\$146
132810	Additional One-Year Support of Trimble Positions Desktop Add-in Perpetual License	Additional one year of support for Trimble Positions Desktop add-in Perpetual License for ArcGIS for Desktop.	\$399

## Trimble Yuma 2 Rugged Tablet Accessories

Item #	Option	Description	Price
137681	Yuma 2 External Batteries (2 Pack)	The Extended Battery Set contains two rechargeable lithium-ion batteries. In typical use, this battery set provides 16 hours of use per charge.	\$279
137685	Yuma 2 Vehicle Charger	The Vehicle Charging Kit enables recharge capability between jobs or during a road trip. Whether topping off or completely recharging your Yuma 2 battery set, this charger will help you get more from your workday. This charger is compatible with input voltage of 11–32 VDC.	\$225
137687	Yuma 2 Rugged Keyboard	This rugged keyboard can be attached to your USB port to provide a full alphanumeric keypad for efficient data entry.	\$395



Esri  
380 New York Street  
Redlands, California 92373-8100  
Phone: 909-793-2853, ext. 1-4441  
Fax: 909-307-3046

Item #	Option	Description	Price
137688	Yuma 2 External GPS Kit	This is the external patch antenna for the Yuma 2 with antenna cable and SMA connector including the Yuma 2 SMA GPS adapter.	\$65
137689	Yuma 2 Carrying Case	The Yuma 2 Carry Case provides easy transportation for your Yuma 2 tablet computer and assorted accessories. This Carry Case has a primary pocket for your tablet computer, a large side pocket for the AC Charging Kit and/or the Vehicle Charging Kit, as well as smaller external and internal pockets for smaller accessories. The included shoulder strap is adjustable and detachable.	\$30
137690	Yuma 2 Screen Protector (Qty. 2) with Cleaning Cloth	The clear view screen protectors for Yuma 2 computers are designed to keep your touch screen in good condition. This kit contains two screen protectors and a microfiber cloth for cleaning the touch screen before applying a screen protector.	\$20
137691	Yuma 2 Vehicle Soft Mount	The Vehicle Soft Mount enables you to mount your Yuma 2 tablet to a front or side window of your vehicle.	\$175
137692	Yuma 2 Vehicle Hard Mount	The Rugged Duty Vehicle Hard Mount enables you to mount your Yuma 2 tablet to the dashboard of your vehicle. This mounting kit is designed for vehicles that frequently travel off road and experience high levels of vibration and shock.	\$165
137693	Yuma 2 Pole Mount	The Pole Mount is designed to hold the Trimble Yuma 2 tablet to a vertical pole commonly used in GPS data collection applications.	\$224
137694	Yuma 2 USB to Serial Adapter	The Yuma 2 USB to Serial Adapter is used to provide a DB-9 serial cable connection from a Yuma 2 tablet USB port. This accessory is useful for connecting to older devices that lack the Bluetooth connectivity commonly found on contemporary sensors, instruments, and other devices.	\$19
137695	Yuma 2 Capacitive Stylus with Tether	The Yuma 2 Capacitive Stylus with Tether contains one tether and one stylus. The capacitive stylus features a pressure-modulating tip that improves usability and can reduce wear on the touch screen when properly used with a screen protector. This is a standard accessory included with each Yuma 2 tablet computer.	\$25
137696	Yuma 2 Hand Strap	This is a replacement for the Yuma 2 Hand Strap.	\$18



Esri  
380 New York Street  
Redlands, California 92373-8100  
Phone: 909-793-2853, ext. 1-4441  
Fax: 909-307-3046

## Trimble GPS Pro 6T or Pro 6H Receiver Mounting Kit Options

Different applications may require additional mounting devices, and the following are recommended solutions to suit your requirements. Bundles provide a set of accessories that can be used for standard applications.

Item #	Option	Description	Price
100898	Backpack Kit	The backpack kit provides a high-quality solution for using a Pro 6T or Pro 6H receiver. The kit comes with a backpack and 12-inch backpack pole. The Pro 6T or Pro 6H receiver mounts directly on the 12-inch backpack pole.	\$295
100899	Vehicle Magnetic Mount Kit for the Pro 6T and Pro 6H Receivers	The Pro 6T and Pro 6H receivers can be used on a vehicle for road centerline mapping. In these situations, it is common to place the receiver either directly on the roof of the vehicle or keep the receiver inside the vehicle and use a 5-meter external patch antenna. For mounting directly on the vehicle, a heavy-duty magnetic mount is needed to ensure the receiver is securely attached. This kit provides both methods of mounting the receiver by including a heavy-duty magnetic mount and 5-meter external patch antenna.	\$175
130665	Pro 6T and Pro 6H Receiver Battery Pack	Pro 6T and Pro 6H receivers ship with a rechargeable battery pack, which can also be purchased separately as a spare or replacement battery. With an additional, fully charged Pro 6T and Pro 6H receiver battery pack on hand, you can swap battery packs in the field in a matter of seconds to continue working. The battery pack integrates a 2,500 mAh Li-Ion battery with smart-charging circuitry and convenient capacity-remaining LED indicators.	\$195
130666	Upgrade to NMEA Output for Pro 6H Receiver	Installing the NMEA output option for the Pro 6H receiver enables the output of decimeter-accuracy NMEA-0183 data from the integrated Global Navigation Satellite System (GNSS) receiver.	\$495
130667	Upgrade to NMEA Output for Pro 6T Receiver	Installing the NMEA output option for the Pro 6T receiver enables the output of submeter-accuracy NMEA-0183 data from the integrated GNSS receiver.	\$295



Esri  
380 New York Street  
Redlands, California 92373-8100  
Phone: 909-793-2853, ext. 1-4441  
Fax: 909-307-3046

---

---

## ESRI QUOTATION TERMS AND CONDITIONS

These prices and terms are valid only for items purchased and delivered within the United States excluding Guam, Puerto Rico, and the Virgin Islands.

This quotation information is proprietary and may not be copied or released other than for the express purpose of system selection and purchase. This information may not be given to outside parties or used for any other purpose without written consent from Esri.

### ORDER PROCESS

The order process is initiated when Esri receives an original purchase order or some form of advance payment. Several additional documents (e.g., credit application, if not using credit card, and tax exemption certificate) are required to complete the order.

**IMPORTANT!** Collectively, these documents contain the authorizations and information necessary to ship proper versions of the software on the correct media. Please return them promptly to avoid unnecessary delays in shipping. Please return all documents by mail or express courier or as otherwise directed.

Please show the following remittance address on your purchase order:

Esri, File #54630, Los Angeles, CA 90074-4630

### DELIVERY

#### FOB ORIGIN

**Software:** Allow thirty (30) days from Esri's receipt of purchase order, signed Software License Agreement(s), and other documents, as required. Esri software license agreements may be accessed at [esri.com/legal](http://esri.com/legal).

**Hardware:** Manufacturer's terms apply. Lead times depend on make/models purchased.

Standard delivery method is ground or two-day air for software and surface carrier for hardware. Actual delivery method may vary depending on weight. Other service is available for an additional fee (e.g., overnight delivery).

### PAYMENT TERMS

Net 30 days, on approved credit.

### WARRANTY

Warranty and service are provided by manufacturer(s).

### TAXES

Prices quoted do not include applicable sales or use taxes unless so stated. Esri reserves the right to collect sales tax assessed by states as required by law. Esri will add state sales tax to the invoice unless Esri is shown proof with the order that your organization is tax exempt or pays state tax directly.

Esri collects and pays sales tax in Alabama, Arizona, California, Colorado, Connecticut, Florida, Georgia, Hawaii, Illinois, Indiana, Kansas, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, Nevada, New Jersey, New Mexico, New York, North Carolina, North Dakota, Ohio, Oklahoma, Pennsylvania, South Carolina, Tennessee, Texas, Utah, Vermont, Virginia, Washington, and Wisconsin. In preparing your budget, please allow for applicable sales tax. Esri reserves the right to collect sales tax assessed by additional states as required by law.



Esri  
380 New York Street  
Redlands, California 92373-8100  
909-793-2853

**ArcPad® with Trimble® Yuma 2 Rugged  
Tablet Computer and GPS Pro 6T or Pro 6H  
Receiver Special Offer Domestic Order Form**

9/9/13

BILL TO	
Organization	
Department	PO No.
Address	
Attention	
Phone	Fax
E-mail	

ORDERED BY	
Organization	
Date of Order	PO No.
Phone	Fax
Contact	Esri Customer No.

SHIP TO	
Organization	
Department	
Address	
Attention	
Phone	Fax
E-mail	

Qty.	Description	Unit Price	Total
	Item 137657—ArcPad with Trimble Yuma 2 Rugged Tablet Computer, a GPS Pro 6T Submeter Receiver with Floodlight, and Trimble Positions ArcPad Extension License	\$6,900	
	Item 137658—ArcPad with Trimble Yuma 2 Rugged Tablet Computer, a GPS Pro 6T Submeter Receiver, and Trimble Positions ArcPad Extension License	\$6,200	
	Item 137659—ArcPad with Trimble Yuma 2 Rugged Tablet Computer, a GPS Pro 6H Postprocessed Subfoot Receiver with Floodlight, and Trimble Positions ArcPad Extension License	\$8,700	

Optional Items (Enter items and prices below.)			Optional Items Total	
			Subtotal	
			Shipping	Included
			Sales Tax*	
			Total Due Esri	

**THANK YOU FOR YOUR ORDER**

Please attach sheet of additional options and pricing, if necessary.

\* Please add appropriate sales tax in the states of AL, AZ, CA, CO, CT, FL, GA, HI, IL, IN, KS, MA, MD, MI, MN, MO, NC, ND, NE, NJ, NM, NV, NY, OH, OK, PA, SC, TN, TX, UT, VA, VT, WA, and WI. Esri reserves the right to correct sales tax rates and/or collect the sales tax assessed by additional states as required by law, without notice. Items may be shipped separately.

FAX YOUR ORDER TO
<b>800-330-7053</b>
<b>ATTN.: Customer Service/Alan Chrest</b>
Esri,
380 New York Street • Redlands, CA 92373-8100

- A. If submitting a purchase order, a credit application will need to be completed if one is not already on file with Esri.  
B. Delivery is based on manufacturer availability.  
C. All sales are final. Opened boxes cannot be returned for credit.

**PAYMENT OPTIONS:**

- (a) Enclose a check payable to Esri with this form.  
(b) Complete credit card authorization information below.  
(c) Enclose a completed purchase order with this form.  
We will not ship without payment or purchase order enclosed.  
Acceptance of purchase order is based on credit approval.

CREDIT CARD AUTHORIZATION				
Card Number	Check One			Expiration Date
	AMEX	Disc.	MC	Visa
Cardholder Signature	Approval Code (Esri use only)			
Printed Name of Cardholder				



IN-HOUSE USE  
ORIGINATED BY \_\_\_\_\_ DEPT. \_\_\_\_\_ PHONE \_\_\_\_\_ CLIENT'S REQUEST \$ \_\_\_\_\_

**ESRI**  
**CREDIT APPLICATION**  
**COMPANY INFORMATION**

COMPANY NAME: \_\_\_\_\_ TELEPHONE: \_\_\_\_\_  
DBA: \_\_\_\_\_ FAX: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_ CONTACT: \_\_\_\_\_  
\_\_\_\_\_  
TAX EXEMPT: YES/NO. IF YES, PLEASE ATTACH  
COPY OF EXEMPTION CERTIFICATES FOR ALL STATES.  
LENGTH OF TIME IN BUSINESS: \_\_\_\_\_ FEDERAL ID NO.: \_\_\_\_\_  
NUMBER OF EMPLOYEES: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
CORPORATION \_\_\_\_\_ PROPRIETORSHIP \_\_\_\_\_ PARTNERSHIP  
IF A CORPORATION, IN WHAT STATE INCORPORATED: \_\_\_\_\_  
DATE OF INCORPORATION: \_\_\_\_\_  
PRESIDENT: \_\_\_\_\_ VICE PRESIDENT: \_\_\_\_\_  
PARTNER'S NAME(S): \_\_\_\_\_  
PERSONS WITH CORPORATE SIGNATORY AUTHORITY: \_\_\_\_\_  
\_\_\_\_\_  
COMPANY CLASSIFICATION: \_\_\_\_\_ FORTUNE 500 \_\_\_\_\_ UNIVERSITY, COLLEGE, OR PUBLIC SCHOOLS  
\_\_\_\_\_  
LOCAL, STATE, OR FEDERAL GOVERNMENT \_\_\_\_\_ NONE OF THE ABOVE  
BRIEFLY DESCRIBE YOUR COMPANY'S FUNCTION: \_\_\_\_\_

**BANK REFERENCE**

(Please list all banks and banking account numbers; attach additional pages if necessary.)

BANK NAME: \_\_\_\_\_ TELEPHONE: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_ CONTACT: \_\_\_\_\_  
\_\_\_\_\_  
CHECKING ACCOUNT NO.: \_\_\_\_\_  
OTHER ACCOUNT NO.: \_\_\_\_\_  
LOAN NO.: \_\_\_\_\_

**VENDOR REFERENCE**

(PROVIDE 5)

NAME: \_\_\_\_\_ NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_ ADDRESS: \_\_\_\_\_  
\_\_\_\_\_  
TELEPHONE: \_\_\_\_\_ TELEPHONE: \_\_\_\_\_  
\_\_\_\_\_  
NAME: \_\_\_\_\_ NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_ ADDRESS: \_\_\_\_\_  
\_\_\_\_\_  
TELEPHONE: \_\_\_\_\_ TELEPHONE: \_\_\_\_\_  
\_\_\_\_\_  
NAME: \_\_\_\_\_ NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_ ADDRESS: \_\_\_\_\_  
\_\_\_\_\_  
TELEPHONE: \_\_\_\_\_ TELEPHONE: \_\_\_\_\_

**ENVIRONMENTAL SYSTEMS RESEARCH INSTITUTE, INC. (ESRI), PAYMENT POLICY:**

**NET 30 DAYS, 1.5 PERCENT LATE FEE PER MONTH AFTER 30 DAYS.**

BY SIGNING BELOW, COMPANY CERTIFIES AND ATTESTS FINANCIAL RESPONSIBILITY FOR ANY AND ALL CORRECT ESRI INVOICES TO COMPANY AND ITS ABILITY TO PAY SUCH INVOICES IN ACCORDANCE WITH ESRI'S PAYMENT POLICY. COMPANY FURTHER AGREES TO PAY REASONABLE ATTORNEY'S FEES, PLUS INTEREST, IN THE EVENT OF DEFAULT IN PAYMENTS IN COMPLIANCE WITH ESRI POLICY. THE INFORMATION CONTAINED HEREIN IS ONLY FOR THE PURPOSE OF OBTAINING CREDIT AND AUTHORIZES ESRI TO OBTAIN INFORMATION CONCERNING COMPANY'S CREDIT STANDING.

**PLEASE FAX TO ESRI CREDIT ANALYST AT 909-307-3031 AND MAIL ORIGINAL.**

BY: \_\_\_\_\_ DATE: \_\_\_\_\_





---

---

## **PRODUCT INFORMATION**

### **STANDARD FEATURES**

#### **System**

- Microsoft® Windows 7 Professional operating system
- Intel Atom Cedar Trail N2600 dual-core 1.6 GHz processor
- 4 GB DDR3 DRAM
- 128 GB solid state drive
- 3.75G cellular data
- Enhanced direct sunlight readable color display
- Multi-touch capacitive touch screen
- Rugged design certified to IP65 and MIL-STD-810G
- 3.5 mm audio jack and integrated microphone and speaker
- Outward-facing autofocus 5 MP camera with LED Flash—Photo and video recording capable
- Integrated Bluetooth 4.0
- Integrated Wi-Fi b/g/n
- Wi-Fi Alliance Certified
- CCX (Version 4)
- Accelerometer and Electronic Compass
- Kensington security slot
- Status LEDs for power, battery, Wi-Fi, and 3G data

#### **GPS**

- High-sensitivity GPS/SBAS1 receiver and antenna
- GPS receiver, 2–4 meter accuracy with SBAS1

#### **Standard Software**

- Internet Explorer
- Camera software with geotagging

#### **Standard Accessories**

- Standard battery set (8 hour)
- International AC charging kit with 4 adapters
- Capacitive stylus with tether
- Hand strap
- Display cleaning microfiber cloth
- Screen protectors

## TECHNICAL SPECIFICATIONS

### Physical

Size (L x W x H) .....	9.6 in x 6.3 in x 1.5 in (246 mm x 160 mm x 40 mm)
Weight .....	2.6 lb. (1.2 kg) with standard batteries, 3.0 lb. (1.4 kg) with extended batteries

### Environmental

Operating temperature .....	–22 °F to 144 °F (–30 °C to 60 °C), MIL-STD-810G, Method 502.5, Procedure II & III (Low Temp. Operating) Method 501.5, Procedure II (High Temp. Operating)
Storage temperature .....	–40 °F to 158 °F (–40 °C to 70 °C), MIL-STD-810G, Method 502.5, Procedure I (Low Temp. Storage);
Humidity .....	Cycles between –22 °F and 144 °F (–30 °C and 60 °C) at 90% RH, MIL-STD-810G, Method 507.5, Procedure II (Humidity Aggravated Cycle)
Water .....	Survives driving rain and water spray, any direction Water Jet 0.25 in dia. @ 8.2 ft–9.8 ft, 3.3 gallons/min. (Water Jet 6.3 mm dia. @ 2.5 m–3 m, 12.5 Liter/min)IEC 60529, IPx5
Dust .....	Protected against dust: IEC 60529, IP6x dust chamber with under pressure
Drops .....	Survives multiple 4-foot drops (1.22 m) MIL-STD-810G Method 516.6 Procedure IV, Transit Drop
Vibration.....	General minimum integrity and loose cargo tests MIL-STD-810G, Method 514.6, Procedure I Procedure II, Category 5 (Vibration) (Vibration; Truck/Trailer-Loose Cargo Annex C, figure 514.6C-4, Table 514.6C-I, one hour)
Altitude.....	MIL-STD-810G, Method 500.5, (Altitude) Procedure I, II & III Operational at 15,000 feet
Temperature shock..	Cycles between –22 °F and 144 °F (–30 °C and 60 °C) MIL-STD-810G, Method 503.5, Procedure I-C
Solar exposure .....	MIL-STD-810G, Method 505.5, Procedure II, Solar Exposure
Chemical exposure..	Resistant to mild alkaline and acid cleaning solutions, fuel hydrocarbons, alcohols, and common vehicle and factory machine lubricants

### Electrical

Processor .....	1.6 GHz Intel Atom N2600 dual-core processor
RAM memory .....	4 GB DDR3 DRAM
Storage .....	64 GB or 128 GB SSD
Display .....	7" 1024 x 600 hybrid reflective and transmissive with capacitive touch screen
Battery <sup>1</sup>	Smart batteries with LED power indicators.
Standard battery <sup>1</sup>	Two 7.5 V, 3000 mAh, 22 Wh
Extended battery <sup>1</sup>	Two 7.5 V, 6000 mAh, 45 Wh



---

---

I/O .....	3.5 mm audio jack, USB Host(2) HDMI docking station I/O plate, DC input power
Radios .....	Bluetooth 4.03; Wi-Fi b/g/n3
WWAN .....	Penta-Band GSM 3.75G cellular data
GPS	
Channels .....	50 (L1 code/carrier 6 only)
Integrated real-time ..	RTCM v2.3, SBAS1
Update rate .....	1 Hz
Protocols .....	NMEA-0183, UBX binary
External antenna ....	SMA port for optional antenna (external GPS kit)
Accuracy (HRMS) <sup>2</sup>	
Real-time (SBAS <sup>1</sup> ) .	2–4 m
Code postprocessed <sup>3</sup>	2–4 m

#### Certifications

FCC, CE, UL 60950, IC (Canada), RoHS complaint. MIL461, RSS 210, CSA, RSS CSA C22.2, IEC 60950

<sup>1</sup> SBAS (Satellite Based Augmentation System). Includes WAAS (Wide Area Augmentation System) available in North America only, EGNOS (European Geostationary Navigation Overlay System) available in Europe only, and MSAS available in Japan only.

<sup>2</sup> Horizontal Root Mean Squared accuracy. Requires reasonable multipath conditions. Ionospheric conditions, multipath signals, or obstruction of the sky by buildings or heavy tree canopy may degrade precision by interfering with signal reception.

<sup>3</sup> Requires Trimble DeltaPhase technology, as supported in Trimble GPS Pathfinder Office software version 5.30 and later, and Trimble TerraSync software version 5.42 and later.

Specifications subject to change without notice Method 501.5, Procedure I (High Temp. Storage)

## Trimble Navigation Limited

### Limited Warranty Terms and Conditions

#### Product Limited Warranty

Subject to the following terms and conditions, Trimble Navigation Limited ("Trimble") warrants that for a period of one (1) year from date of purchase this Trimble product (the "Product") will substantially conform to Trimble's publicly available specifications for the Product and that the hardware and any storage media components of the Product will be substantially free from defects in materials and workmanship.

#### Product Software

Product software, whether built into hardware circuitry as firmware, provided as a stand-alone computer software product, embedded in flash memory, or stored on magnetic or other media, is licensed solely for use with or as an integral part of the Product and is not sold. If accompanied by a separate end user license agreement ("EULA"), use of any such software will be subject to the terms of such end user license agreement (including any differing



---

---

limited warranty terms, exclusions, and limitations), which shall control the terms and conditions set forth in this limited warranty.

#### Software Fixes

During the limited warranty period, you will be entitled to receive such Fixes to the Product software that Trimble releases and makes commercially available and for which it does not charge separately, subject to the procedures for delivery to purchasers of Trimble products generally. If you have purchased the Product from a Trimble authorized dealer rather than from Trimble directly, Trimble may, at its option, forward the software Fix to the Trimble authorized dealer for final distribution to you. Minor Updates, Major Upgrades, new products, or substantially new software releases, as identified by Trimble, are expressly excluded from this update process and limited warranty. Receipt of software Fixes or other enhancements shall not serve to extend the limited warranty period.

For purposes of this warranty, the following definitions shall apply: (1) "Fix(es)" means an error correction or other update created to fix a previous software version that does not substantially conform to its Trimble specifications; (2) "Minor Update" occurs when enhancements are made to current features in a software program; and (3) "Major Upgrade" occurs when significant new features are added to software, or when a new product containing new features replaces the further development of a current product line. Trimble reserves the right to determine, at its sole discretion, what constitutes a Fix, Minor Update, or Major Upgrade.

#### Warranty Remedies

If the Trimble Product fails during the warranty period for reasons covered by this limited warranty and you notify Trimble of such failure during the warranty period, Trimble will repair OR replace the nonconforming Product with new, equivalent to new, or reconditioned parts or Product, OR refund the Product purchase price paid by you, at Trimble's option, upon your return of the Product in accordance with Trimble's product return procedures then in effect.



---

### How to Obtain Warranty Service

To obtain warranty service for the Product, please contact your local Trimble authorized dealer. Alternatively, you may contact Trimble to request warranty service at +1-408-481-6940 (24 hours a day) or e-mail your request to [trimble\\_support@trimble.com](mailto:trimble_support@trimble.com). Please be prepared to provide

- Your name, address, and telephone numbers
- Proof of purchase
- A copy of this Trimble warranty
- A description of the nonconforming Product including the model number
- An explanation of the problem

The customer service representative may need additional information from you, depending on the nature of the problem.

### Warranty Exclusions and Disclaimer

This Product limited warranty shall only apply in the event and to the extent that (a) the Product is properly and correctly installed, configured, interfaced, maintained, stored, and operated in accordance with Trimble's applicable operator's manual and specifications, and (b) the Product is not modified or misused. This Product limited warranty shall not apply to, and Trimble shall not be responsible for, defects or performance problems resulting from (i) the combination or utilization of the Product with hardware or software products, information, data, systems, interfaces, or devices not made, supplied, or specified by Trimble; (ii) the operation of the Product under any specification other than, or in addition to, Trimble's standard specifications for its products; (iii) the unauthorized installation, modification, or use of the Product; (iv) damage caused by the following: accident, lightning or other electrical discharge, fresh or salt water immersion or spray (outside of Product specifications), or exposure to environmental conditions for which the Product is not intended; (v) normal wear and tear on consumable parts (e.g., batteries); or (vi) cosmetic damage. Trimble does not warrant or guarantee the results obtained through the use of the Product, or that software components will operate error free.

**NOTICE REGARDING PRODUCTS EQUIPPED WITH TECHNOLOGY CAPABLE OF TRACKING SATELLITE SIGNALS FROM SATELLITE-BASED AUGMENTATION SYSTEMS (SBAS) (WAAS/EGNOS, AND MSAS), OMNISTAR, GPS, MODERNIZED GPS OR GLONASS SATELLITES, OR FROM IALA BEACON SOURCES: TRIMBLE IS NOT RESPONSIBLE FOR THE OPERATION OR FAILURE OF OPERATION OF ANY SATELLITE-BASED POSITIONING SYSTEM OR THE AVAILABILITY OF ANY SATELLITE-BASED POSITIONING SIGNALS.**

THE FOREGOING LIMITED WARRANTY TERMS STATE TRIMBLE'S ENTIRE LIABILITY, AND YOUR EXCLUSIVE REMEDIES, RELATING TO THE TRIMBLE PRODUCT. EXCEPT AS OTHERWISE EXPRESSLY PROVIDED HEREIN, THE PRODUCT AND ACCOMPANYING DOCUMENTATION AND MATERIALS ARE PROVIDED "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTY OF ANY KIND, BY EITHER TRIMBLE OR ANYONE WHO HAS BEEN INVOLVED IN ITS CREATION, PRODUCTION, INSTALLATION, OR DISTRIBUTION, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, TITLE, AND NONINFRINGEMENT. THE STATED EXPRESS WARRANTIES ARE IN LIEU OF ALL OBLIGATIONS OR LIABILITIES ON THE PART OF TRIMBLE ARISING OUT OF, OR IN CONNECTION WITH, ANY PRODUCT. BECAUSE SOME STATES AND JURISDICTIONS DO NOT ALLOW LIMITATIONS ON DURATION OR THE EXCLUSION OF AN IMPLIED WARRANTY, THE ABOVE LIMITATION MAY NOT APPLY OR FULLY APPLY TO YOU.



---

---

#### Limitation of Liability

TRIMBLE'S ENTIRE LIABILITY UNDER ANY PROVISION HEREIN SHALL BE LIMITED TO THE AMOUNT PAID BY YOU FOR THE PRODUCT. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT SHALL TRIMBLE OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGE WHATSOEVER UNDER ANY CIRCUMSTANCE OR LEGAL THEORY RELATING IN ANY WAY TO THE PRODUCTS, SOFTWARE AND ACCOMPANYING DOCUMENTATION AND MATERIALS (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, LOSS OF DATA, OR ANY OTHER PECUNIARY LOSS), REGARDLESS OF WHETHER TRIMBLE HAS BEEN ADVISED OF THE POSSIBILITY OF ANY SUCH LOSS AND REGARDLESS OF THE COURSE OF DEALING WHICH DEVELOPS OR HAS DEVELOPED BETWEEN YOU AND TRIMBLE. BECAUSE SOME STATES AND JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, THE ABOVE LIMITATION MAY NOT APPLY OR FULLY APPLY TO YOU.

**PLEASE NOTE: THE ABOVE TRIMBLE LIMITED WARRANTY PROVISIONS WILL NOT APPLY TO PRODUCTS PURCHASED IN THOSE JURISDICTIONS (E.G., MEMBER STATES OF THE EUROPEAN ECONOMIC AREA) IN WHICH PRODUCT WARRANTIES ARE THE RESPONSIBILITY OF THE LOCAL TRIMBLE AUTHORIZED DEALER FROM WHOM THE PRODUCTS ARE ACQUIRED. IN SUCH A CASE, PLEASE CONTACT YOUR LOCAL TRIMBLE AUTHORIZED DEALER FOR APPLICABLE WARRANTY INFORMATION.**

#### Official Language

THE OFFICIAL LANGUAGE OF THESE TERMS AND CONDITIONS IS ENGLISH. IN THE EVENT OF A CONFLICT BETWEEN ENGLISH AND OTHER LANGUAGE VERSIONS, THE ENGLISH LANGUAGE SHALL BE CONTROLLING.

#### Registration

To receive information regarding updates and new products, please contact your local Trimble authorized dealer or visit the Trimble Web site at [www.trimble.com/register](http://www.trimble.com/register). Upon registration, you may select the newsletter, upgrade, or new product information you desire.